

By: BH - MEH - AML
Asst. Chief Tax Deputy

W. C. Underwood Jr.
Sheriff of Doddridge County

The Person paying Money into the Treasury shall forthwith file one of these Receipts with the County Clerk

Doddridge County, West Virginia

No. 654

Date: **October 3, 2013**
Customer copy

Received: #13-067 cnx gas oxford/ waterline

\$500.00

In Payment For: 318 Building Permits (LP)

For: 12-Flood Plain Ordinance #20 Fund

By: BH - MEH - AML
Asst. Chief Tax Deputy

W. C. Underwood Jr.
Sheriff of Doddridge County

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|---|
| <ul style="list-style-type: none">Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.Print your name and address on the reverse so that we can return the card to you.Attach this card to the back of the mailpiece, or on the front if space permits. | A. Signature <i>Barbara Leggett</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee |
| 1. Article Addressed to: <p>Todd A. Burleson Rt. 1, Box 84 West Union, WV 26456</p> | B. Received by (Printed Name) C. Date of Delivery 9/26/2013 |
| | D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No |
| 2. Article Number (Transfer from service label) 7011 0470 0000 8523 2549 | 3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. |
| PS Form 3811, February 2004 Domestic Return Receipt 10259502-M-1540 | 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes |


7011 0470 0000 8523 2549

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

| | |
|---|---------|
| Postage | \$.46 |
| Certified Fee | 3.10 |
| Return Receipt Fee (Endorsement Required) | 2.55 |
| Restricted Delivery Fee (Endorsement Required) | |
| Total Postage & Fees | \$ 6.11 |



Sent To
Todd A. Burleson
Street, Apt. No.,
or PO Box No. Rt 1, Box 84
City, State, ZIP+4 West Union, WV 26456

PS Form 3800, August 2006 See Reverse for Instructions

Legal Advertisement:
Doddridge County
Floodplain Permit Application

Please take notice that on the 18th day of September, 2013
CNX GAS COMPANY – OXFORD 1 WATERLINE
filed an
application for a Floodplain Permit to develop land located at or
about: **SURFACE OWNERS: TODD A BURLESON, 117.63 AC,**
DEED BOOK 294/216, TAX MAP 7-4-6.

The Application is on file with the Clerk of the County Court and
may be inspected or copied during regular business hours.
Any interested persons who desire to comment shall present
the same in writing by **OCTOBER 8TH, 2013.**

Delivered to the:
Clerk of the County Court
118 E. Court Street, West Union, WV 26456.

Beth A Rogers, Doddridge County Clerk
Dan Wellings, Doddridge County Flood Plain Manager

* P. 01 *
* TRANSACTION REPORT *
* SEP-18-2013 WED 01:02 PM *
* FOR: DODDRIDGE CO. CLERK 304 873 1840 *
* SEND *
* DATE START RECEIVER TX TIME PAGES TYPE NOTE M# DP *
* SEP-18 01:01 PM 93048731600 25" 1 FAX TX OK 624 *
* TOTAL : 25S PAGES: 1 *

Legal Advertisement:

Doddridge County

Floodplain Permit Application

Please take notice that on the 18th day of September, 2013
CNX GAS COMPANY – OXFORD 1 WATERLINE
filed an
application for a Floodplain Permit to develop land located at or
about: **SURFACE OWNERS: TODD A BURLESON, 117.63 AC,**
DEED BOOK 294/216, TAX MAP 7-4-6.
The Application is on file with the Clerk of the County Court and
may be inspected or copied during regular business hours.
Any interested persons who desire to comment shall present
the same in writing by **OCTOBER 8TH, 2013.**


Delivered to the:

Clerk of the County Court

118 E. Court Street, West Union, WV 26456.

Beth A Rogers, Doddridge County Clerk

Dan Wellings, Doddridge County Flood Plain Manager


| | | |
|---|---|------------------|
|  Civil & Environmental Consultants, Inc. 99 Cambridge Place Bridgeport, WV 26330 Phone: (304) 933-3119 · Toll Free: (855) 488-9539 Fax: (304) 933-3327 | Letter of Transmittal | |
| | Date: 9/9/2013 | Job No.: 130-963 |
| Attention: <i>Dan Wellings</i> | | |
| To: <i>Doddridge County Clerk's Office</i> <i>118 E. Court Street</i> <i>West Union, WV 26456</i> | RE: <i>Oxford 1 Water Line Doddridge County Floodplain Permit Application</i> | |

We are sending you attached via the following items:

- | | | | | |
|---|---------------------------------------|--------------------------------|----------------------------------|---|
| <input type="checkbox"/> Shop drawings | <input type="checkbox"/> Prints | <input type="checkbox"/> Plans | <input type="checkbox"/> Samples | <input type="checkbox"/> Specifications |
| <input type="checkbox"/> Copy of letter | <input type="checkbox"/> Change order | <input type="checkbox"/> _____ | | |

| Copies | Date | No. | Description |
|--------|----------|-----|---|
| 2 | 9-4-2013 | 14 | Doddridge County Floodplain Application |
| 1 | 9-9-2013 | 1 | Application Fee |

- | | | |
|--|---|---|
| <input checked="" type="checkbox"/> For approval | <input type="checkbox"/> Approved as submitted | <input type="checkbox"/> Resubmit _ copies for approval |
| <input type="checkbox"/> For your use | <input type="checkbox"/> Approved as noted | <input type="checkbox"/> Submit _ copies for distribution |
| <input type="checkbox"/> As requested | <input type="checkbox"/> Returned for corrections | <input type="checkbox"/> Return _ prints |
| <input checked="" type="checkbox"/> For review and comment | <input type="checkbox"/> _ | |
| <input type="checkbox"/> For bids due | | <input type="checkbox"/> Prints returned after loan to us |

| | |
|-----------------|---|
| Remarks: | |
| Copy to: - | Signed:  Gregory S. Linder |

BETH A. ROGERS
 COUNTY CLERK
 DODDRIDGE COUNTY, WV
 2013 SEP 11 AM 11:43
 FILED

PERMIT NO. 13-067

DODDRIDGE COUNTY
FLOODPLAIN DEVELOPMENT
PERMIT

PURPOSE FOR PERMIT: PIPELINE

ISSUED TO CNX GAS CO. LLC
ONE ENERGY DRIVE
JANE LEW, WU 26378

ADDRESS: _____

PROJECT ADDRESS: South ~~Ford~~ Fork Hughes River
near Oxford

ISSUED BY: Dave Wellington

DATE: 10/10/2013

CONSTRUCTION MUST START WITHIN 180 DAYS FROM ISSUED DATE. PERMIT EXPIRES IN 12 MONTHS FROM ISSUED DATE. IF EXTENTION IS NEEDED A REQUEST MUST BE MADE IN WRITING STATING A REASON FOR THE EXTENTION.

THIS PERMIT MUST BE POSTED ON THE PREMISES IN A CONSPICUOUS PLACE SO AS TO BE CLEARLY VISIBLE FROM THE STREET.

Permit #
13-067

DODDRIDGE COUNTY FLOODPLAIN DEVELOPMENT PERMIT APPLICATION

SECTION 1: GENERAL PROVISIONS (APPLICANT TO READ AND SIGN)

1. No work may start until a permit is issued.
2. The permit may be revoked if any false statements are made herein.
3. If revoked, all work must cease until permit is re-issued.
4. Development shall not be used or occupied until a Certificate of Compliance is issued.
5. The permit will expire if no work is commenced within six months of issuance.
6. Applicant is hereby informed that other permits may be required to fulfill local, state, and federal requirements.
7. Applicant hereby gives consent to the Floodplain Administrator/Manager or his/her representative to make inspections to verify compliance.
8. **I, THE APPLICANT CERTIFY THAT ALL STATEMENTS HEREIN AND IN ATTACHMENTS TO THIS APPLICATION ARE, TO THE BEST OF MY KNOWLEDGE, TRUE AND ACCURATE.**

APPLICANT'S SIGNATURE Tara Meek
 DATE 9/4/13

SECTION 2: PROPOSE DEVELOPMENT (TO BE COMPLETED BY APPLICANT).

IF THE APPLICANT IS NOT A NATURAL PERSON, THE NAME, ADDRESS, AND TELEPHONE NUMBER OF A NATURAL PERSON WHO SHALL BE APPOINTED BY THE APPLICANT TO RECEIVE NOTICE PURSUANT TO ANY PROVISION OF THE CURRENT DODDRIDGE COUNTY FLOODPLAIN ORDINANCE.

APPLICANT'S NAME: Tara Meek - CNX Gas Company, LLC.
ADDRESS: One Energy Drive, Jane Lew, WV 26378
TELEPHONE NUMBER: (724) 627-1411

13-067

BUILDER'S NAME: Unknown

ADDRESS: _____

TELEPHONE NUMBER: _____

ENGINEER'S NAME: Civil & Environmental Consultants, Inc.

ADDRESS: 99 Cambridge Place, Bridgeport, WV 26330

TELEPHONE NUMBER: 304-933-3119

PROJECT LOCATION: N 39° 12' 30.13", W 80° 50' 39.28"

NAME OF SURFACE OWNER/OWNERS (IF NOT THE APPLICANT): See Exhibit A

ADDRESS OF SURFACE OWNER/OWNERS (IF NOT THE APPLICANT):

DISTRICT:

DATE/FROM WHOM PROPERTY PURCHASED: N/A

LAND BOOK DESCRIPTION:

DEED BOOK REFERENCE:

TAX MAP REFERENCE:

EXISTING BUILDINGS/USES OF PROPERTY:

NAME OF AT LEAST ONE ADULT RESIDING IN EACH RESIDENCE LOCATED UPON THE SUBJECT PROPERTY:

ADDRESS OF AT LEAST ONE ADULT RESIDING IN EACH RESIDENCE LOCATED UPON THE SUBJECT PROPERTY:

To avoid delay in processing the application, please provide enough information to easily identify the project location.

From U.S. Route 50 West – Turn left onto Co Route 50/30/Old U.S. 50 E and follow for 1.9 miles. Turn left onto Co Route 21/Oxford Rd and follow for 4.5 miles to the beginning of the pipeline project.

DESCRIPTION OF WORK (CHECK ALL APPLICABLE BOXES)

A. STRUCTURAL DEVELOPMENT

| <u>ACTIVITY</u> | <u>STRUCTURAL TYPE</u> |
|--|---|
| <input type="checkbox"/> New Structure | <input type="checkbox"/> Residential (1 – 4 Family) |
| <input type="checkbox"/> Addition | <input type="checkbox"/> Residential (more than 4 Family) |
| <input type="checkbox"/> Alteration | <input type="checkbox"/> Non-residential (floodproofing) |
| <input type="checkbox"/> Relocation | <input type="checkbox"/> Combined Use (res. & com.) |
| <input type="checkbox"/> Demolition | <input type="checkbox"/> Replacement |
| <input type="checkbox"/> Manufactured/Mobil Home | |

B. OTHER DEVELOPMENT ACTIVITIES:

- Fill Mining Drilling Pipelining
- Grading
- Excavation (except for STRUCTURAL DEVELOPMENT checked above)
- Watercourse Altercation (including dredging and channel modification)
- Drainage Improvements (including culvert work)
- Road, Street, or Bridge Construction
- Subdivision (including new expansion)
- Individual Water or Sewer System
- Other (please specify)

CNX Gas Company, LLC proposes to construct an overland water line in the South Fork Hughes River Floodplain. No land altering activity will occur as a result of the proposed construction. Therefore, impact to the base flood elevation is not anticipated.

C. STANDARD SITE PLAN OR SKETCH

- 1. SUBMIT ALL STANDARD SITE PLANS, IF ANY HAVE BEEN PREPARED.**
- 2. IF STANDARD SITE PLANS HAVE NOT BEEN PREPARED:**

SKETCH ON A SEPARATE 8 ½ X 11 INCH SHEET OF PAPER THE SHAPE AND LOCATION OF THE LOT. SHOW THE LOCATION OF THE INTENDED CONSTRUCTION OR LAND USE INDICATING BUILDING SETBACKS, SIZE & HEIGHT. IDENTIFY EXISTING BUILDINGS, STRUCTURES OR LAND USES ON THE PROPERTY.

3. SIGN AND DATE THE SKETCH.

ACTUAL TOTAL CONSTRUCTION COSTS OF THE COMPLETE DEVELOPMENT IRRESPECTIVE OF WHETHER ALL OR ANY PART OF THE SUBJECT PROPOSED CONSTRUCTION PROJECT IS WITHIN THE FLOODPLAIN \$ See Exhibit B

D. ADJACENT AND/OR AFFECTED LANDOWNERS:

- 1. NAME AND ADDRESS OF ALL OWNERS OF SURFACE TRACTS ADJACENT TO THE AREA OF THE SURFACE TRACT (UP & DOWN STREAM) UPON WHICH THE PROPOSED ACTIVITY WILL OCCUR AND ALL OTHER SURFACE OWNERS UP & DOWN STREAM) WHO OWN PROPERTY THAT MAY BE AFFECTED BY FLOODING AS IS DEMONSTRATED BY A FLOODPLAIN STUDY OR SURVEY (IF ONE HAS BEEN COMPLETED).**

NAME: See Exhibit A
ADDRESS: _____

NAME: _____
ADDRESS: _____

NAME: _____
ADDRESS: _____

NAME: _____
ADDRESS: _____

- 1. NAME AND ADDRESS OF AT LEAST ONE ADULT RESIDING IN EACH RESIDENCE LOCATED UPON ANY ADJACENT PROPERTY AT THE TIME THE FLOODPLAIN PERMIT APPLICATION IS FILED AND THE NAME AND ADDRESS OF AT LEAST ONE ADULT RESIDING IN ANY HOME ON ANY PROPERTY THAT MAY BE AFFECTED BY FLOODING AS IS DEMONSTRATED BY A FLOODPLAIN STUDY OR SURVEY.**

NAME: See Exhibit A
ADDRESS: _____

NAME: _____
ADDRESS: _____

NAME: _____
ADDRESS: _____

NAME: _____
ADDRESS: _____

E. CONFIRMATION FORM

THE APPLICANT ACKNOWLEDGES, AGREES, AND CONFIRMS THAT HE/IT WILL PAY WITHIN 30 DAYS OF RECEIPT OF INVOICE BY THE COUNTY FOR ALL EXPENSES RELATIVE TO THE PERMIT APPLICATION PROCESS GREATER THAN THE REQUIRED DEPOSIT FOR EXPENSES INCLUDING:

- (A) PERSONAL SERVICE OF PROCESS BY THE DODDRIDGE COUNTY SHERIFF AT THE RATES PERMITTED BY LAW FOR SUCH SERVICE.
- (B) SERVICE BY CERTIFIED MAIL RETURN RECEIPT REQUESTED.
- (C) PUBLICATION.
- (D) COURT REPORTING SERVICES AT ANY HEARINGS REQUESTED BY THE APPLICANT.
- (E) CONSULTANTS AND/OR HEARING EXPERTS UTILIZED BY DODDRIDGE COUNTY FLOODPLAIN ADMINISTRATOR/MANAGER OR FLOODPLAIN APPEALS BOARD FOR REVIEW OF MATERIALS AND/OR TESTIMONY REGARDING THE EFFICACY OF GRANTING OR DENYING THE APPLICANT'S FLOODPLAIN PERMIT.

NAME (PRINT): Tara Meek - CNX Gas Company, LLC.

SIGNATURE: _____

Tara Meek

DATE: _____

9/4/13

After completing SECTION 2, APPLICANT should submit form to Floodplain Administrator/Manager or his/her representative for review.

SECTION 3: FLOODPLAIN DETERMINATION (to be completed by Floodplain Administrator/Manager or his/her representative)

THE PROPOSED DEVELOPMENT:

THE PROPOSED DEVELOPMENT IS LOCATED ON:

FIRM Panel: _____

225

Dated: _____

10/04/2011

Is **NOT** located in a Specific Flood Hazard Area (Notify applicant that the application review is complete and **NO FLOODPLAIN DEVELOPMENT PERMIT IS REQUIRED**).



Is located in Special Flood Hazard Area.

FIRM zone designation A

100-Year flood elevation is: N/A NGVD (MSL)

Unavailable

The proposed development is located in a floodway.

FBFM Panel No. _____

Dated _____

See section 4 for additional instructions.

SIGNED

Dan Wellings

DATE

10/10/2013

SECTION 4: ADDITIONAL INFORMATION REQUIRED (To be completed by Floodplain Administrator/Manager or his/her representative)

The applicant must submit the documents checked below before the application can be processed.

A plan showing the location of all existing structures, water bodies, adjacent roads, lot dimensions and proposed development.

Development plans, drawn to scale, and specifications, including where applicable: details for anchoring structures, storage tanks, proposed elevation of lowest floor, (including basement or crawl space), types of water resistant materials used below the first floor, details of flood proffing of utilities located below the first floor and details of enclosures below the first floor. Also _____

Subdivision or other development plans (If the subdivision or development exceeds 50 lots or 5 acres, whichever is the lesser, the applicant must provide 100-year flood elevations if they are not otherwise available).

Plans showing the extent of watercourse relocation and/or landform alterations.

Top of new fill elevation _____ Ft. NGVD (MSL).
For floodproofing structures applicant must attach certification from registered engineer or architect.

Certification from a registered engineer that the proposed activity in a regulatory floodway will not result in any increase in the height of the 100-year flood. A copy of all data and calculations supporting this finding must also be submitted.

Manufactured homes located in a floodplain area must have a West Virginia Contractor's License and a Manufactured Home Installation License as required by the Federal Emergency Management Agency (FEMA).

Other:

SECTION 5: PERMIT DETERMINATION (To be completed by Floodplain Administrator/Manager or his/her representative)

I have determined that the proposed activity (**type is or is not**) in conformance with provisions of the Floodplain Ordinance adopted by the County Commission of Doddridge County on May 21, 2013. The permit is issued subject to the conditions attached to and made part of this permit.

SIGNED _____ DATE _____

If the Floodplain Administrator/Manager found that the above was not in conformance with the provisions of the Doddridge County Floodplain Ordinance and/or denied that application, the applicant may complete an appealing process below.

APPEALS: Appealed to the County Commission of Doddridge County? Yes {} No
Hearing Date: _____
County Commission Decision - Approved Yes No

CONDITIONS: _____

SECTION 6: AS-BUILT ELEVATIONS (To be submitted by APPLICANT before Certificate of Compliance is issued).

The following information must be provided for project structures. This section must be completed by a registered professional engineer or a licensed land surveyor (or attach a certification to this application).

COMPLETE 1 OR 2 BELOW:

- 1 Actual (As-Built) Elevation of the top of the lowest floor (including basement or crawl space is _____ FT. NGVD (MSL)
- 2 Actual (As Built) elevation of floodproofing is _____ FT. NGVD (MSL)

Note: Any work performed prior to submittal of the above information is at risk of the applicant.

SECTION 7: COMPLIANCE ACTION (To be completed by the Floodplain Administrator/Manager or his/her representative).

The Floodplain Administrator/Manager or his/her representative will complete this section as applicable based on inspection of the project to ensure compliance with the Doddridge County Floodplain Ordinance.

INSPECTIONS:

DATE: 12/04/13 BY: Dan Walberg
DEFICIENCIES ? Y/N

COMMENTS creek bore under construction

SECTION 8: CERTIFICATE OF COMPLIANCE (To be completed by Floodplain Administrator/Manager or his/her representative).

Certificate of Compliance issued: DATE: _____ BY: _____

**CERTIFICATE OF COMPLIANCE
FOR DEVELOPMENT IN SPECIAL FLOOD HAZARD AREA
(OWNER MUST RETAIN)**

PERMIT NUMBER: _____

PERMIT DATE: _____

PURPOSE –

CONSTRUCTION LOCATION: _____

OWNER'S ADDRESS: _____

THE FOLLOWING MUST BE COMPLETED BY THE FLOODPLAIN ADMINISTRATOR/MANAGER OR HIS/HER AGENT.

COMPLIANCE IS HEREBY CERTIFIED WITH THE REQUIREMENT OF THE FLOODPLAIN ORDINANCE ADOPTED BY THE COUNTY COMMISSION OF DODDRIDGE COUNTY ON MAY 21, 2013.

SIGNED _____ DATE _____

**DODDRIDGE COUNTY
FLOODPLAIN DEVELOPMENT PERMIT APPLICATION**

SECTION 1: GENERAL PROVISIONS (APPLICANT TO READ AND SIGN)

1. No work may start until a permit is issued.
2. The permit may be revoked if any false statements are made herein.
3. If revoked, all work must cease until permit is re-issued.
4. Development shall not be used or occupied until a Certificate of Compliance is issued.
5. The permit will expire if no work is commenced within six months of issuance.
6. Applicant is hereby informed that other permits may be required to fulfill local, state, and federal requirements.
7. Applicant hereby gives consent to the Floodplain Administrator/Manager or his/her representative to make inspections to verify compliance.
8. **I, THE APPLICANT CERTIFY THAT ALL STATEMENTS HEREIN AND IN ATTACHMENTS TO THIS APPLICATION ARE, TO THE BEST OF MY KNOWLEDGE, TRUE AND ACCURATE.**

APPLICANT'S SIGNATURE _____

Tara Meek

DATE _____

9/4/13

SECTION 2: PROPOSE DEVELOPMENT (TO BE COMPLETED BY APPLICANT).

IF THE APPLICANT IS NOT A NATURAL PERSON, THE NAME, ADDRESS, AND TELEPHONE NUMBER OF A NATURAL PERSON WHO SHALL BE APPOINTED BY THE APPLICANT TO RECEIVE NOTICE PURSUANT TO ANY PROVISION OF THE CURRENT DODDRIDGE COUNTY FLOODPLAIN ORDINANCE.

APPLICANT'S NAME: Tara Meek - CNX Gas Company, LLC.
ADDRESS: One Energy Drive, Jane Lew, WV 26378
TELEPHONE NUMBER: (724) 627-1411

BETH A. ROGERS
COUNTY CLERK
DODDRIDGE COUNTY, WV

2013 SEP 11 AM 11:43

FILED

BUILDER'S NAME: Unknown

ADDRESS: _____

TELEPHONE NUMBER: _____

ENGINEER'S NAME: Civil & Environmental Consultants, Inc.

ADDRESS: 99 Cambridge Place, Bridgeport, WV 26330

TELEPHONE NUMBER: 304-933-3119

PROJECT LOCATION: N 39° 12' 30.13", W 80° 50' 39.28"

NAME OF SURFACE OWNER/OWNERS (IF NOT THE APPLICANT): See Exhibit A

ADDRESS OF SURFACE OWNER/OWNERS (IF NOT THE APPLICANT):

DISTRICT:

DATE/FROM WHOM PROPERTY PURCHASED: N/A

LAND BOOK DESCRIPTION:

DEED BOOK REFERENCE:

TAX MAP REFERENCE:

EXISTING BUILDINGS/USES OF PROPERTY:

NAME OF AT LEAST ONE ADULT RESIDING IN EACH RESIDENCE LOCATED UPON THE SUBJECT PROPERTY:

ADDRESS OF AT LEAST ONE ADULT RESIDING IN EACH RESIDENCE LOCATED UPON THE SUBJECT PROPERTY:

To avoid delay in processing the application, please provide enough information to easily identify the project location.

From U.S. Route 50 West – Turn left onto Co Route 50/30/Old U.S. 50 E and follow for 1.9 miles. Turn left onto Co Route 21/Oxford Rd and follow for 4.5 miles to the beginning of the pipeline project.

DESCRIPTION OF WORK (CHECK ALL APPLICABLE BOXES)

A. STRUCTURAL DEVELOPMENT

| <u>ACTIVITY</u> | <u>STRUCTURAL TYPE</u> |
|--|---|
| <input type="checkbox"/> New Structure | <input type="checkbox"/> Residential (1 – 4 Family) |
| <input type="checkbox"/> Addition | <input type="checkbox"/> Residential (more than 4 Family) |
| <input type="checkbox"/> Alteration | <input type="checkbox"/> Non-residential (floodproofing) |
| <input type="checkbox"/> Relocation | <input type="checkbox"/> Combined Use (res. & com.) |
| <input type="checkbox"/> Demolition | <input type="checkbox"/> Replacement |
| <input type="checkbox"/> Manufactured/Mobil Home | |

B. OTHER DEVELOPMENT ACTIVITIES:

- Fill Mining Drilling Pipelining
- Grading
- Excavation (except for STRUCTURAL DEVELOPMENT checked above)
- Watercourse Altercation (including dredging and channel modification)
- Drainage Improvements (including culvert work)
- Road, Street, or Bridge Construction
- Subdivision (including new expansion)
- Individual Water or Sewer System
- Other (please specify)

CNX Gas Company, LLC proposes to construct an overland water line in the South Fork Hughes River Floodplain. No land altering activity will occur as a result of the proposed construction. Therefore, impact to the base flood elevation is not anticipated.

C. STANDARD SITE PLAN OR SKETCH

1. SUBMIT ALL STANDARD SITE PLANS, IF ANY HAVE BEEN PREPARED.
2. IF STANDARD SITE PLANS HAVE NOT BEEN PREPARED:
SKETCH ON A SEPARATE 8 ½ X 11 INCH SHEET OF PAPER THE SHAPE AND LOCATION OF THE LOT. SHOW THE LOCATION OF THE INTENDED CONSTRUCTION OR LAND USE INDICATING BUILDING SETBACKS, SIZE & HEIGHT. IDENTIFY EXISTING BUILDINGS, STRUCTURES OR LAND USES ON THE PROPERTY.

3. SIGN AND DATE THE SKETCH.

ACTUAL TOTAL CONSTRUCTION COSTS OF THE COMPLETE DEVELOPMENT IRRESPECTIVE OF WHETHER ALL OR ANY PART OF THE SUBJECT PROPOSED CONSTRUCTION PROJECT IS WITHIN THE FLOODPLAIN \$ See Exhibit B

D. ADJACENT AND/OR AFFECTED LANDOWNERS:

- 1. NAME AND ADDRESS OF ALL OWNERS OF SURFACE TRACTS ADJACENT TO THE AREA OF THE SURFACE TRACT (UP & DOWN STREAM) UPON WHICH THE PROPOSED ACTIVITY WILL OCCUR AND ALL OTHER SURFACE OWNERS UP & DOWN STREAM) WHO OWN PROPERTY THAT MAY BE AFFECTED BY FLOODING AS IS DEMONSTRATED BY A FLOODPLAIN STUDY OR SURVEY (IF ONE HAS BEEN COMPLETED).**

NAME: See Exhibit A

ADDRESS: _____

NAME: _____

ADDRESS: _____

NAME: _____

ADDRESS: _____

NAME: _____

ADDRESS: _____

- 1. NAME AND ADDRESS OF AT LEAST ONE ADULT RESIDING IN EACH RESIDENCE LOCATED UPON ANY ADJACENT PROPERTY AT THE TIME THE FLOODPLAIN PERMIT APPLICATION IS FILED AND THE NAME AND ADDRESS OF AT LEAST ONE ADULT RESIDING IN ANY HOME ON ANY PROPERTY THAT MAY BE AFFECTED BY FLOODING AS IS DEMONSTRATED BY A FLOODPLAIN STUDY OR SURVEY.**

NAME: See Exhibit A

ADDRESS: _____

NAME: _____

ADDRESS: _____

NAME: _____

ADDRESS: _____

NAME: _____

ADDRESS: _____

E. CONFIRMATION FORM

THE APPLICANT ACKNOWLEDGES, AGREES, AND CONFIRMS THAT HE/IT WILL PAY WITHIN 30 DAYS OF RECEIPT OF INVOICE BY THE COUNTY FOR ALL EXPENSES RELATIVE TO THE PERMIT APPLICATION PROCESS GREATER THAN THE REQUIRED DEPOSIT FOR EXPENSES INCLUDING:

- (A) PERSONAL SERVICE OF PROCESS BY THE DODDRIDGE COUNTY SHERIFF AT THE RATES PERMITTED BY LAW FOR SUCH SERVICE.
- (B) SERVICE BY CERTIFIED MAIL RETURN RECEIPT REQUESTED.
- (C) PUBLICATION.
- (D) COURT REPORTING SERVICES AT ANY HEARINGS REQUESTED BY THE APPLICANT.
- (E) CONSULTANTS AND/OR HEARING EXPERTS UTILIZED BY DODDRIDGE COUNTY FLOODPLAIN ADMINISTRATOR/MANAGER OR FLOODPLAIN APPEALS BOARD FOR REVIEW OF MATERIALS AND/OR TESTIMONY REGARDING THE EFFICACY OF GRANTING OR DENYING THE APPLICANT'S FLOODPLAIN PERMIT.

NAME (PRINT): Tara Meek - CNX Gas Company, LLC.

SIGNATURE: _____

Tara Meek

DATE: _____

9/4/13

After completing SECTION 2, APPLICANT should submit form to Floodplain Administrator/Manager or his/her representative for review.

SECTION 3: FLOODPLAIN DETERMINATION (to be completed by Floodplain Administrator/Manager or his/her representative)

THE PROPOSED DEVELOPMENT:

THE PROPOSED DEVELOPMENT IS LOCATED ON:


FIRM Panel: _____

225

Dated: _____

10/04/2011

Is **NOT** located in a Specific Flood Hazard Area (Notify applicant that the application review is complete and **NO FLOODPLAIN DEVELOPMENT PERMIT IS REQUIRED**).



Is located in Special Flood Hazard Area.

FIRM zone designation A

100-Year flood elevation is: N/A NGVD (MSL)

Unavailable

The proposed development is located in a floodway.

FBFM Panel No. _____

Dated _____

See section 4 for additional instructions.

SIGNED Dan Wetters

DATE 10/10/2013

SECTION 4: ADDITIONAL INFORMATION REQUIRED (To be completed by Floodplain Administrator/Manager or his/her representative)

The applicant must submit the documents checked below before the application can be processed.

A plan showing the location of all existing structures, water bodies, adjacent roads, lot dimensions and proposed development.

Development plans, drawn to scale, and specifications, including where applicable: details for anchoring structures, storage tanks, proposed elevation of lowest floor, (including basement or crawl space), types of water resistant materials used below the first floor, details of flood proffing of utilities located below the first floor and details of enclosures below the first floor. Also _____

Subdivision or other development plans (If the subdivision or development exceeds 50 lots or 5 acres, whichever is the lesser, the applicant must provide 100-year flood elevations if they are not otherwise available).

Plans showing the extent of watercourse relocation and/or landform alterations.

- Top of new fill elevation _____ Ft. NGVD (MSL).
For floodproofing structures applicant must attach certification from registered engineer or architect.
- Certification from a registered engineer that the proposed activity in a regulatory floodway will not result in any increase in the height of the 100-year flood. A copy of all data and calculations supporting this finding must also be submitted.
- Manufactured homes located in a floodplain area must have a West Virginia Contractor's License and a Manufactured Home Installation License as required by the Federal Emergency Management Agency (FEMA).
- Other:

SECTION 5: PERMIT DETERMINATION (To be completed by Floodplain Administrator/Manager or his/her representative)

I have determined that the proposed activity **(type is or is not)** in conformance with provisions of the Floodplain Ordinance adopted by the County Commission of Doddridge County on May 21, 2013. The permit is issued subject to the conditions attached to and made part of this permit.

SIGNED _____ DATE _____

If the Floodplain Administrator/Manager found that the above was not in conformance with the provisions of the Doddridge County Floodplain Ordinance and/or denied that application, the applicant may complete an appealing process below.

APPEALS: Appealed to the County Commission of Doddridge County? Yes {} No
 Hearing Date: _____
 County Commission Decision - Approved Yes No

CONDITIONS: _____

SECTION 6: AS-BUILT ELEVATIONS (To be submitted by APPLICANT before Certificate of Compliance is issued).

The following information must be provided for project structures. This section must be completed by a registered professional engineer or a licensed land surveyor (or attach a certification to this application).

COMPLETE 1 OR 2 BELOW:

- 1 Actual (As-Built) Elevation of the top of the lowest floor (including basement or crawl space is _____ FT. NGVD (MSL)
- 2 Actual (As Built) elevation of floodproofing is _____ FT. NGVD (MSL)

Note: Any work performed prior to submittal of the above information is at risk of the applicant.

SECTION 7: COMPLIANCE ACTION (To be completed by the Floodplain Administrator/Manager or his/her representative).

The Floodplain Administrator/Manager or his/her representative will complete this section as applicable based on inspection of the project to ensure compliance with the Doddridge County Floodplain Ordinance.

INSPECTIONS:

DATE: _____ BY: _____
DEFICIENCIES ? Y/N

COMMENTS _____

SECTION 8: CERTIFICATE OF COMPLIANCE (To be completed by Floodplain Administrator/Manager or his/her representative).

Certificate of Compliance issued: DATE: _____ BY: _____

**CERTIFICATE OF COMPLIANCE
FOR DEVELOPMENT IN SPECIAL FLOOD HAZARD AREA
(OWNER MUST RETAIN)**

PERMIT NUMBER: _____

PERMIT DATE: _____

PURPOSE –



CONSTRUCTION LOCATION: _____

OWNER'S ADDRESS: _____

THE FOLLOWING MUST BE COMPLETED BY THE FLOODPLAIN ADMINISTRATOR/MANAGER OR HIS/HER AGENT.

COMPLIANCE IS HEREBY CERTIFIED WITH THE REQUIREMENT OF THE FLOODPLAIN ORDINANCE ADOPTED BY THE COUNTY COMMISSION OF DODDRIDGE COUNTY ON MAY 21, 2013.

SIGNED _____ DATE _____



NFP

PANEL 0225C

FIRM
FLOOD INSURANCE RATE MAP
DODDRIDGE COUNTY,
WEST VIRGINIA
AND INCORPORATED AREAS

PANEL 225 OF 323
 (SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTROL

| LEADERS | MAKER | SCALE | SHEET |
|------------------|----------|----------|-------|
| Contract # 0225C | 1:50,000 | 1:50,000 | 1 |

Notes to User: The map number shown below is used to identify the map. The map number shown above should be used on insurance applications for the subject territory.

MAP NUMBER
 54017C0225C
MAP REVISED
 OCTOBER 4, 2011


Federal Emergency Management Agency

This is an official copy of a portion of the above referenced flood map. It was distributed using FEMA Form 1. This map does not reflect changes or amendments which may have been made subsequent to the date on the title block. For the latest product information about National Flood Insurance Program flood maps, contact the FEMA Flood Map Service Center at www.fema.gov.

| EXHIBIT A – CNX Gas Company – Oxford 1 Waterline | | | | |
|---|---|----------------|--------------------------------|--|
| Property Owner Name | Mailing Address | Tax Map | Deed Book Reference | Land Book Description |
| HOST PROPERTIES | | | | |
| Todd A. Burleson | RT 1 Box 84, West Union, WV 26456 | 7-4-6 | 294/216 | 117.63 AC Homesite/Pasture/Woodland |
| Donovan L. & Katherine E. Nicholson | RT 1 Box 82, West Union, WV 26456 | 7-4-7 | 296/408 | 82.68 AC Pasture |
| James Elaine | RT 1 Box 81, West Union, WV 26456 | 7-1-9 | AP29/646 | 15.5 AC Pasture |
| James Elaine | RT 1 Box 81, West Union, WV 26456 | 7-1-10 | AP29/646 | 18.44 AC Pasture |
| Fifer Family Revocable Trust % James Fifer | 4736 Babylon Road, Taneytown, MD 21787 | 8-22-6 | 264/95 | 84 AC Homesite/Woodland |
| Haessly Land & Timber, LLC | 25 Sheets Run Road, Marietta, OH 45750 | 8-22-14 | 250/625 | 485 AC Homesite/Pasture |
| Larry Dotson | 112 Broadhead Lane, Mineral Wells, WV 26150 | 8-22-2 | 157/618 | 20.3 AC Woodland |
| Larry Dotson | 112 Broadhead Lane, Mineral Wells, WV 26150 | 8-22-3 | 157/618 | 4.9 AC Woodland |
| Larry Dotson | 112 Broadhead Lane, Mineral Wells, WV 26150 | 8-22-4 | 157/618 | 15.25 AC Woodland |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| PROPERTY OWNERS ABUTTING HOST PROPERTIES INSIDE FLOODPLAIN | | | | |
| I. L. Morris (IKE) | PO Box 397, Glenville, WV 26351 | 7-4-5 | 230/307 | 186.55 AC Pasture/Woodland |
| William Bonnell | RT 1 Box 83A, West Union, WV 26456 | 7-5-6 | 167/427 | 70 AC Homesite/Woodland |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Exhibit B
CNX Gas Company, LLC
Oxford 1 Overland Waterline

| Pipeline | Total Length of Pipeline (feet) | Construction in Floodplain (feet) | Installation Method | Unit Cost/Foot | Total (Floodplain) |
|---|--|--|----------------------------|-----------------------|---------------------------|
| 12" water line | 14,629 | 522 | Overland | \$ 50 | \$ 26,100 |
| Construction Cost Estimate (Floodplain)= | | | | | \$ 26,100 |



| NO | DATE | DESCRIPTION |
|----|------|-------------|
| | | |
| | | |
| | | |

CEE
Civil & Environmental Consultants, Inc.
 99 Cambridge Place - Bridgeport, WY 26330
 Ph: 304.833.3119 - 855.488.8539 - Fax: 304.833.3327
 www.ceeinc.com

CNX GAS COMPANY LLC
OXFORD 1 WATERLINE PROJECT
DODDRIDGE COUNTY,
WEST VIRGINIA

| | | | | |
|-------------------|--------------|-------------|--------------|-------|
| PARCEL MAP | DATE: | AUGUST 2015 | DRAWN BY: | PWC |
| | DWG SCALE: | 1"=200' | CHECKED BY: | DRAFT |
| | PROJECT NO: | 130-983 | APPROVED BY: | DRAFT |
| | APPROVED BY: | | | |

- REFERENCE**
- NOTE 1
 - NOTE 2
 - NOTE 3



DRAWING NO: **1**
 SHEET 1 OF 1

P:\2015\130-983\130-983-000.dwg (130-983-000) - UP: 8/25/2015 4:12 PM

CNY


13-067



North Fork of
Hugh's River
near Oxford

12/04/2013

DJW



2013 OCT -2 PM 3: 04

October 1, 2013

Mr. Dan Wellings
Doddridge County Clerk's Office
118 E. Court Street, Room 102
West Union, WV 26456

RECEIVED
DODDRIDGE COUNTY CLERK'S OFFICE
OCT 1 2013

Dear Mr. Wellings:

Subject: CNX Gas Company LLC
Proposed Oxford 1 Waterline Project
Floodplain Development Permit Application
Doddridge County, West Virginia
CEC Project 130-963

Civil & Environmental Consultants, Inc. (CEC) is pleased to submit the floodplain development permit application for the above referenced project on behalf of CNX Gas Company, LLC (CNX). CNX proposes to construct the Oxford 1 Overland Waterline near New Milton, West Virginia in Doddridge County. A portion of the proposed water line will cross the South Fork of Hughes River floodplain. The portion of the water line located in the flood hazard area will be buried. The pipeline trench will be excavated and backfilled to match the original ground contour. No increase of the base flood elevation is expected since the original ground contour will not be altered as a result of the proposed construction.


This letter is provided in support of the previously submitted floodplain development permit application. CEC appreciates your time and effort in reviewing this floodplain development permit application. Please feel free to contact me at 304-933-3119 or via e-mail at glinder@cecinc.com if you have questions or need additional information.

Respectfully submitted,

CIVIL & ENVIRONMENTAL CONSULTANTS, INC.

Greg Linder, P.E.
Project Manager

Will Trimboth
Project Manager



Enclosure

cc: Tara Meek, CNX Gas Company LLC

130-963-L-Permit Appl-10-1-13

Civil & Environmental Consultants, Inc.

| | | | | | | | |
|-------------------|--|-------------------|--------------|-------------------------|--------------|-------------------|--------------|
| Bridgeport | 99 Cambridge Place, Suite B Bridgeport, West Virginia 26330 Ph: 304/933-3119 / Fx: 304/933-3327 Toll Free: 855/488-9539 bridgeport@cecinc.com www.cecinc.com | Austin | 855/365-2324 | Columbus | 888/598-6808 | Phoenix | 877/231-2324 |
| | | Boston | 866/312-2024 | Detroit | 866/380-2324 | Pittsburgh | 800/365/2324 |
| | | Charlotte | 855/859-9932 | Export | 800/899-3610 | St. Louis | 866/250-3679 |
| | | Chicago | 877/963-6026 | Indianapolis | 877/746-0749 | Toledo | 888/598-6808 |
| | | Cincinnati | 800/759-5674 | Nashville | 800/763-2326 | | |
| | | Cleveland | 866/507-2324 | North Central PA | 877/321-2324 | | |

STATE OF WEST VIRGINIA,
COUNTY OF DODDRIDGE, TO WIT

I, Virginia Nicholson, Editor of THE
HERALD RECORD, a weekly newspaper
published regularly, in Doddridge County,
West Virginia, Do Hereby Certify Upon
Oath That the Accompanying Legal Notice
Entitled:

*Floodplain Permit
Application*

was published in said paper for *1*

successive weeks beginning with the issue
of *September 24* 2013 and
ending with the issue of

September 24 2013 and

that said notice contains *189*

WORD SPACE at *11.5* cents a word

amounts to the sum of \$ *21.74*

FOR FIRST PUBLICATION, SECOND
PUBLICATION IS 75% OF THE FIRST
PUBLICATION

\$ *0*
and each publication thereafter

\$ *21.74* TOTAL

EDITOR

Virginia Nicholson


SWORN TO AND SUBSCRIBED




BEFORE ME THIS THE *26* DAY
OF *September* 2013

NOTARY PUBLIC

Laura Adams

Legal Advertisement
Doddridge County
Floodplain Permit Application
Please take notice that on the 18th day of September,
2013, CNX GAS COMPANY- OXFORD WATERLINE
filed an application for a Floodplain Permit to develop
land located in or about SURFACE OWNERS: TODD A
BURLESON, 11763 AC, DEED BOOK 294/216, TAX
MAP 7-16.
The Application is on file with the Clerk of the County
Court and may be inspected or copied during regular
business hours. Any interested persons who desire to
comment shall present the same in writing by October 8th,
2013.
Delivered to the:
Clerk of the County Court
118 E. Court Street, West Union, WV 26456.
Beth A. Rogers, Doddridge County Clerk
Dan Wellings, Doddridge County Flood Plain Manager
9-24-13b





- CONSTRUCTION SEQUENCE**
- PRIOR TO COMMENCEMENT OF ANY EARTH DISTURBANCE ACTIVITY, INCLUDING CLEARING, GRUBBING, AND GRADING, THE CONTRACTOR SHALL CLEARLY DELINEATE SENSITIVE AREAS, THE LIMITS OF CLEARING, AND TREES THAT ARE TO BE CONSERVED WITHIN THE PROJECT SITE. INSTALL APPROPRIATE BARRIERS WHERE EQUIPMENT MAY NOT BE PARKED, STAGED, OPERATED, OR LOCATED FOR ANY PURPOSES.
 - SITE ACCESS - THIS IS THE FIRST LAND DISTURBANCE ACTIVITY TO TAKE PLACE AT THE SITE, AND SHALL PROVIDE BMPs TO MINIMIZE ACCELERATED EROSION AND SEDIMENTATION FROM THE FOLLOWING AREAS: ENTRANCE TO THE SITE, CONSTRUCTION ROUTES, AND AREAS DESIGNATED FOR EQUIPMENT OR OTHER USE AT THE SITE INCLUDING PARKING AND STOCKPILES.
 - SEDIMENT BARRIERS - INSTALL PERIMETER BMPs AFTER THE CONSTRUCTION SITE IS ACCESSED KEEPING THE ASSOCIATED GRUBBING AND GRADING LIMITED TO ONLY THAT AMOUNT REQUIRED FOR INSTALLING PERIMETER BMPs.
 - LAND GRUBBING AND GRADING - IMPLEMENT GRUBBING AND GRADING ONLY AFTER ALL DOWNSLOPE PERIMETER EROSION AND SEDIMENTATION BMPs HAVE BEEN CONSTRUCTED AND STABILIZED.
 - SURFACE STABILIZATION - STABILIZATION MEASURES SHALL BE INITIATED AS SOON AS PRACTICABLE IN PORTIONS OF THE SITE WHERE CONSTRUCTION ACTIVITIES HAVE TEMPORARILY OR PERMANENTLY CEASED, BUT IN NO CASE MORE THAN SEVEN DAYS AFTER THE CONSTRUCTION ACTIVITY IN THAT PORTION OF THE SITE HAS PERMANENTLY CEASED. WHERE THE INITIATION OF STABILIZATION MEASURES BY THE SEVENTH DAY AFTER CONSTRUCTION ACTIVITY TEMPORARILY OR PERMANENTLY CEASES IS PRECLUDED BY SNOW COVER, STABILIZATION MEASURES SHALL BE INITIATED AS SOON AS CONDITIONS ALLOW. WHERE CONSTRUCTION ACTIVITY WILL RESUME ON A PORTION OF THE SITE WITHIN 21 DAYS FROM WHEN ACTIVITIES CEASED, (E.G., THE TOTAL TIME PERIOD THAT CONSTRUCTION ACTIVITY IS TEMPORARILY HALTED IS LESS THAN 21 DAYS) THEN STABILIZATION MEASURES DO NOT HAVE TO BE INITIATED ON THAT PORTION OF THE SITE BY THE SEVENTH DAY AFTER CONSTRUCTION ACTIVITIES HAVE TEMPORARILY CEASED.
 - CONSTRUCTION - DURING CONSTRUCTION, INSTALL AND MAINTAIN ANY ADDITIONAL EAS BMPs AND IMPLEMENT ANY STRUCTURAL POST CONSTRUCTION STORMWATER BMPs THAT MAY BE REQUIRED.
 - FINAL STABILIZATION - AREAS SHOULD BE RETURNED TO PRECONSTRUCTION CONDITIONS IN TERMS OF GRADE AND VEGETATIVE STABILIZATION TO RESTORE DRAINAGE PATTERNS. AFTER CONSTRUCTION IS COMPLETED, INSTALL STABILIZATION BMPs INCLUDING: PLACING TOPSOIL AND PERMANENT SEEDING, MULCHING, AND COMPLETE IMPLEMENTATION OF STORMWATER BMPs (AS APPROPRIATE) AS SHOWN ON THE PLANS. STABILIZE ALL OPEN AREAS INCLUDING BURROW AND SPILL AREAS.
 - AFTER 70 PERCENT UNIFORM, VEGETATIVE COVER HAS BEEN ACHIEVED AND THE SITE HAS BEEN STABILIZED, REMOVE ALL TEMPORARY EROSION AND SEDIMENTATION CONTROLS AND STABILIZE ANY DISTURBANCES ASSOCIATED WITH THE REMOVAL OF THE BMPs. TEMPORARY BMPs MAY INCLUDE BUT ARE NOT LIMITED TO THE FOLLOWING: SILT FENCE, WETLAND CROSSINGS (REMOVE IMMEDIATELY UPON WORK COMPLETION IN THAT AREA), RIGHT-OF-WAY DIVERSIONS, STABILIZED CONSTRUCTION ENTRANCES, ETC.

- NOTES**
- THIS PLAN IS FOR EROSION AND SEDIMENTATION CONTROL/STORMWATER POLLUTION PREVENTION PLAN PURPOSES ONLY.
 - EXISTING CONDITIONS AS DEPICTED ON THESE PLANS ARE GENERAL AND ILLUSTRATIVE IN NATURE. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO EXAMINE THE SITE AND BE FAMILIAR WITH EXISTING CONDITIONS PRIOR TO BIDDING ON THIS PROJECT. IF CONDITIONS ENCOUNTERED DURING EXAMINATION ARE SIGNIFICANTLY DIFFERENT THAN THOSE SHOWN, THE CONTRACTOR SHALL NOTIFY THE ENGINEER IMMEDIATELY.
 - THE CONTRACTOR AND SUBCONTRACTORS SHALL BE RESPONSIBLE FOR COMPLYING WITH APPLICABLE FEDERAL, STATE AND LOCAL REQUIREMENTS, TOGETHER WITH EXERCISING PRECAUTIONS AT ALL TIMES FOR THE PROTECTION OF PERSONS (INCLUDING EMPLOYEES) AND PROPERTY. IT IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR AND SUBCONTRACTORS TO INITIATE, MAINTAIN AND SUPERVISE ALL SAFETY REQUIREMENTS, PRECAUTIONS AND PROGRAMS IN CONNECTION WITH THE WORK.
 - THE CONTRACTOR SHALL INDEMNIFY AND HOLD HARMLESS THE OWNER, OWNER'S REPRESENTATIVE, AND ENGINEER FOR ANY AND ALL INJURIES AND/OR DAMAGES TO PERSONNEL, EQUIPMENT AND/OR EXISTING FACILITIES OCCURRING IN THE COURSE OF THE DEMOLITION AND CONSTRUCTION DESCRIBED IN THE PLANS AND SPECIFICATIONS.
 - THE CONTRACTOR SHALL COMPLY WITH ALL LOCAL CODES, OBTAIN ALL APPLICABLE PERMITS, AND PAY ALL REQUIRED FEES PRIOR TO BEGINNING WORK.
 - CONTRACTOR SHALL REFER TO OTHER PLANS WITHIN THIS CONSTRUCTION SET FOR OTHER PERTINENT INFORMATION. IT IS NOT THE ENGINEER'S INTENT THAT ANY SINGLE PLAN SHEET IN THIS SET OF DOCUMENTS FULLY DEPICTS ALL WORK ASSOCIATED WITH THE PROJECT.
 - RIGHT-OF-WAY DIVERSIONS SHALL BE PLACED AT 2% TO 4% SLOPE DOWNHILL AND THEY SHALL BE SPACED AT THE INCREMENTS AS SHOWN ON THE PLANS, IN ACCORDANCE TO WVEDP E&S STANDARDS.
 - THE TEMPORARY WATERLINE WILL BE PLACED OVERLAND ON THE GROUND SURFACE AND WILL NOT REQUIRE TREE CLEARING OR OTHER DISTURBANCE ALONG THE RIGHT-OF-WAY WIDTH, WITH THE EXCEPTION OF AREAS WHERE EARTH DISTURBANCE IS INDICATED.


- REFERENCE**
- EXISTING TOPOGRAPHY AND SURVEY PREPARED BY BLUE MOUNTAIN AERIAL MAPPING, 11023 MASON DIXON HIGHWAY, BURTON, WEST VIRGINIA, 26562. PHONE: (304) 682-2826. DATE OF PHOTOGRAPHY: 03-30-2013. CONTOUR INTERVAL: 2 FOOT. HORIZONTAL DATUM IS THE WEST VIRGINIA NORTH AMERICAN DATUM OF 1983.
 - STREAMS AND WETLANDS SHOWN AS PER FIELD DELINEATION BY CIVIL & ENVIRONMENTAL CONSULTANTS, INC. ON JULY 11, 2013.
 - PIPELINE ALIGNMENTS PROVIDED BY CNX GAS COMPANY LLC, WITH ADJUSTMENTS MADE TO PIPELINE ALIGNMENTS PER CIVIL & ENVIRONMENTAL CONSULTANTS, INC. STREAM/WETLAND FIELD DATA.
- SITE RESTORATION**
- SITE RESTORATION SHALL COMMENCE PROMPTLY AFTER COMPLETION OF EACH PIPELINE SECTION. FOR SITE RESTORATION, THE ENTIRE RIGHT-OF-WAY SHALL BE SEEDED IN ACCORDANCE WITH DETAIL 4 SHOWN ON DETAIL SHEET 1. DURING SITE RESTORATION, ALL TEMPORARY CONTROLS SHALL BE REMOVED AND THE GRADES SHALL BE RETURNED TO THE EXISTING CONDITION GRADES. THE PERMANENT RIGHT-OF-WAY DIVERSIONS SHALL REMAIN AS PART OF SITE RESTORATION PLAN. IF RIGHT-OF-WAY DIVERSIONS WILL LIMIT ACCESS AND MAINTENANCE TO THE RIGHT-OF-WAY, THEY MAY BE REMOVED, AS NECESSARY, UPON ESTABLISHMENT OF 70% UNIFORM, VEGETATIVE COVER BETWEEN RIGHT-OF-WAY DIVERSIONS.

MISS UTILITY OF WEST VIRGINIA
 1-800-245-4848
 West Virginia State Law
 (Section XIV: Chapter 24-C requires that you call two business days before you dig in the state of West Virginia.)
IT'S THE LAW

- LEGEND**
- 1000 - EXISTING INDEX CONTOUR (10 FT)
 - FS - EXISTING INTERMEDIATE CONTOUR (2 FT)
 - W - EXISTING UNPAVED DRIVEWAY
 - W - EXISTING PAVED ROADWAY
 - W - EXISTING TREE LINE
 - W - EXISTING BUILDING
 - W - EXISTING UTILITY POLE
 - W - EXISTING BRIDGE
 - W - EXISTING STRUCTURE
 - W - EXISTING FENCE
 - W - EXISTING TRAIL
 - SF - EXISTING SILT FENCE
 - W - EXISTING STORM PIPE
 - W - EXISTING STREAM
 - W - EXISTING GAS LINE (APPROXIMATE)
 - W - EXISTING WETLANDS
 - W - EXISTING WELL HEAD (APPROXIMATE)

- KEY**
- W - PROPOSED LIMIT OF DISTURBANCE
 - FS - PROPOSED 12-IN. DIA. POLY WATERLINE
 - W - PROPOSED 12-IN. COMPOST FILTER SOCK
 - W - PROPOSED STABILIZED CONSTRUCTION ENTRANCE
 - W - TEMPORARY EQUIPMENT CROSSING OF STREAM/WETLAND
 - W - STABILIZED CONSTRUCTION ENTRANCE STONE STOCKPILE
 - W - PROPOSED ORANGE CONSTRUCTION FENCE
 - W - PROPOSED ACCESS ROAD
 - W - PROPOSED WORKSPACE AREA

DETAIL CALL-OUT
 C*** = DETAIL NO.
 C*** = SHEET NO.



REVISION RECORD



| NO. | DATE | DESCRIPTION |
|-----|----------|---|
| 1 | 07/11/13 | INCREASED LIMIT OF DISTURBANCE FROM 17.1 TO 17.4 ACRES AND ADDED EAS CONTROLS |

Civil & Environmental Consultants, Inc.
 4000 Trianga Lane, Suite 200 - Export, PA 15632
 724-327-5200 - 800-899-3610
 www.civiland.com

CNX GAS COMPANY LLC
 OXFORD 1 WATERLINE
 DODDRIDGE COUNTY, WEST VIRGINIA

STORMWATER POLLUTION PREVENTION PLAN
 E&S PLAN SHEET (1 OF 4)
 DATE: 09/02/2013 DRAWN BY: TCB
 DWG SCALE: AS SHOWN CHECKED BY: CRK
 PROJECT NO: 130-963
 APPROVED BY: *GSL

DRAWING NO: **C901**



REFERENCE
 USGS TOPOGRAPHIC MAP/ARCIS MAP SERVICE:
 HTTP://GOTO.ARCGISONLINE.COM/MAPS/USA_TOPO
 MAPS, ACCESSED ONLINE 07/29/2013.
 OXFORD QUADRANGLE PANEL SHOWN.

CONSTRUCTION SEQUENCE

1. PRIOR TO COMMENCEMENT OF ANY EARTH DISTURBANCE ACTIVITY, INCLUDING CLEARING, GRUBBING, AND GRADING, THE RESTRICTOR SHALL CLEARLY DELINEATE SENSITIVE AREAS, THE LIMITS OF CLEARING, AND TREES THAT ARE TO BE CONSERVED WITHIN THE PROJECT SITE. INSTALL APPROPRIATE BARRIERS WHERE EQUIPMENT MAY NOT BE PARKED, STAGED, OPERATED, OR LOCATED FOR ANY PURPOSES.
2. SITE ACCESS - THIS IS THE FIRST LAND DISTURBANCE ACTIVITY TO TAKE PLACE AT THE SITE, AND SHALL PROVIDE BMPs TO MINIMIZE ACCELERATED EROSION AND SEDIMENTATION FROM THE FOLLOWING AREAS: ENTRANCE TO THE SITE, CONSTRUCTION ROUTES, AND AREAS DESIGNATED FOR EQUIPMENT OR OTHER USE AT THE SITE INCLUDING PARKING AND STOCKPILES.
3. SEDIMENT BARRIERS - INSTALL PERIMETER BMPs AFTER THE CONSTRUCTION SITE IS ACCESSED KEEPING THE ASSOCIATED GRUBBING AND GRADING LIMITED TO ONLY THAT AMOUNT REQUIRED FOR INSTALLING PERIMETER BMPs.
4. LAND GRUBBING AND GRADING - IMPLEMENT GRUBBING AND GRADING ONLY AFTER ALL DOWNSLOPE PERIMETER EROSION AND SEDIMENTATION BMPs HAVE BEEN CONSTRUCTED AND STABILIZED.
5. SURFACE STABILIZATION - STABILIZATION MEASURES SHALL BE INITIATED AS SOON AS PRACTICABLE IN PORTIONS OF THE SITE WHERE CONSTRUCTION ACTIVITIES HAVE TEMPORARILY OR PERMANENTLY CEASED, BUT IN NO CASE MORE THAN SEVEN DAYS AFTER THE CONSTRUCTION ACTIVITY IN THAT PORTION OF THE SITE HAS PERMANENTLY CEASED. WHERE THE INITIATION OF STABILIZATION MEASURES BY THE SEVENTH DAY AFTER CONSTRUCTION ACTIVITY TEMPORARILY OR PERMANENTLY CEASES IS PRECEDDED BY SNOW COVER, STABILIZATION MEASURES SHALL BE INITIATED AS SOON AS CONDITIONS ALLOW. WHERE CONSTRUCTION ACTIVITY WILL RESUME ON A PORTION OF THE SITE WITHIN 21 DAYS FROM WHEN ACTIVITIES CEASED, (E.G., THE TOTAL TIME PERIOD THAT CONSTRUCTION ACTIVITY IS TEMPORARILY HALTED IS LESS THAN 21 DAYS) THEN STABILIZATION MEASURES DO NOT HAVE TO BE INITIATED ON THAT PORTION OF THE SITE BY THE SEVENTH DAY AFTER CONSTRUCTION ACTIVITIES HAVE TEMPORARILY CEASED.
6. CONSTRUCTION - DURING CONSTRUCTION, INSTALL AND MAINTAIN ANY ADDITIONAL EAS BMPs AND IMPLEMENT ANY STRUCTURAL POST CONSTRUCTION STORMWATER BMPs THAT MAY BE REQUIRED.
7. FINAL STABILIZATION - AREAS SHOULD BE RETURNED TO PRECONSTRUCTION CONDITIONS IN TERMS OF GRADE AND VEGETATIVE STABILIZATION TO RESTORE DRAINAGE PATTERNS. AFTER CONSTRUCTION IS COMPLETED, INSTALL STABILIZATION BMPs INCLUDING: PLACING TOPSOIL AND PERMANENT SEEDING, MULCHING, AND COMPLETE IMPLEMENTATION OF STORMWATER BMPs (AS APPROPRIATE) AS SHOWN ON THE PLANS. STABILIZE ALL OPEN AREAS INCLUDING BORROW AND SPOIL AREAS.
8. AFTER 70 PERCENT UNIFORM, VEGETATIVE COVER HAS BEEN ACHIEVED AND THE SITE HAS BEEN STABILIZED, REMOVE ALL TEMPORARY EROSION AND SEDIMENTATION CONTROLS AND STABILIZE ANY DISTURBANCES ASSOCIATED WITH THE REMOVAL OF THE BMPs. TEMPORARY BMPs MAY INCLUDE BUT ARE NOT LIMITED TO THE FOLLOWING: SILT FENCE, WETLAND CROSSINGS (REMOVE IMMEDIATELY UPON WORK COMPLETION IN THAT AREA), RIGHT-OF-WAY DIVERSIONS, STABILIZED CONSTRUCTION ENTRANCES, ETC.

PLAN VIEW - FIGURE C
 SCALE: 1" = 50'

- NOTES**
1. THIS PLAN IS FOR EROSION AND SEDIMENTATION CONTROL/STORMWATER POLLUTION PREVENTION PLAN PURPOSES ONLY.
 2. EXISTING CONDITIONS AS DEPICTED ON THESE PLANS ARE GENERAL AND ILLUSTRATIVE IN NATURE. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO EXAMINE THE SITE AND BE FAMILIAR WITH EXISTING CONDITIONS PRIOR TO BIDDING ON THIS PROJECT. IF CONDITIONS ENCOUNTERED DURING EXAMINATION ARE SIGNIFICANTLY DIFFERENT THAN THOSE SHOWN, THE CONTRACTOR SHALL NOTIFY THE ENGINEER IMMEDIATELY.
 3. THE CONTRACTOR AND SUBCONTRACTORS SHALL BE RESPONSIBLE FOR COMPLYING WITH APPLICABLE FEDERAL, STATE AND LOCAL REQUIREMENTS, TOGETHER WITH EXERCISING PRECAUTIONS AT ALL TIMES FOR THE PROTECTION OF PERSONS (INCLUDING EMPLOYEES) AND PROPERTY. IT IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR AND SUBCONTRACTORS TO INITIATE, MAINTAIN AND SUPERVISE ALL SAFETY REQUIREMENTS, PRECAUTIONS AND PROGRAMS IN CONNECTION WITH THE WORK.
 4. THE CONTRACTOR SHALL INDEMNIFY AND HOLD HARMLESS THE OWNER, OWNER'S REPRESENTATIVE, AND ENGINEER FOR ANY AND ALL INJURIES AND/OR DAMAGES TO PERSONNEL, EQUIPMENT AND/OR EXISTING FACILITIES OCCURRING IN THE COURSE OF THE DEMOLITION AND CONSTRUCTION DESCRIBED IN THE PLANS AND SPECIFICATIONS.
 5. THE CONTRACTOR SHALL COMPLY WITH ALL LOCAL CODES, OBTAIN ALL APPLICABLE PERMITS, AND PAY ALL REQUIRED FEES PRIOR TO BEGINNING WORK.
 6. CONTRACTOR SHALL REFER TO OTHER PLANS WITHIN THIS CONSTRUCTION SET FOR OTHER PERTINENT INFORMATION. IT IS NOT THE ENGINEER'S INTENT THAT ANY SINGLE PLAN SHEET IN THIS SET OF DOCUMENTS FULLY DEPICTS ALL WORK ASSOCIATED WITH THE PROJECT.
 7. RIGHT-OF-WAY DIVERSIONS SHALL BE PLACED AT 2% TO 4% SLOPE DOWNHILL AND THEY SHALL BE SPACED AT THE INCREMENTS AS SHOWN ON THE PLANS, IN ACCORDANCE TO WVEDP E&S STANDARDS.
 8. THE TEMPORARY WATERLINE WILL BE PLACED OVERLAND ON THE GROUND SURFACE AND WILL NOT REQUIRE TREE CLEARING OR OTHER DISTURBANCE ALONG THE RIGHT-OF-WAY WIDTH, WITH THE EXCEPTION OF AREAS WHERE EARTH DISTURBANCE IS INDICATED.

- REFERENCE**
1. EXISTING TOPOGRAPHY AND SURVEY PREPARED BY BLUE MOUNTAIN AERIAL MAPPING, 11023 MASON DIXON HIGHWAY, BURTON, WEST VIRGINIA, 25462, PHONE: (304) 662-2826, DATE OF PHOTOGRAPHY: 03-30-2013, CONTOUR INTERVAL: 2 FOOT, HORIZONTAL DATUM IS THE WEST VIRGINIA NORTH AMERICAN DATUM OF 1983.
 2. STREAMS AND WETLANDS SHOWN AS PER FIELD DELINEATION BY CIVIL & ENVIRONMENTAL CONSULTANTS, INC. ON JULY 11, 2013.
 3. PIPELINE ALIGNMENTS PROVIDED BY CNX GAS COMPANY LLC, WITH ADJUSTMENTS MADE TO PIPELINE ALIGNMENTS PER CIVIL & ENVIRONMENTAL CONSULTANTS, INC. STREAM/WETLAND FIELD DATA.

SITE RESTORATION

SITE RESTORATION SHALL COMMENCE PROMPTLY AFTER COMPLETION OF EACH PIPELINE SECTION. FOR SITE RESTORATION, THE ENTIRE RIGHT-OF-WAY SHALL BE SEEDED IN ACCORDANCE WITH DETAIL 4 SHOWN ON DETAIL SHEET 1. DURING SITE RESTORATION, ALL TEMPORARY CONTROLS SHALL BE REMOVED AND THE GRADES SHALL BE RETURNED TO THE EXISTING CONDITION GRADES. THE PERMANENT RIGHT-OF-WAY DIVERSIONS SHALL REMAIN AS PART OF SITE RESTORATION PLAN. IF RIGHT-OF-WAY DIVERSIONS WILL LIMIT ACCESS AND MAINTENANCE TO THE RIGHT-OF-WAY, THEY MAY BE REMOVED, AS NECESSARY, UPON ESTABLISHMENT OF 70% UNIFORM, VEGETATIVE COVER BETWEEN RIGHT-OF-WAY DIVERSIONS.

MISS UTILITY OF WEST VIRGINIA
 1-800-245-4848
 West Virginia State Law
 (Section XIV, Chapter 24-C requires that you call two business days before you dig in the state of West Virginia.)
IT'S THE LAW


LEGEND

| | |
|------|--------------------------------------|
| 1000 | EXISTING INDEX CONTOUR (10 FT) |
| --- | EXISTING INTERMEDIATE CONTOUR (2 FT) |
| --- | EXISTING UNPAVED DRIVEWAY |
| --- | EXISTING PAVED ROADWAY |
| --- | EXISTING TREE LINE |
| --- | EXISTING BUILDING |
| --- | EXISTING UTILITY POLE |
| --- | EXISTING BRIDGE |
| --- | EXISTING STRUCTURE |
| --- | EXISTING FENCE |
| --- | EXISTING TRAIL |
| SF | EXISTING SILT FENCE |
| --- | EXISTING STORM PIPE |
| --- | EXISTING STREAM |
| G | EXISTING GAS LINE (APPROXIMATE) |
| --- | EXISTING WETLANDS |
| --- | EXISTING WELL HEAD (APPROXIMATE) |

| | |
|-----|--|
| --- | PROPOSED LIMIT OF DISTURBANCE |
| --- | PROPOSED 12-IN. DIA. POLY WATERLINE |
| --- | PROPOSED 12-IN. COMPOST FILTER SOCK |
| --- | PROPOSED STABILIZED CONSTRUCTION ENTRANCE |
| --- | TEMPORARY EQUIPMENT CROSSING OF STREAM/WETLAND |
| --- | STABILIZED CONSTRUCTION ENTRANCE STONE STOCKPILE |
| --- | PROPOSED ORANGE CONSTRUCTION FENCE |
| --- | PROPOSED ACCESS ROAD |
| --- | PROPOSED WORKSPACE AREA |

KEY

DETAIL CALL-OUT
 C*** = DETAIL NO.
 C*** = SHEET NO.



REVISION RECORD


| NO. | DATE | DESCRIPTION |
|-----|------------|---|
| 1 | 07/29/2013 | ISSUED FOR PERMITTING AND FOR E&S AND ASSESS RISK CONTROL |

Civil & Environmental Consultants, Inc.
 4000 Triangle Lane, Suite 200 - Export, PA 15632
 724-327-5200 - 800-899-3610
 www.civiland.com


CNX GAS COMPANY LLC
 OXFORD 1 WATERLINE
 DODDRIDGE COUNTY, WEST VIRGINIA

STORMWATER POLLUTION PREVENTION PLAN
 E&S PLAN SHEET (2 OF 4)
 DRAWING NO: **C902**


DATE: 06/05/2013
 DRAWN BY: AS SHOWN
 CHECKED BY: 130-963
 PROJECT NO.:
 APPROVED BY: *GSL




PLAN VIEW - FIGURE D
SCALE: 1" = 50'




PLAN VIEW - FIGURE E
SCALE: 1" = 50'



PLAN VIEW - FIGURE F
SCALE: 1" = 50'



PLAN VIEW - FIGURE G
SCALE: 1" = 50'



REFERENCE
USGS TOPOGRAPHIC MAP/ARCOS MAP SERVICE
HTTP://2070.ARCOSONLINE.COM/MAPS/USA_TOPO
MAPS_ACCESSED_ONLINE_07/28/2013.
OXFORD QUADRANGLE PANEL SHOWN.

SITE LOCATION PLAN
SCALE IN FEET
0 2500 5000

CONSTRUCTION SEQUENCE

1. PRIOR TO COMMENCEMENT OF ANY EARTH DISTURBANCE ACTIVITY, INCLUDING CLEARING, GRUBBING, AND GRADING, THE REGISTRANT SHALL CLEARLY DELINEATE SENSITIVE AREAS, THE LIMITS OF CLEARING, AND TREES THAT ARE TO BE CONSERVED WITHIN THE PROJECT SITE. INSTALL APPROPRIATE BARRIERS WHERE EQUIPMENT MAY NOT BE PARKED, STAGED, OPERATED, OR LOCATED FOR ANY PURPOSES.
2. SITE ACCESS - THIS IS THE FIRST LAND DISTURBANCE ACTIVITY TO TAKE PLACE AT THE SITE, AND SHALL PROVIDE BMPs TO MINIMIZE ACCELERATED EROSION AND SEDIMENTATION FROM THE FOLLOWING AREAS: ENTRANCE TO THE SITE, CONSTRUCTION ROUTES, AND AREAS DESIGNATED FOR EQUIPMENT OR OTHER USE AT THE SITE INCLUDING PARKING AND STOCKPILES.
3. SEDIMENT BARRIERS - INSTALL PERIMETER BMPs AFTER THE CONSTRUCTION SITE IS ACCESSED KEEPING THE ASSOCIATED GRUBBING AND GRADING LIMITED TO ONLY THAT AMOUNT REQUIRED FOR INSTALLING PERIMETER BMPs.
4. LAND GRUBBING AND GRADING - IMPLEMENT GRUBBING AND GRADING ONLY AFTER ALL DOWNSLOPE PERIMETER EROSION AND SEDIMENTATION BARRIERS HAVE BEEN CONSTRUCTED AND STABILIZED.
5. SURFACE STABILIZATION - STABILIZATION MEASURES SHALL BE INITIATED AS SOON AS PRACTICABLE IN PORTIONS OF THE SITE WHERE CONSTRUCTION ACTIVITIES HAVE TEMPORARILY OR PERMANENTLY CEASED, BUT IN NO CASE MORE THAN SEVEN DAYS AFTER THE CONSTRUCTION ACTIVITY IN THAT PORTION OF THE SITE HAS PERMANENTLY CEASED, WHERE THE INITIATION OF STABILIZATION MEASURES BY THE SEVENTH DAY AFTER CONSTRUCTION ACTIVITY TEMPORARILY OR PERMANENTLY CEASES IS PRECLUDED BY SNOW COVER. STABILIZATION MEASURES SHALL BE INITIATED AS SOON AS CONDITIONS ALLOW WHERE CONSTRUCTION ACTIVITY WILL RESUME ON A PORTION OF THE SITE WITHIN 21 DAYS FROM WHEN ACTIVITIES CEASED. (E.G., THE TOTAL TIME PERIOD THAT CONSTRUCTION ACTIVITY IS TEMPORARILY HALTED IS LESS THAN 21 DAYS) THEN STABILIZATION MEASURES DO NOT HAVE TO BE INITIATED ON THAT PORTION OF THE SITE BY THE SEVENTH DAY AFTER CONSTRUCTION ACTIVITIES HAVE TEMPORARILY CEASED.
6. CONSTRUCTION - DURING CONSTRUCTION, INSTALL AND MAINTAIN ANY ADDITIONAL E&S BMPs AND IMPLEMENT ANY STRUCTURAL POST CONSTRUCTION STORMWATER BMPs THAT MAY BE REQUIRED.
7. FINAL STABILIZATION - AREAS SHOULD BE RETURNED TO PRECONSTRUCTION CONDITIONS IN TERMS OF GRADE AND VEGETATIVE STABILIZATION TO RESTORE DRAINAGE PATTERNS. AFTER CONSTRUCTION IS COMPLETED, INSTALL STABILIZATION BMPs INCLUDING: PLACING TOPSOIL AND PERMANENT SEEDING, MULCHING, AND COMPLETE IMPLEMENTATION OF STORMWATER BMPs (AS APPROPRIATE) AS SHOWN ON THE PLANS. STABILIZE ALL OPEN AREAS INCLUDING BORROW AND SPOIL AREAS.
8. AFTER 70 PERCENT UNIFORM VEGETATIVE COVER HAS BEEN ACHIEVED AND THE SITE HAS BEEN STABILIZED, REMOVE ALL TEMPORARY EROSION AND SEDIMENTATION CONTROLS AND STABILIZE ANY DISTURBANCES ASSOCIATED WITH THE REMOVAL OF THE BMPs. TEMPORARY BMPs MAY INCLUDE BUT ARE NOT LIMITED TO THE FOLLOWING: SILT FENCE, WETLAND CROSSINGS (REMOVE IMMEDIATELY UPON WORK COMPLETION IN THAT AREA), RIGHT-OF-WAY DIVERSIONS, STABILIZED CONSTRUCTION ENTRANCES, ETC.

- NOTES
1. THIS PLAN IS FOR EROSION AND SEDIMENTATION CONTROL/STORMWATER POLLUTION PREVENTION PLAN PURPOSES ONLY.
 2. EXISTING CONDITIONS AS DEPICTED ON THESE PLANS ARE GENERAL AND ILLUSTRATIVE IN NATURE. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO EXAMINE THE SITE AND BE FAMILIAR WITH EXISTING CONDITIONS PRIOR TO BIDDING ON THIS PROJECT. IF CONDITIONS ENCOUNTERED DURING EXAMINATION ARE SIGNIFICANTLY DIFFERENT THAN THOSE SHOWN, THE CONTRACTOR SHALL NOTIFY THE ENGINEER IMMEDIATELY.
 3. THE CONTRACTOR AND SUBCONTRACTORS SHALL BE RESPONSIBLE FOR COMPLYING WITH APPLICABLE FEDERAL, STATE AND LOCAL REQUIREMENTS, TOGETHER WITH EXERCISING PRECAUTIONS AT ALL TIMES FOR THE PROTECTION OF PERSONS (INCLUDING EMPLOYEES) AND PROPERTY. IT IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR AND SUBCONTRACTORS TO INITIATE, MAINTAIN AND SUPERVISE ALL SAFETY REQUIREMENTS, PRECAUTIONS AND PROGRAMS IN CONNECTION WITH THE WORK.
 4. THE CONTRACTOR SHALL INDEMNIFY AND HOLD HARMLESS THE OWNER, OWNER'S REPRESENTATIVE, AND ENGINEER FOR ANY AND ALL INJURIES AND/OR DAMAGES TO PERSONNEL, EQUIPMENT AND/OR EXISTING FACILITIES OCCURRING IN THE COURSE OF THE DEMOLITION AND CONSTRUCTION DESCRIBED IN THE PLANS AND SPECIFICATIONS.
 5. THE CONTRACTOR SHALL COMPLY WITH ALL LOCAL CODES, OBTAIN ALL APPLICABLE PERMITS, AND PAY ALL REQUIRED FEES PRIOR TO BEGINNING WORK.
 6. CONTRACTOR SHALL REFER TO OTHER PLANS WITHIN THIS CONSTRUCTION SET FOR OTHER PERTINENT INFORMATION. IT IS NOT THE ENGINEER'S INTENT THAT ANY SINGLE PLAN SHEET IN THIS SET OF DOCUMENTS FULLY DEPICTS ALL WORK ASSOCIATED WITH THE PROJECT.
 7. RIGHT-OF-WAY DIVERSIONS SHALL BE PLACED AT 2% TO 4% SLOPE DOWNHILL AND THEY SHALL BE SPACED AT THE INCREMENTS AS SHOWN ON THE PLANS, IN ACCORDANCE TO WVDOT E&S STANDARDS.
 8. THE TEMPORARY WATERLINE WILL BE PLACED OVERLAND ON THE GROUND SURFACE AND WILL NOT REQUIRE TREE CLEARING OR OTHER DISTURBANCE ALONG THE RIGHT-OF-WAY WIDTH, WITH THE EXCEPTION OF AREAS WHERE EARTH DISTURBANCE IS INDICATED.

REFERENCE

1. EXISTING TOPOGRAPHY AND SURVEY PREPARED BY BLUE MOUNTAIN AERIAL MAPPING, 11023 MASON DIXON HIGHWAY, BURTON, WEST VIRGINIA, 26582, PHONE: (304) 862-2826, DATE OF PHOTOGRAPHY: 03-30-2013, CONTOUR INTERVAL: 2 FOOT. HORIZONTAL DATUM IS THE WEST VIRGINIA NORTH AMERICAN DATUM OF 1983.
2. STREAMS AND WETLANDS SHOWN AS PER FIELD DELINEATION BY CIVIL & ENVIRONMENTAL CONSULTANTS, INC. ON JULY 11, 2013.
3. PIPELINE ALIGNMENTS PROVIDED BY CNX GAS COMPANY LLC, WITH ADJUSTMENTS MADE TO PIPELINE ALIGNMENTS PER CIVIL & ENVIRONMENTAL CONSULTANTS, INC. STREAM/WETLAND FIELD DATA.

SITE RESTORATION

SITE RESTORATION SHALL COMMENCE PROMPTLY AFTER COMPLETION OF EACH PIPELINE SECTION. FOR SITE RESTORATION, THE ENTIRE RIGHT-OF-WAY SHALL BE RESEED IN ACCORDANCE WITH DETAIL 4 SHOWN ON DETAIL SHEET 1. DURING SITE RESTORATION, ALL TEMPORARY CONTROLS SHALL BE REMOVED AND THE GRADES SHALL BE RETURNED TO THE EXISTING CONDITION GRADES. THE PERMANENT RIGHT-OF-WAY DIMENSIONS SHALL REMAIN AS PART OF SITE RESTORATION PLAN. IF RIGHT-OF-WAY DIVERSIONS WILL LIMIT ACCESS AND MAINTENANCE TO THE RIGHT-OF-WAY, THEY MAY BE REMOVED, AS NECESSARY, UPON ESTABLISHMENT OF 70% UNIFORM VEGETATIVE COVER BETWEEN RIGHT-OF-WAY DIVERSIONS.

MISS UTILITY OF WEST VIRGINIA
1-800-245-4848
West Virginia State Law
(Section XV, Chapter 24-C requires that you call two business days before you dig in the state of West Virginia.)
IT'S THE LAW


LEGEND

| | | | |
|------|--------------------------------------|-----|--|
| 1000 | EXISTING INDEX CONTOUR (10 FT) | --- | PROPOSED LIMIT OF DISTURBANCE |
| --- | EXISTING INTERMEDIATE CONTOUR (2 FT) | --- | PROPOSED 12-IN. DIA. POLY WATERLINE |
| --- | EXISTING UNPAVED DRIVEWAY | --- | PROPOSED 12-IN. COMPOST FILTER SOCK |
| --- | EXISTING PAVED ROADWAY | --- | PROPOSED STABILIZED CONSTRUCTION ENTRANCE |
| --- | EXISTING TREE LINE | --- | TEMPORARY EQUIPMENT CROSSING OF STREAM/WETLAND |
| --- | EXISTING BUILDING | --- | STABILIZED CONSTRUCTION ENTRANCE STONE STOCKPILE |
| --- | EXISTING UTILITY POLE | --- | PROPOSED ORANGE CONSTRUCTION FENCE |
| --- | EXISTING BRIDGE | --- | PROPOSED ACCESS ROAD |
| --- | EXISTING STRUCTURE | --- | PROPOSED WORKSPACE AREA |
| --- | EXISTING FENCE | --- | |
| --- | EXISTING TRAIL | --- | |
| --- | EXISTING SILT FENCE | --- | |
| --- | EXISTING STORM PIPE | --- | |
| --- | EXISTING STREAM | --- | |
| --- | EXISTING GAS LINE (APPROXIMATE) | --- | |
| --- | EXISTING WETLANDS | --- | |
| --- | EXISTING WELL HEAD (APPROXIMATE) | --- | |

| | |
|-----|--|
| --- | PROPOSED 12-IN. DIA. POLY WATERLINE |
| --- | PROPOSED 12-IN. COMPOST FILTER SOCK |
| --- | PROPOSED STABILIZED CONSTRUCTION ENTRANCE |
| --- | TEMPORARY EQUIPMENT CROSSING OF STREAM/WETLAND |
| --- | STABILIZED CONSTRUCTION ENTRANCE STONE STOCKPILE |
| --- | PROPOSED ORANGE CONSTRUCTION FENCE |
| --- | PROPOSED ACCESS ROAD |
| --- | PROPOSED WORKSPACE AREA |

KEY

○ = DETAIL CALL-OUT
○** = DETAIL NO.
○*** = SHEET NO.



REVISION RECORD

| NO. | DATE | DESCRIPTION |
|-----|------------|--------------------|
| 1 | 09/05/2013 | ISSUED FOR PERMITS |





Civil & Environmental Consultants, Inc.
4000 Triangle Lane, Suite 200 - Export, PA 15632
724-327-5200 - 800-899-3810
www.civil.com

CNX GAS COMPANY LLC
OXFORD 1 WATERLINE
DODDRIDGE COUNTY, WEST VIRGINIA

STORMWATER POLLUTION PREVENTION PLAN
E&S PLAN SHEET (3 OF 4)

DATE: 09/05/2013
DRAWN BY: [Signature]
CHECKED BY: [Signature]
PROJECT NO.: 190-985
APPROVED BY: [Signature]

DRAWING NO.: **C903**



REFERENCE
USGS TOPOGRAPHIC MAP/ARCOS MAP SERVICE
HTTP://2025.ARCOSONLINE.COM/MAPI/USA_TOPO
MAPS, ACCESSED ONLINE 07/26/2013.
OXFORD QUADRANGLE PANEL SHOWN.

CONSTRUCTION SEQUENCE

1. PRIOR TO COMMENCEMENT OF ANY EARTH DISTURBANCE ACTIVITY, INCLUDING CLEARING, GRUBBING, AND GRADING, THE REGISTRANT SHALL CLEARLY DELINEATE SENSITIVE AREAS, THE LIMITS OF CLEARING, AND TREES THAT ARE TO BE CONSERVED WITHIN THE PROJECT SITE. INSTALL APPROPRIATE BARRIERS WHERE EQUIPMENT MAY NOT BE PARKED, STAGED, OPERATED, OR LOCATED FOR ANY PURPOSES.
2. SITE ACCESS - THIS IS THE FIRST LAND DISTURBANCE ACTIVITY TO TAKE PLACE AT THE SITE, AND SHALL PROVIDE BMPs TO MINIMIZE ACCELERATED EROSION AND SEDIMENTATION FROM THE FOLLOWING AREAS: ENTRANCE TO THE SITE, CONSTRUCTION ROUTES, AND AREAS DESIGNATED FOR EQUIPMENT OR OTHER USE AT THE SITE INCLUDING PARKING AND STOCKPILES.
3. SEDIMENT BARRIERS - INSTALL PERIMETER BMPs AFTER THE CONSTRUCTION SITE IS ACCESSED KEEPING THE ASSOCIATED GRUBBING AND GRADING LIMITED TO ONLY THAT AMOUNT REQUIRED FOR INSTALLING PERIMETER BMPs.
4. LAND GRUBBING AND GRADING - IMPLEMENT GRUBBING AND GRADING ONLY AFTER ALL DOWNSLOPE PERIMETER EROSION AND SEDIMENTATION BMPs HAVE BEEN CONSTRUCTED AND STABILIZED.
5. SURFACE STABILIZATION - STABILIZATION MEASURES SHALL BE INITIATED AS SOON AS PRACTICABLE IN PORTIONS OF THE SITE WHERE CONSTRUCTION ACTIVITIES HAVE TEMPORARILY OR PERMANENTLY CEASED, BUT IN NO CASE MORE THAN SEVEN DAYS AFTER THE CONSTRUCTION ACTIVITY IN THAT PORTION OF THE SITE HAS PERMANENTLY CEASED, WHERE THE INITIATION OF STABILIZATION MEASURES BY THE SEVENTH DAY AFTER CONSTRUCTION ACTIVITY TEMPORARILY OR PERMANENTLY CEASES IS PRECLUDED BY SNOW COVER. STABILIZATION MEASURES SHALL BE INITIATED AS SOON AS CONDITIONS ALLOW, WHERE CONSTRUCTION ACTIVITY WILL RESUME ON A PORTION OF THE SITE WITHIN 21 DAYS FROM WHEN ACTIVITIES CEASED, (E.G., THE TOTAL TIME PERIOD THAT CONSTRUCTION ACTIVITY IS TEMPORARILY HALTED IS LESS THAN 21 DAYS) THEN STABILIZATION MEASURES DO NOT HAVE TO BE INITIATED ON THAT PORTION OF THE SITE BY THE SEVENTH DAY AFTER CONSTRUCTION ACTIVITIES HAVE TEMPORARILY CEASED.
6. CONSTRUCTION - DURING CONSTRUCTION, INSTALL AND MAINTAIN ANY ADDITIONAL E&S BMPs AND IMPLEMENT ANY STRUCTURAL POST CONSTRUCTION STORMWATER BMPs THAT MAY BE REQUIRED.
7. FINAL STABILIZATION - AREAS SHOULD BE RETURNED TO PRECONSTRUCTION CONDITIONS IN TERMS OF GRADE AND VEGETATIVE STABILIZATION TO RESTORE DRAINAGE PATTERNS. AFTER CONSTRUCTION IS COMPLETED, INSTALL STABILIZATION BMPs INCLUDING: PLACING TOPSOIL AND PERMANENT SEEDING, MULCHING, AND COMPLETE IMPLEMENTATION OF STORMWATER BMPs (AS APPROPRIATE) AS SHOWN ON THE PLANS. STABILIZE ALL OPEN AREAS INCLUDING BORROW AND SPOIL AREAS.
8. AFTER 70 PERCENT UNIFORM, VEGETATIVE COVER HAS BEEN ACHIEVED AND THE SITE HAS BEEN STABILIZED, REMOVE ALL TEMPORARY EROSION AND SEDIMENTATION CONTROLS AND STABILIZE ANY DISTURBANCES ASSOCIATED WITH THE REMOVAL OF THE BMPs. TEMPORARY BMPs MAY INCLUDE BUT ARE NOT LIMITED TO THE FOLLOWING: SILT FENCE, WETLAND CROSSINGS (REMOVE IMMEDIATELY UPON WORK COMPLETION IN THAT AREA), RIGHT-OF-WAY DIVERSIONS, STABILIZED CONSTRUCTION ENTRANCES, ETC.

- NOTES**
1. THIS PLAN IS FOR EROSION AND SEDIMENTATION CONTROL/STORMWATER POLLUTION PREVENTION PLAN PURPOSES ONLY.
 2. EXISTING CONDITIONS AS DEPICTED ON THESE PLANS ARE GENERAL AND ILLUSTRATIVE IN NATURE. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO EXAMINE THE SITE AND BE FAMILIAR WITH EXISTING CONDITIONS PRIOR TO BIDDING ON THIS PROJECT. IF CONDITIONS ENCOUNTERED DURING EXAMINATION ARE SIGNIFICANTLY DIFFERENT THAN THOSE SHOWN, THE CONTRACTOR SHALL NOTIFY THE ENGINEER IMMEDIATELY.
 3. THE CONTRACTOR AND SUBCONTRACTORS SHALL BE RESPONSIBLE FOR COMPLYING WITH APPLICABLE FEDERAL, STATE AND LOCAL REQUIREMENTS, TOGETHER WITH EXERCISING PRECAUTIONS AT ALL TIMES FOR THE PROTECTION OF PERSONS (INCLUDING EMPLOYEES) AND PROPERTY. IT IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR AND SUBCONTRACTORS TO INITIATE, MAINTAIN AND SUPERVISE ALL SAFETY REQUIREMENTS, PRECAUTIONS AND PROGRAMS IN CONNECTION WITH THE WORK.
 4. THE CONTRACTOR SHALL INDEMNIFY AND HOLD HARMLESS THE OWNER, OWNER'S REPRESENTATIVE, AND ENGINEER FOR ANY AND ALL INJURIES AND/OR DAMAGES TO PERSONNEL, EQUIPMENT AND/OR EXISTING FACILITIES OCCURRING IN THE COURSE OF THE DEMOLITION AND CONSTRUCTION DESCRIBED IN THE PLANS AND SPECIFICATIONS.
 5. THE CONTRACTOR SHALL COMPLY WITH ALL LOCAL CODES, OBTAIN ALL APPLICABLE PERMITS, AND PAY ALL REQUIRED FEES PRIOR TO BEGINNING WORK.
 6. CONTRACTOR SHALL REFER TO OTHER PLANS WITHIN THIS CONSTRUCTION SET FOR OTHER PERTINENT INFORMATION. IT IS NOT THE ENGINEER'S INTENT THAT ANY SINGLE PLAN SHEET IN THIS SET OF DOCUMENTS FULLY DEPICTS ALL WORK ASSOCIATED WITH THE PROJECT.
 7. RIGHT-OF-WAY DIVERSIONS SHALL BE PLACED AT 2% TO 4% SLOPE DOWNHILL AND THEY SHALL BE SPACED AT THE INCREMENTS AS SHOWN ON THE PLANS, IN ACCORDANCE TO WIDEP E&S STANDARDS.
 8. THE TEMPORARY WATERLINE WILL BE PLACED OVERLAND ON THE GROUND SURFACE AND WILL NOT REQUIRE TREE CLEARING OR OTHER DISTURBANCE ALONG THE RIGHT-OF-WAY WIDTH, WITH THE EXCEPTION OF AREAS WHERE EARTH DISTURBANCE IS INDICATED.

REFERENCE

1. EXISTING TOPOGRAPHY AND SURVEY PREPARED BY BLUE MOUNTAIN AERIAL MAPPING, 11023 MASON DIXON HIGHWAY, BURTON, WEST VIRGINIA, 26562, PHONE: (304) 662-2626, DATE OF PHOTOGRAPHY: 03-30-2013, CONTOUR INTERVAL: 2 FOOT. HORIZONTAL DATUM IS THE WEST VIRGINIA NORTH AMERICAN DATUM OF 1983.
2. STREAMS AND WETLANDS SHOWN AS PER FIELD DELINEATION BY CIVIL & ENVIRONMENTAL CONSULTANTS, INC. ON JULY 11, 2013.
3. PIPELINE ALIGNMENTS PROVIDED BY CNX GAS COMPANY LLC, WITH ADJUSTMENTS MADE TO PIPELINE ALIGNMENTS PER CIVIL & ENVIRONMENTAL CONSULTANTS, INC.



SITE RESTORATION

SITE RESTORATION SHALL COMMENCE PROMPTLY AFTER COMPLETION OF EACH PIPELINE SECTION. FOR SITE RESTORATION, THE ENTIRE RIGHT-OF-WAY SHALL BE RESEED IN ACCORDANCE WITH DETAIL 4 SHOWN ON DETAIL SHEET 1. DURING SITE RESTORATION, ALL TEMPORARY CONTROLS SHALL BE REMOVED AND THE GRADES SHALL BE RETURNED TO THE EXISTING CONDITION GRADES. THE PERMANENT RIGHT-OF-WAY DIMENSIONS SHALL REMAIN AS PART OF SITE RESTORATION PLAN. IF RIGHT-OF-WAY DIMENSIONS WILL LIMIT ACCESS AND MAINTENANCE TO THE RIGHT-OF-WAY, THEY MAY BE REMOVED, AS NECESSARY, UPON ESTABLISHMENT OF 70% UNIFORM, VEGETATIVE COVER BETWEEN RIGHT-OF-WAY DIVERSIONS.

MISS UTILITY OF WEST VIRGINIA
1-800-245-4848
West Virginia State Law
(Section XIV, Chapter 24-C requires that you call two business days before you dig in the state of West Virginia.)
IT'S THE LAW

- LEGEND**
- 1000 - EXISTING INDEX CONTOUR (10 FT)
 - - EXISTING INTERMEDIATE CONTOUR (2 FT)
 - - EXISTING UNPAVED DRIVEWAY
 - - EXISTING PAVED ROADWAY
 - - EXISTING TREE LINE
 - - EXISTING BUILDING
 - - EXISTING UTILITY POLE
 - - EXISTING BRIDGE
 - - EXISTING STRUCTURE
 - - EXISTING FENCE
 - - EXISTING TRAIL
 - SF - EXISTING SILT FENCE
 - - EXISTING STORM PIPE
 - - EXISTING STREAM
 - - EXISTING GAS LINE (APPROXIMATE)
 - - EXISTING WETLANDS
 - - EXISTING WELL HEAD (APPROXIMATE)
 - - PROPOSED LIMIT OF DISTURBANCE
 - W - PROPOSED 12-IN. DIA. POLY WATERLINE
 - FS - PROPOSED 12-IN. COMPOST FILTER SOCK
 - - PROPOSED STABILIZED CONSTRUCTION ENTRANCE
 - - TEMPORARY EQUIPMENT CROSSING OF STREAM/WETLAND
 - - STABILIZED CONSTRUCTION ENTRANCE STONE STOCKPILE
 - X - PROPOSED ORANGE CONSTRUCTION FENCE
 - - PROPOSED ACCESS ROAD
 - - PROPOSED WORKSPACE AREA

- KEY**
- - DETAIL CALL-OUT
C*** - DETAIL NO.
C*** - SHEET NO.



REVISION RECORD

| NO. | DATE | DESCRIPTION |
|-----|------------|--------------------|
| 1 | 08/03/2013 | ISSUED FOR PERMITS |

Civil & Environmental Consultants, Inc.
4000 Triangle Lane, Suite 200 - Export, PA 15632
724-327-5200 - 800-899-3810
www.civilinc.com

CNX GAS COMPANY LLC
OXFORD 1 WATERLINE
DODDRIDGE COUNTY, WEST VIRGINIA

STORMWATER POLLUTION PREVENTION PLAN
E&S PLAN SHEET (4 OF 4)
DRAWING NO.: **C904**

DATE: 08/03/2013
DRAWN BY: [Signature]
PROJECT NO.: [Number]
CHECKED BY: [Signature]
APPROVED BY: [Signature]