

Doddridge County, West Virginia

RECEIPT NO: 1777

DATE: 2014/03/28

FROM: GREGORY WATKINS

AMOUNT: \$ 500.00

FIVE HUNDRED DOLLARS AND 00 CENTS

FOR: #14-186 DOMINION TRANSMISSION INC
H-18066 P/L REPLACEMENT

00000000167 FP-BUILDING PERMITS

020-318

TOTAL: \$500.00

MICHAEL HEADLEY
SHERIFF & TREASURER

MEC
CLERK

Customer Copy

7013 2250 0001 6914 8421

U.S. Postal Service™ CERTIFIED MAIL™ RECEIPT (Domestic Mail Only, No Insurance Coverage Provided)	
For delivery information visit our website at www.usps.com	
OFFICIAL USE	
Postage	\$.48
Certified Fee	3.30
Return Receipt Fee (Endorsement Required)	2.70
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$ 6.48
Sent To <u>David A and Terrisa M. Kelley</u> Street, Apt. No., or PO Box No. <u>Rt. 1 Box 410</u> City, State, ZIP+4 <u>Salem, WV 26426</u> #14-186	
PS Form 3800, August 2006 See Reverse for Instructions	

9848 8438 4714 6914 0001 0522 7013

U.S. Postal Service™ CERTIFIED MAIL™ RECEIPT (Domestic Mail Only, No Insurance Coverage Provided)	
For delivery information visit our website at www.usps.com	
OFFICIAL USE	
Postage	\$.48
Certified Fee	3.30
Return Receipt Fee (Endorsement Required)	2.70
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$ 6.48
Sent To <u>Gregory W. Kelley</u> Street, Apt. No., or PO Box No. <u>Rt 1 Box 414</u> City, State, ZIP+4 <u>Salem, WV 26426</u> #14-186	
PS Form 3800, August 2006 See Reverse for Instructions	

7013 2250 0001 6914 8445

U.S. Postal Service™ CERTIFIED MAIL™ RECEIPT (Domestic Mail Only, No Insurance Coverage Provided)	
For delivery information visit our website at www.usps.com	
OFFICIAL USE	
Postage	\$.48
Certified Fee	3.30
Return Receipt Fee (Endorsement Required)	2.70
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$ 6.48
Sent To <u>Guss T Kelley ET AL.</u> Street, Apt. No., or PO Box No. <u>Rt 1 Box 411</u> City, State, ZIP+4 <u>Salem, WV 26426</u> #14-186	
PS Form 3800, August 2006 See Reverse for Instructions	

7013 2250 0001 6914 8452

U.S. Postal Service™ CERTIFIED MAIL™ RECEIPT (Domestic Mail Only, No Insurance Coverage Provided)	
For delivery information visit our website at www.usps.com	
OFFICIAL USE	
Postage	\$.48
Certified Fee	3.30
Return Receipt Fee (Endorsement Required)	2.70
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$ 6.48
Sent To <u>David and Linda Davis</u> Street, Apt. No., or PO Box No. <u>Rt 1 Box 393</u> City, State, ZIP+4 <u>Salem, WV 26426</u> #14-186	
PS Form 3800, August 2006 See Reverse for Instructions	

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to: #14-186
 Guss T Kelley et al.
 Rt 1, Box 411
 Salem, WV 26426

2. Article Number
 (Transfer from service label)

7013 2250 0001 6914 8445

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X Guss T Kelley

- Agent
 Addressee

B. Received by (Printed Name)

Guss T Kelley

C. Date of Delivery

APR 14 2014

D. Is delivery address different from label? Yes

If YES, enter delivery address below: No

3. Service Type

- Certified Mail® Priority Mail Express™
 Registered Return Receipt for Merchandise
 Insured Mail Collect on Delivery

4. Restricted Delivery? (Extra Fee)

Yes

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

NOV 2001

14 APR 14

PH 11

• Sender: Please print your name, address, and ZIP+4 in this box •

Ralph Sandora, Jr.
Doddrige Co. Flood Plain M...
118 East Court St., Room 102
West Union, WV 26456

BETH A. ROJERS
COUNTY CLERK
DODDRIDGE COUNTY, WV

211 APR 15 AM 10:59

FILED



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to: #14-186

David and Terrissa Kelley
 Rt 1 Box 410
 Salem, WV 26426

2. Article Number

(Transfer from service label)

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X *Terrissa Kelley* Agent
 Addressee

B. Received by (Printed Name)

Terrissa Kelley

C. Date of Delivery

*4/10/14*D. Is delivery address different from item 1? YesIf YES, enter delivery address below: No

3. Service Type

- Certified Mail® Priority Mail Express™
 Registered Return Receipt for Merchandise
 Insured Mail Collect on Delivery

4. Restricted Delivery? (Extra Fee)

 Yes

7013 2250 0001 6914 8421

UNITED STATES POSTAL SERVICE




First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4® in this box •

FILED

2014 APR 11 AM 10:09

Ralph A. Andora, Jr.
Doddridge Co. Flood Plain MGT
118 East Court St. , Room 102
West Union, WV 26456



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to: #14-186

David and Linda Davis
 Rt1 Box 393
 Salem, WV 26426

2. Article Number
 (Transfer from service label)

7013 2250 0001 6914 8452

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

David Davis Agent
 Addressee

B. Received by (Printed Name)

David Davis

C. Date of Delivery

4/10/14

D. Is delivery address different from item 1? Yes
 No
 If YES, enter delivery address below:

3. Service Type

- Certified Mail® Priority Mail Express™
- Registered Return Receipt for Merchandise
- Insured Mail Collect on Delivery

4. Restricted Delivery? (Extra Fee) Yes

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

APR 11 11 AM 11:08
2014 APR 11

• Sender: Please print your name, address, and ZIP+4® in this box •

FILED

2014 APR 11 AM 11:08
BETH W. ELLERS
COUNTY CLERK
MORGAN COUNTY, WV

andora, Jr.
Dodge Co. Flood Plain MGT
118 East Court St. , Room 102
West Union, WV 26456



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to: # 14-186

Gregory L. Kelley
 R+1 Box 414
 Salem, WV 26426

2. Article Number
 (Transfer from service label)

7013 2250 0001 6914 8438

PS Form 3811, July 2013

Domestic Return Receipt

COMPLETE THIS SECTION ON DELIVERY

A. Signature

Gregory L. Kelley

- Agent
 Addressee

B. Received by (Printed Name)

L. Kelley

C. Date of Delivery

4/10/14

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type

- Certified Mail® Priority Mail Express™
 Registered Return Receipt for Merchandise
 Insured Mail Collect on Delivery

4. Restricted Delivery? (Extra Fee) Yes

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

NOV 1991


10 APR 14

• Sender: Please print your name, address, and ZIP+4® in this box •

FILED
 Ralph Anderson
 Goodridge Co. Wood Plain MGT
 18 East Court, Room 102
 West Union, OH 42656
 BEAVER CREEK
 COVING COUNTY, OHIO

APR 11: 09

14 APR 14



PERMIT NO. 14786


**DODDRIDGE COUNTY
FLOODPLAIN DEVELOPMENT
PERMIT**

PURPOSE FOR PERMIT: PIPELINE REPAIR/ REPLACE

ISSUED TO DODDRIDGE TRANSMISSION, INC.

ADDRESS: 1333 VALLEY CHAPEL LAD; WESTON, WV 26452

PROJECT ADDRESS: _____

ISSUED BY:  - DODDRIDGE CO FPM -

DATE: 4/24/14

CONSTRUCTION MUST START WITHIN 180 DAYS FROM ISSUED DATE. PERMIT EXPIRES IN 12 MONTHS FROM ISSUED DATE. IF EXTENTION IS NEEDED A REQUEST MUST BE MADE IN WRITING STATING A REASON FOR THE EXTENTION.

THIS PERMIT MUST BE POSTED ON THE PREMISES IN A CONSPICUOUS PLACE SO AS TO BE CLEARLY VISIBLE FROM THE STREET.


Since there will be no fill placed to exceed existing elevations, all temporary obstructions will be removed upon completion of construction, and existing surfaces will be returned to pre-project conditions, there will be no increase in 100-year flood elevations in Buckeye Creek upon completion of the project.

A Project Location map, Flood Hazard map, and Floodplain Project map for this project have been included with the enclosed permit application. The Flood Hazard and Floodplain Project maps show the approximate location of the flood plain relative to the Project area. Also enclosed is a check (No. 167) in the amount of \$500.00 for the permit application fee.


If you have any questions or need additional information, please contact me at 304-926-8100 or at m.tanner@gaiconsultants.com.

Sincerely,

GAI Consultants, Inc.



Matthew Tanner, P.E.
Senior Project Engineer



Charles Straley, P.E.
Engineering Manager



MTT:CFS/lmt

Enc.: Doddridge County Floodplain Development Permit Application, Check No. 167, Figure 1 – Project Location Map, Figure 2 – Flood Hazard Map, Figure 3 – Floodplain Project Map, FEMA FIRMette

cc: Jeffrey J. Louk, Dominion Transmission, Inc.
Randal Rogers, GAI Consultants, Inc.

Legal Advertisement:
Doddridge County
Floodplain Permit Application

Please take notice that on the 1st day of April, 2014

DOMINION TRANSMISSION, INC. #14-186

H-18066 PIPELINE REPLACEMENT

filed an

application for a Floodplain Permit to develop land located at or
about: **SURFACE OWNERS: GUSS KELLEY ET UX.**

GREENBRIER DISTRICT, BUFFALO CALF FORK AREA

TAX MAP: 3 PARCEL 6 & 8.1, DEED BOOK: 176/473, 177/363

The Application is on file with the Clerk of the County Court and
may be inspected or copied during regular business hours.

Any interested persons who desire to comment shall present
the same in writing by **April 21, 2014.**

Delivered to the:

Clerk of the County Court

118 E. Court Street, West Union, WV 26456.

Beth A Rogers, Doddridge County Clerk

Ralph Sandora, Jr. Doddridge County Flood Plain Manager

#14-186

FILED



2014 MAR 21 AM 11:14

BETH A. ROGERS
COUNTY CLERK
DODDRIDGE COUNTY, WV

March 20, 2014
Project C131790.00

Mr. Ralph Sandora
Doddridge County Floodplain Manager
Doddridge County Commission
118 East Court Street
West Union, West Virginia 26456

**Floodplain Development Permit Application
Dominion Transmission, Inc.
H-18066 Pipeline Replacement
Doddridge County, West Virginia**

Dear Mr. Sandora:

GAI Consultants, Inc. (GAI), on behalf of Dominion Transmission, Inc. (Dominion), is pleased to submit this cover letter with the enclosed Doddridge County Floodplain Development Permit Application for the proposed H-18066 Pipeline Replacement Project (Project) located in Doddridge County, West Virginia.

The Project includes the installation of approximately 1,740 linear feet (LF) of 3-inch diameter plastic natural gas pipeline within a 25-foot right-of-way.

Flood Insurance Rate Map information (FIRM Panel 54017C0145C) obtained from the Federal Emergency Management Agency (FEMA) shows that portions of the project area are within FEMA Flood Zone – A of Buckeye Creek. The Zone A designation indicates that a location is within the area subject to a one percent annual chance flood event (100-year flood or Base Flood), but the Base Flood Elevations have not been determined. The limits of the floodplain in this zone are approximate. Approximately 736 LF of the proposed pipeline is located within the approximate Zone A. The proposed pipeline that will be situated within Zone A will cross two (2) Unnamed Tributaries to Buckeye Creek at a location adjacent to County Route 15, approximately 0.1 miles northeast of the intersection of County Route 15 and County Route 42. One Unnamed Tributary to Buckeye Creek is an intermittent stream with a bank to bank width at the crossing location of approximately 6 feet. The other is an intermittent stream with a bank to bank width at the crossing location of approximately 3.5 feet. If flow is present at the time of construction, the pump around or flume pipe methods will be used to divert water around construction activities. The streams will be restored to pre-construction stream channel dimensions, and the banks will be stabilized prior to removal of the water diversion measures. If flow is not present at the time of construction, the crossing will be constructed, and the stream restored within 24 hours.

Construction activities will include the installation of the underground pipeline using open ditch techniques, waterbars for surface water control, trench plugs for open trench water control, and trench breakers for subsurface water control following pipeline installation. Following installation of the pipeline, the trench will be backfilled and compacted to approximate original contours, and the area will be returned to approximate original surface conditions with no permanent above ground structures. No access road construction is proposed as all access roads are existing. Any excess material will be placed outside of the floodplain area. Any fill placed within the limits of the floodplain shall not exceed the original elevations.

Mr. Ralph Sandora
March 20, 2014
Project C131790.00

ATTACHMENT 1


DODDRIDGE COUNTY FLOODPLAIN DEVELOPMENT PERMIT APPLICATION

#14-186
Dominion Trans
H-18066 P/L
Replacement

DODDRIDGE COUNTY
FLOODPLAIN DEVELOPMENT PERMIT APPLICATION

SECTION 1: GENERAL PROVISIONS (APPLICANT TO READ AND SIGN)

1. No work may start until a permit is issued.
2. The permit may be revoked if any false statements are made herein.
3. If revoked, all work must cease until permit is re-issued.
4. Development shall not be used or occupied until a Certificate of Compliance is issued.
5. The permit will expire if no work is commenced within six months of issuance.
6. Applicant is hereby informed that other permits may be required to fulfill local, state, and federal requirements.
7. Applicant hereby gives consent to the Floodplain Administrator/Manager or his/her representative to make inspections to verify compliance.
8. **I THE APPLICANT CERTIFY THAT ALL STATEMENTS HEREIN AND IN ATTACHMENTS TO THIS APPLICATION ARE, TO THE BEST OF MY KNOWLEDGE, TRUE AND ACCURATE.**

APPLICANT'S SIGNATURE 

DATE 03/17/14

SECTION 2: PROPOSED DEVELOPMENT (TO BE COMPLETED BY APPLICANT).

IF THE APPLICANT IS NOT A NATURAL PERSON, THE NAME, ADDRESS, AND TELEPHONE NUMBER OF A NATURAL PERSON WHO SHALL BE APPOINTED BY THE APPLICANT TO RECEIVE NOTICE PURSUANT TO ANY PROVISION OF THE CURRENT DODDRIDGE COUNTY FLOODPLAIN ORDINANCE.

APPLICANT'S NAME: Dominion Transmission, Inc. c/o
Jeffrey J. Louk, Manager – G&P
ADDRESS: 1333 Valley Chapel Road, Weston, WV 26452
TELEPHONE NUMBER: (304) 269-3517

CONTRACTOR NAME: Dominion Transmission, Inc.
ADDRESS: 1333 Valley Chapel Road, Weston, WV 26452
TELEPHONE #: (304) 269-3517
WV CONTRACTOR LICENCE #: Not Applicable

ENGINEER'S NAME: GAI Consultants, Inc.
ADDRESS: 300 Summers St., Suite 1100, Charleston, WV 25301
TELEPHONE NUMBER: (304) 926-8100

PROJECT LOCATION:

NAME OF SURFACE OWNER/OWNERS (IF NOT THE APPLICANT):

Parcel: 6 and 8.1 Guss Kelley Et Ux.

ADDRESS OF SURFACE OWNER/OWNERS (IF NOT THE APPLICANT):

Parcel: 6 and 8.1 Rt. 1 Box 411, Salem, WV 26426

DISTRICT: Greenbrier

LAND BOOK DESCRIPTION:

Parcel: 6 - Buckeye, 123.45 AC, Six TRS;

Parcel: 8.1 - Buckeye FR, 3.0 AC

DEED BOOK REFERENCE:

Parcel: 6 - Book 176, Page 473;

Parcel: 8.1 - Book 177, Page 363

TAX MAP REFERENCE: Tax Map: 3

EXISTING BUILDINGS/USES OF PROPERTY: Farmed, Disturbed Land, Existing AR, Forested, Cleared ROW. A residence and buildings on Parcel 6.

NAME OF AT LEAST ONE ADULT RESIDING IN EACH RESIDENCE LOCATED UPON THE SUBJECT PROPERTY: Guss Kelley

ADDRESS OF AT LEAST ONE ADULT RESIDING IN EACH RESIDENCE LOCATED UPON THE SUBJECT PROPERTY: Rt. 1 Box 411, Salem, WV 26426

To avoid delay in processing the application, please provide enough information to easily identify the project location.

DESCRIPTION OF WORK (CHECK ALL APPLICABLE BOXES)

A. STRUCTURAL DEVELOPMENT

<u>ACTIVITY</u>	<u>STRUCTURAL TYPE</u>
<input type="checkbox"/> New Structure	<input type="checkbox"/> Residential (1 – 4 Family)
<input type="checkbox"/> Addition	<input type="checkbox"/> Residential (more than 4 Family)
<input type="checkbox"/> Alteration	<input type="checkbox"/> Non-residential (floodproofing)
<input type="checkbox"/> Relocation	<input type="checkbox"/> Combined Use (res. & com.)
<input type="checkbox"/> Demolition	<input type="checkbox"/> Replacement
<input type="checkbox"/> Manufactured/Mobil Home	

B. OTHER DEVELOPMENT ACTIVITIES:

- Fill Mining Drilling Pipelining
- Grading
- Excavation (except for STRUCTURAL DEVELOPMENT checked above)
- Watercourse Alteration (including dredging and channel modification)
- Drainage Improvements (including culvert work)
- Road, Street, or Bridge Construction
- Subdivision (including new expansion)
- Individual Water or Sewer System
- Other (please specify)
-

C. STANDARD SITE PLAN OR SKETCH

- 1. SUBMIT ALL STANDARD SITE PLANS, IF ANY HAVE BEEN PREPARED (ENGINEERING PLANS MUST BE SIGNED AND SEALED).**
- 2. IF STANDARD SITE PLANS HAVE NOT BEEN PREPARED:**
SKETCH ON A SEPARATE 8 ½ X 11 INCH SHEET OF PAPER THE SHAPE AND LOCATION OF THE LOT. SHOW THE LOCATION OF THE INTENDED CONSTRUCTION OR LAND USE INDICATING BUILDING SETBACKS, SIZE & HEIGHT. IDENTIFY EXISTING BUILDINGS, STRUCTURES OR LAND USES ON THE PROPERTY.
- 3. SIGN AND DATE THE SKETCH.**

**ACTUAL TOTAL CONSTRUCTION COSTS OF THE COMPLETE DEVELOPMENT/
PROPOSED CONSTRUCTION PROJECT WITHIN THE FLOODPLAIN**

\$ 23,080 (See Cost Breakdown Attachment)

D. ADJACENT AND/OR AFFECTED LANDOWNERS:

- 1. NAME AND ADDRESS OF ALL OWNERS OF SURFACE TRACTS ADJACENT TO THE AREA OF THE SURFACE TRACT (UP & DOWN STREAM) UPON WHICH THE PROPOSED ACTIVITY WILL OCCUR AND ALL OTHER SURFACE OWNERS UP & DOWN STREAM) WHO OWN PROPERTY THAT MAY BE AFFECTED BY FLOODING AS IS DEMONSTRATED BY A FLOODPLAIN STUDY OR SURVEY (IF ONE HAS BEEN COMPLETED.**

Adjacent Parcels (Upstream)	
<u>Parcel: 7, Map: 3 (Residence)</u> NAME: David A. and Terissa M. Kelley ADDRESS: Rt. 1 Box 410, Salem, WV 26426	<u>Parcel: 8.1, Map: 3 (Only owner, no residence on parcel)</u> NAME: Guss Kelley Et Ux. ADDRESS: Rt. 1 Box 411, Salem, WV 26426
<u>Parcel: 15, Map: 3 (Residence, transferred to an estate in 2010)</u> NAME: Samuel Hileman Estate ADDRESS: 435 17th St. NW, Barberton, OH 44203	<u>Parcel: 14, Map: 3 (Only owner, no residence on parcel)</u> NAME: Richard Keith Jozwick ADDRESS: Rt. 1 Box 394, Salem, WV 26426
<u>Parcel: 23, Map: 3 (Residence)</u> NAME: David and Linda Davis ADDRESS: Rt. 1 Box 393, Salem, WV 26426	<u>Parcel: 17, Map: 3 (Residence)</u> NAME: Peter and Elizabeth Sander ADDRESS: Rt. 1 Box 397, Salem, WV 26426
<u>Parcel: 8, Map: 3 (Only owner, no residence on parcel)</u> NAME: John Kimball Sr. and Thomas Vincent Royall ADDRESS: 2226 Hill St., Petersburg, VA 23803	<u>Parcel: 9, Map: 3 (Residence)</u> NAME: William J. and Theresa R. Powell ADDRESS: 20 Nichols Rd., Amherst, NH 03031
Adjacent Parcels (Downstream)	
<u>Parcel: 6, Map: 3 (Residence)</u> NAME: Guss T. Kelley ET UX. ADDRESS: Rt. 1 Box 411, Salem, WV 26426	<u>Parcel: 6.1, Map: 3 (Building, not likely a residence)</u> NAME: Guss T. and Merelene N. Kelley ADDRESS: Rt. 1 Box 411, Salem, WV 26426
<u>Parcel: 4, Map: 3 (Residence)</u> NAME: Gregory L. Kelley ADDRESS: Rt. 1 Box 414, Salem, WV 26426	<u>Parcel: 3, Map: 3 (Only owner, no residence on parcel)</u> NAME: Richard Keith Jozwick ADDRESS: Rt. 1 Box 394, Salem, WV 26426

1. NAME AND ADDRESS OF AT LEAST ONE ADULT RESIDING IN EACH RESIDENCE LOCATED UPON ANY ADJACENT PROPERTY AT THE TIME THE FLOODPLAIN PERMIT APPLICATION IS FILED AND THE NAME AND ADDRESS OF AT LEAST ONE ADULT RESIDING IN ANY HOME ON ANY PROPERTY THAT MAY BE AFFECTED BY FLOODING AS IS DEMONSTRATED BY A FLOODPLAIN STUDY OR SURVEY.

Adjacent Parcels (Upstream)	
<u>Parcel: 7, Map: 3 (Residence)</u> NAME: David A. and Terissa M. Kelley ADDRESS: Rt. 1 Box 410, Salem, WV 26426	<u>Parcel: 15, Map: 3 (Residence, transferred to an estate in 2010)</u> NAME: Samuel Hileman ADDRESS: 435 17th St. NW, Barberton, OH 44203
<u>Parcel: 23, Map: 3 (Residence)</u> NAME: David and Linda Davis ADDRESS: Rt. 1 Box 393, Salem, WV 26426	<u>Parcel: 17, Map: 3 (Residence)</u> NAME: Peter and Elizabeth Sander ADDRESS: Rt. 1 Box 397, Salem, WV 26426
<u>Parcel: 9, Map: 3 (Residence)</u> NAME: William J. and Theresa R. Powell ADDRESS: 20 Nichols Rd., Amherst, NH 03031	
Adjacent Parcels (Downstream)	
<u>Parcel: 6, Map: 3 (Residence)</u> NAME: Guss T. Kelley ADDRESS: Rt. 1 Box 411, Salem, WV 26426	<u>Parcel: 6.1, Map: 3 (Building, not likely a residence)</u> NAME: Guss T. and Merelene N. Kelley ADDRESS: Rt. 1 Box 411, Salem, WV 26426
<u>Parcel: 4, Map: 3 (Residence)</u> NAME: Gregory L. Kelley ADDRESS: Rt. 1 Box 414, Salem, WV 26426	


E. CONFIRMATION FORM

THE APPLICANT ACKNOWLEDGES, AGREES, AND CONFIRMS THAT HE/IT WILL PAY WITHIN 30 DAYS OF RECEIPT OF INVOICE BY THE COUNTY FOR ALL EXPENSES RELATIVE TO THE PERMIT APPLICATION PROCESS GREATER THAN THE REQUIRED DEPOSIT FOR EXPENSES INCLUDING:

- (A) PERSONAL SERVICE OF PROCESS BY THE DODDRIDGE COUNTY SHERIFF AT THE RATES PERMITTED BY LAW FOR SUCH SERVICE.
- (B) SERVICE BY CERTIFIED MAIL RETURN RECEIPT REQUESTED.
- (C) PUBLICATION.
- (D) COURT REPORTING SERVICES AT ANY HEARINGS REQUESTED BY THE APPLICANT.

(E) CONSULTANTS AND/OR HEARING EXPERTS UTILIZED BY DODDRIDGE COUNTY FLOODPLAIN ADMINISTRATOR/MANAGER OR FLOODPLAIN APPEALS BOARD FOR REVIEW OF MATERIALS AND/OR TESTIMONY REGARDING THE EFFICACY OF GRANTING OR DENYING THE APPLICANT'S FLOODPLAIN PERMIT.

NAME (PRINT): Brian C. Sheppard

SIGNATURE:  DATE: 03/17/14

After completing SECTION 2, APPLICANT should submit form and fees to Clerk of Doddridge County Court or his/her representative for review.

SECTION 3: FLOODPLAIN DETERMINATION (to be completed by Floodplain Administrator/Manager or his/her representative)

THE PROPOSED DEVELOPMENT:

THE PROPOSED DEVELOPMENT IS LOCATED ON:

FIRM Panel: 54017C@145C

Dated: 10/4/2011


Is **NOT** located in a Specific Flood Hazard Area (Notify applicant that the application review is complete and **NO FLOODPLAIN DEVELOPMENT PERMIT IS REQUIRED**).

Is located in Special Flood Hazard Area.
FIRM zone designation _____
100-Year flood elevation is _____ NGVD.
Stream name _____
Profile # _____

Unavailable

The proposed development is located in a floodway.

See section 4 for additional instructions.

SIGNED 

DATE 4/24/14

**SECTION 4: ADDITIONAL INFORMATION REQUIRED FOR DEVELOPMENT IN
SPECIAL FLOOD HAZARD AREA (To be completed by Floodplain
Administrator/Manager or his/her representative)**

The applicant must submit the documents checked below before the application can be processed.

- A plan showing the location of all existing structures, water bodies, adjacent roads and proposed development.

- Development plans, drawn to scale, and specifications, including where applicable: details for anchoring structures, storage tanks, proposed elevation of lowest floor, (including basement or crawl space), types of water resistant materials used below the first floor, details of flood proofing of utilities located below the first floor and details of enclosures below the first floor. Also _____

- Subdivision or other development plans (If the subdivision or development exceeds 10 lots or 2 acres, whichever is the lesser, the applicant must provide 100-year flood elevations if they are not otherwise available).

- Plans showing the extent of watercourse relocation and/or landform alterations.

- Top of new fill elevation _____ Ft. NGVD.
For floodproofing structures applicant must attach certification from registered engineer or architect.

- Certification from a registered engineer that the proposed activity in a regulatory floodway will not result in any increase in the height of the 100-year flood. A copy of all data and calculations supporting this finding must also be submitted.

- Manufactured homes located in a Flood Hazard Area must have a West Virginia Contractor's License and a Manufactured Home Installation License as required by the Federal Emergency Management Agency (FEMA).

- Other: _____

SECTION 5: PERMIT DETERMINATION (To be completed by Floodplain Administrator/Manager or his/her representative)

I have determined that the proposed activity (**type is or is not**) in conformance with provisions of the Floodplain Ordinance adopted by the County Commission of Doddridge County on May 21, 2013. The permit is issued subject to the conditions attached to and made part of this permit.

SIGNED _____ DATE _____

If the Floodplain Administrator/Manager found that the above was not in conformance with the provisions of the Doddridge County Floodplain Ordinance and/or denied that application, the applicant may appeal.

APPEALS: Appealed to the County Commission of Doddridge County? Yes No
Hearing Date: _____
County Commission Decision - Approved Yes No

CONDITIONS: _____

SECTION 6: AS-BUILT ELEVATIONS (To be submitted by APPLICANT before Certificate of Compliance is issued).

The following information must be provided for project structures. This section must be completed by a registered professional engineer or a licensed land surveyor (or attach a certification to this application).

COMPLETE 1 OR 2 BELOW:

- 1 Actual (As-Built) Elevation of the top of the lowest floor (including basement or crawl space is _____ FT. NGVD.
- 2 Actual (As Built) elevation of floodproofing is _____ FT. NGVD.

Note: Any work performed prior to submittal of the above information is at risk of the applicant.

SECTION 7: COMPLIANCE ACTION (To be completed by the Floodplain Administrator/Manager or his/her representative).

The Floodplain Administrator/Manager or his/her representative will complete this section as applicable based on inspection of the project to ensure compliance with the Doddridge County Floodplain Ordinance.

INSPECTIONS:

DATE: _____ BY: _____
DEFICIENCIES ? Y/N

COMMENTS _____

SECTION 8: CERTIFICATE OF COMPLIANCE (To be completed by Floodplain Administrator/Manager or his/her representative).

Certificate of Compliance issued: DATE: _____ BY: _____

**CERTIFICATE OF COMPLIANCE
FOR DEVELOPMENT IN SPECIAL FLOOD HAZARD AREA
(OWNER MUST RETAIN)**

PERMIT NUMBER: _____

PERMIT DATE: _____

PURPOSE –

CONSTRUCTION LOCATION: _____

OWNER'S ADDRESS: _____

**THE FOLLOWING MUST BE COMPLETED BY THE FLOODPLAIN
ADMINISTRATOR/MANAGER OR HIS/HER AGENT.**

**COMPLIANCE IS HEREBY CERTIFIED WITH THE REQUIREMENT OF THE
FLOODPLAIN ORDINANCE ADOPTED BY THE COUNTY COMMISSION OF
DODDRIDGE COUNTY ON MAY 21, 2013.**




SIGNED _____ **DATE** _____

H-18066 Cost Breakdown Attachment

Item	Cost
Management/Inspection	\$996
Cost of Materials	\$9,516
Retirement	\$1,008
Installation	\$11,560
Total	\$23,080

Mr. Ralph Sandora
March 20, 2014
Project C131790.00

ATTACHMENT 2
FIGURES
AND
FIRMETTE



REFERENCE: USGS 7.5' TOPOGRAPHIC QUADRANGLES: SMITHBURG (1977), WEST VIRGINIA, OBTAINED VIA ESRI USA TOPO MAPS, NATIONAL GEOGRAPHIC TOPO, AND USGS, ACCESSED 01/2014.




DODDRIDGE COUNTY UNINCORPORATED AREAS 540024

H-18066 Pipeline Project
(Approx. Location)



MAP SCALE 1" = 1000'



NATIONAL FLOOD INSURANCE PROGRAM

PANEL 0145C

FIRM

FLOOD INSURANCE RATE MAP
DODDRIDGE COUNTY,
WEST VIRGINIA
AND INCORPORATED AREAS

PANEL 145 OF 325
(SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS:

COMMUNITY	NUMBER	PANEL	SUFFIX
DODDRIDGE COUNTY	540024	0145	C


Notice to User: The **Map Number** shown below should be used when placing map orders; the **Community Number** shown above should be used on insurance applications for the subject community.



MAP NUMBER
54017C0145C
MAP REVISED
OCTOBER 4, 2011

Federal Emergency Management Agency

This is an official copy of a portion of the above referenced flood map. It was extracted using F-MIT On-Line. This map does not reflect changes or amendments which may have been made subsequent to the date on the title block. For the latest product information about National Flood Insurance Program flood maps check the FEMA Flood Map Store at www.msc.fema.gov





**FIGURE 2
FLOOD HAZARD MAP**

H-18066 PIPELINE REPLACEMENT PROJECT
 DOMINION TRANSMISSION, INC.

DRAWN BY: SCS DATE: 2/5/2014
 CHECKED: APPROVED: MTT



REFERENCE: WORLD IMAGERY, MICROSOFT, 10/2011, OBTAINED VIA ESRI WORLD IMAGERY, ACCESSED 01/2014. STATEWIDE 100-YEAR FLOODPLAIN POLYGONS FOR WEST VIRGINIA, WEST VIRGINIA GIS TECHNICAL CENTER, 04/10/2013. POLYGON DATA COMPILED FROM THE BEST FLOOD DATA CURRENTLY AVAILABLE FROM THE FEDERAL EMERGENCY MANAGEMENT AGENCY (FEMA). <http://wvgis.wvu.edu>



**FIGURE 3
FLOODPLAIN PROJECT MAP**

H-18066 PIPELINE REPLACEMENT PROJECT
DOMINION TRANSMISSION, INC.

DRAWN BY: SCS DATE: 3/11/2014
CHECKED: SJS APPROVED: MTT

REFERENCE: USGS 7.5' TOPOGRAPHIC QUADRANGLE: SMITHBURG (1977), WEST VIRGINIA, OBTAINED VIA ESRI USA TOPO MAPS, NATIONAL GEOGRAPHIC TOPO, AND USGS, ACCESSED 02/2014. NATIONAL WETLAND INVENTORY (NWI) WETLANDS, USFWS, 2012. STATEWIDE 100-YEAR FLOODPLAIN POLYGONS FOR WV, WV GIS TECHNICAL CENTER, 04/10/2013. POLYGON DATA COMPILED FROM THE BEST FLOOD DATA CURRENTLY AVAILABLE FROM FEMA. <http://wvgis.wvu.edu>

Z:\Energy\2013\C131790.00 - DOM - I3 - 2014 Repair an\GIS\MXD\SALEM\H-18066\FLOODPLAIN\FLOODPLAIN_PROJECT_2014_01_29.mxd

Search Mail Lorena Profile Sign Out Home

Inbox Contacts

Switch to the newest Yahoo Mail

Compose Delete Reply Reply All Forward Actions Apply

Inbox (13) Auto 2014 - Get Even With Your Sponsored

Drafts (2) Dominion Transmission H-49, H-120 Wednesday, April 9, 2014 6:24 PM

Sent 0, H-152, H-1669, H-3884, H-10362, H-15001, and H-18066 Pipeline Replacement Floodplain Permit Applications

Spam (94) [Empty]

Trash [Empty]

My Folders [Edit]

From: "Matt Tanner" <M.Tanner@gaiconsultants.com> To: "blslater.4774@yahoo.com" <blslater.4774@yahoo.com>

Full Headers Printable View

Mr. Sandora,

GAI Consultants, Inc. (GAI), on behalf of Dominion Transmission, Inc., is pleased to submit the information below to the Doddridge County Floodplain Manager for the proposed H-49, H-120, H-152, H-1669, H-3884, H-10362, H-15001, and H-18066 Pipeline Replacement Projects located in Doddridge County, West Virginia. As per my phone conversation with Catie today, the purpose of this email is to provide the selected contractor's information required for the Floodplain Permit applications for the above referenced projects. The contractor to be used for the construction of all of these projects will be Robey Excavating, LLC. The contractor's information is as follows:

Name: Robey Excavating, LLC Physical Address: 568 Bennetts Run Rd., Lumberport, WV 26386 Mailing Address: PO Box 429, Lumberport, WV 26386 Phone: (304) 783-4491 WV Contractor's License No.: WV037143

Please feel free to contact us if you have any questions or require additional information.

Thank you Matthew T. Tanner, PE Senior Project Engineer

GAI Consultants, Inc. 300 Summers Street, Suite 1100 Charleston, WV 25301

304.926.8100 ext. 2621 | F 304.926.8180 | f You in

GAI logo and tagline: Transforming ideas into reality for over 50 years. GAI is an employee-owned multidisciplinary engineering and environmental consulting firm...

CONFIDENTIALITY NOTICE: This communication contains confidential information belonging to the sender and may be legally privileged. This communication is solely for the use of its intended recipient. If you are not the intended recipient, inform the sender of the error and remove this email from your system.

Compose Delete Reply Reply All Forward Actions Apply

STATE OF WEST VIRGINIA,
COUNTY OF DODDRIDGE, TO WIT

I, Virginia Nicholson, Editor of THE
HERALD RECORD, a weekly newspaper
published regularly, in Doddridge County,
West Virginia, Do Hereby Certify Upon
Oath That the Accompanying Legal Notice
Entitled:

Floodplain Permit
14-186
(H-18066.)

was published in said paper for *2*

successive weeks beginning with the issue
of *April 8th* 2014 and

ending with the issue of
April 15th 2014 and

that said notice contains *189*
WORD SPACE at *115* cents a word

amounts to the sum of \$ *21.74*

FOR FIRST PUBLICATION, SECOND
PUBLICATION IS 75% OF THE FIRST
PUBLICATION

\$ *16.31*
and each publication thereafter

\$ *38.05* TOTAL

EDITOR

Virginia Nicholson

SWORN TO AND SUBSCRIBED

BEFORE ME THIS THE *17th* DAY
OF *April* 2014

NOTARY PUBLIC

Laura J. Adams

Legal Advertisement

LEGAL ADVERTISEMENT:

Doddridge County

Floodplain Permit Application

Please take notice that, on the 1st day of April, 2014
DOMINION TRANSMISSION, INC. #14-186 H-18066
PIPELINE REPLACEMENT, filed an application for a
Floodplain Permit to develop land located at or about:
SURFACE OWNERS: GUSS, KELLEY ET UX,
GREENBRIER DISTRICT, BUFFALO CALF FORK
AREA TAX MAP: 3 PARCEL 6 & 8.1, DEED BOOK:
176/473, 177/363.

The Application is on file with the Clerk of the County
Court and may be inspected or copied during regular
business hours. Any interested persons who desire to
comment shall present the same in writing by April 21,
2014.

Delivered to the
Clerk of the County Court
118 E. Court Street, West Union, WV 26456
Beth A. Rogers, Doddridge County Clerk
Ralph Sandora, Jr., Doddridge County Flood Plain
Manager

4-8-2xb

