


Bo Wriston
Doddridge County FloodPlain MG1
Room 102
118 East Court St.
West Union, WV 26456

CERTIFIED MAIL™



7013 2250 0001 6914 8520



HASLER
015H14161808
\$6.48
04/28/14
Mailed From 26456

US POSTAGE

2014 MAY -1 AM 10:39

BETH A. ROGERS
COUNTY CLERK
DODDRIDGE COUNTY, WV

4/29/14



A
C
S


- INSUFFICIENT ADDRESS
- ATTEMPTED NOT KNOWN
- NO SUCH NUMBER/ STREET
- NOT DELIVERABLE AS ADDRESSED
- UNABLE TO FORWARD

OTHER

WTF

RTS
RETURN TO SENDER

2633999999



Legal Advertisement:
Doddridge County
Floodplain Permit Application

Please take notice that on the 28th day of April, 2014

EQT GATHERING LLC. #14-198

filed an

application for a Floodplain Permit to develop land located at or
about: **SURFACE OWNERS: Equitrans Inc. McClellan District –
Sedalia Area-Robinson , Tax Map – 25-51.1**

The Application is on file with the Clerk of the County Court and
may be inspected or copied during regular business hours.

Any interested persons who desire to comment shall present
the same in writing by **May 19th, 2014.**

Delivered to the:

Clerk of the County Court
118 E. Court Street, West Union, WV 26456.

Beth A Rogers, Doddridge County Clerk
Edwin L. "Bo" Wriston. Doddridge County Flood Plain Manager

7013 2250 0001 6914 8766

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$.48
Certified Fee	3.30
Return Receipt Fee (Endorsement Required)	2.70
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$ 6.48

#14-198

WEST UNION, WV
APR 28 2014
USPS 26456-9998

Sent To: Dean R. Pennington
 Street, Apt. No., or PO Box No. 1203 East Run
 City, State, ZIP+4 West Union, WV 26456

PS Form 3800, August 2006 See Reverse for Instructions

0259 4769 1000 0522 8766

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$.48
Certified Fee	3.30
Return Receipt Fee (Endorsement Required)	2.70
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$ 6.48

#14-198

WEST UNION, WV
APR 28 2014
USPS 26456-9998

Sent To: Sharon J. Hayhurst
 Street, Apt. No., or PO Box No. P.O. Box 53
 City, State, ZIP+4 Center Point, WV 26339

PS Form 3800, August 2006 See Reverse for Instructions

7013 2250 0001 6914 8513

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$.48
Certified Fee	3.30
Return Receipt Fee (Endorsement Required)	2.70
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$ 6.48

#14-198

WEST UNION, WV
APR 28 2014
USPS 26456-9998

Sent To: Donavan Nicholson
 Street, Apt. No., or PO Box No. Rt 2, Box 275
 City, State, ZIP+4 Salem, WV 26426

PS Form 3800, August 2006 See Reverse for Instructions

0259 4769 1000 0522 8513

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$.48
Certified Fee	3.30
Return Receipt Fee (Endorsement Required)	2.70
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$ 6.48

#14-198

WEST UNION, WV
APR 28 2014
USPS 26456-9998

Sent To: Timothy Leon Pratt
 Street, Apt. No., or PO Box No. Rt 2, Box 276
 City, State, ZIP+4 Salem, WV 26426

PS Form 3800, August 2006 See Reverse for Instructions

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to: #14-198

Dean R. Pennington
 1203 East Run
 West Union, WV 26456

2. Article Number
 (Transfer from service label)

7013 2250 0001 6914 8766

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X Sharon L. Casse

Agent
 Addressee

B. Received by (Printed Name)

SHARON L. CASSE II

C. Date of Delivery

5/3/14

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type

Certified Mail® Priority Mail Express™
 Registered Return Receipt for Merchandise
 Insured Mail Collect on Delivery

4. Restricted Delivery? (Extra Fee) Yes

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4® in this box •

FILED

2014 MAY -5 AM 10:48

**LETHA A. ROGERS
COUNTY CLERK
BOODRIDGE COUNTY, WV**

Wriston
Boodridge County FloodPlain MGT
18 East Court St., Suite 102
West Union, WV 26456

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to: #14-198
 Timothy Leon Pratt
 Rt 2 Box 276
 Salem, WV 26426

2. Article Number
 (Transfer from service label)

7013 2250 0001 6914 8506

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X Timothy Leon Pratt

- Agent
 Addressee

B. Received by (Printed Name)

Timothy L Pratt

C. Date of Delivery

5/29/14

D. Is delivery address different from item 1? Yes

If YES, enter delivery address below:

No

3916 WV Rt 23 N
 Salem

3. Service Type

- Certified Mail® Priority Mail Express™
 Registered Return Receipt for Merchandise
 Insured Mail Collect on Delivery

4. Restricted Delivery? (Extra Fee)

Yes

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

WV 250

20 APR 2014

• Sender: Please print your name, address, and ZIP+4® in this box •

FILED

2014 APR 30 AM 11:36

REC'D
WEST VIRGINIA
BOONVILLE
BOONVILLE COUNTY, WV

Poston

Boonville Edge County FloodPlain MGT

1st Court St., Suite 102

Boonville, WV 26456

6456129798



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to: #14-198

Sharon J. Hayhurst
 P.O. Box 53
 Center Point, WV 26339

2. Article Number
 (Transfer from service label)

7013 2250 0001 6914 8520

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

- Agent
 Addressee

B. Received by (Printed Name)

C. Date of Delivery

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type

- Certified Mail® Priority Mail Express™
 Registered Return Receipt for Merchandise
 Insured Mail Collect on Delivery

4. Restricted Delivery? (Extra Fee)

Yes

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4® in this box •

FILED

2014 MAY -1 AM 10:39

BETHANY COUNTY, WV
SPRINGGLEN, WV
02019


Bo Wriston
Addridge County FloodPlain MGT
East Court St., Suite 102
Union, WV 26456

CERTIFIED MAIL™

Bo Wriston
Doddridge County FloodPlain MG1
Room 102
118 East Court St.
West Union, WV 26456



7013 2250 0001 6914 8513



015H14161808

HASLER

\$6.48

04/28/14

Mailed From 26456

US POSTAGE

UTE

Donavan Nicholson
Rt 2, Box 275
Salem, WV 26426

NIXIE 250 DE 1009 0004/30/14

RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD

2642639431 R001
2645601262

BC: 26456126227 *1271-03781-28-44



PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT
OF THE RETURN ADDRESS, FOLD AT DOTTED LINE

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to: # 14-198

Donavan Nicholson
Rt 2 Box 275
Salem, WV 26426

2. Article Number
(Transfer from service label)

7013 2250 0001 6914 8513

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

Agent

Addressee

B. Received by (Printed Name)

C. Date of Delivery

D. Is delivery address different from item 1? Yes

If YES, enter delivery address below: No

3. Service Type

Certified Mail®

Priority Mail Express™

Registered

Return Receipt for Merchandise

Insured Mail

Collect on Delivery

4. Restricted Delivery? (Extra Fee)

Yes

Legal Advertisement:
Doddridge County
Floodplain Permit Application

Please take notice that on the 28th day of April, 2014

EQT GATHERING LLC. #14-198

filed an

application for a Floodplain Permit to develop land located at or
about: **SURFACE OWNERS: Equitrans Inc. McClellan District –
Sedalia Area-Robinson , Tax Map – 25-51.1**


The Application is on file with the Clerk of the County Court and
may be inspected or copied during regular business hours.

Any interested persons who desire to comment shall present
the same in writing by **May 19th, 2014.**

Delivered to the:

Clerk of the County Court
118 E. Court Street, West Union, WV 26456.

Beth A Rogers, Doddridge County Clerk
Edwin L. "Bo" Wriston. Doddridge County Flood Plain Manager



Commercial/Industrial Floodplain Development Permit

Doddridge County, WV Floodplain Management

This permit has been issued to EQUITRANS, LP , and is for the approved commercial and/or industrial development project associated with this permit that impacts the FEMA-designated floodplain and/or floodway of Doddridge County, WV, pursuant to the rules and regulations established by all applicable Federal, State and local laws and ordinances, including the Doddridge County Floodplain Ordinance. This permit must be posted at the site of work as to be clearly visible, and must remain posted during entirety of development.

Permit: #14-198

Date Approved:05/21/2014

Expires:05/21/2015

Issued to:EQUITRANS, LP

**POC: MEGAN LANDFRIED
304-848-0061**

**Company Address:115 PROFESSIONAL PLACE
BRIDGEPORT, WV 26330**

Project Address: SEDALIA AREA – ROBINSON RUN

Firm: 54017C0155C

Lat/Long: 80.572629W/39.355468N

Purpose of development: LAUNCHER /RECEIVER MODIFICATION

Issued by: Edwin L. "Bo" Wriston, Doddridge County FPM (or designee)

Date:05/21/2014

For additional information regarding this permit, please contact
Doddridge County Floodplain Manager at 304.873.2631, or via email at
doddridgecountyfpm@gmail.com
118 East Court Street; West Union, WV 26456

Doddridge County, West Virginia

RECEIPT NO: 2018

DATE: 2014/04/28

FROM: POTESTA & ASSOCIATES INC

AMOUNT: \$ 500.00

FIVE HUNDRED DOLLARS AND 00 CENTS

FOR: #14-198 EQT SEDALIA LAUNCHER & RECEIVER
MODIFICATION

00000012303 FP-BUILDING PERMITS

020-318

TOTAL: \$500.00

MICHAEL HEADLEY

SHERIFF & TREASURER

MEC

CLERK

Customer Copy

Legal Advertisement:
Doddridge County
Floodplain Permit Application

Please take notice that on the 28th day of April, 2014

EQT GATHERING LLC. #14-198

filed an

application for a Floodplain Permit to develop land located at or
about: **SURFACE OWNERS: Equitrans Inc. McClellan District –
Sedalia Area-Robinson , Tax Map – 25-51.1**

The Application is on file with the Clerk of the County Court and
may be inspected or copied during regular business hours.

Any interested persons who desire to comment shall present
the same in writing by **May 19th, 2014.**

Delivered to the:

Clerk of the County Court
118 E. Court Street, West Union, WV 26456.

Beth A Rogers, Doddridge County Clerk
Edwin L. "Bo" Wriston. Doddridge County Flood Plain Manager



Edwin L. "Bo" Wriston, Floodplain Manager
Doddridge County Commission
118 East Court Street
West Union, WV 26456

July 8, 2014


RE: Equitrans, L.P.
Sedalia Launcher and Receiver Project
Permit No. 14-198

Mr. Wriston,

Pursuant to the requirements of the Doddridge County Floodplain Ordinance, Equitrans, L.P. is submitting this letter to report the status of permits necessary for the Sedalia Launcher and Receiver Project located on Route 23 in Sedalia, Doddridge County, WV. The Sedalia Launcher and Receiver Project consisted of adding an additional launcher and receiver to an existing above ground facility. Due to the nature of this Project, earth disturbance was not more than one acre. A permit from the West Virginia Department of Environmental Protection was not required. Also, no stream or wetland impacts were anticipated and permits were not necessary from the United States Army Corps of Engineers, the West Virginia Department of Environmental Protection, or the West Virginia Department of Natural Resources.

Please feel free to contact me at 304-848-0061 or at mlandfried@eqt.com should you have any questions or comments.

Sincerely,

 7/8/14
Megan E. Landfried



Engineers and Environmental Consultants

7012 MacCorkle Avenue, SE, Charleston, WV 25304 • (304)342-1400 • FAX (304)343-9031; www.potesta.com

14-198

April 16, 2014

Doddridge County Floodplain Coordinator
Doddridge County Commission
118 East Court Street
West Union, West Virginia 26456

RE: Floodplain Permit Application
EQT Gathering, LLC
EQT Sedalia Launcher and Receiver Modification
Doddridge County, West Virginia
POTESTA Project No. 0101-14-0184

Dear Sir/Madam:

Potesta & Associates, Inc. (POTESTA) is pleased to submit this cover letter with the associated Floodplain Development Permit Application for the proposed Sedalia Launcher and Receiver Modification Project. The proposed project will consist of cutting the four existing 24 launcher receiver doors off, extending the 24-inch barrels and the existing 6-inch bypasses by +/-10 feet, and the installation of four new 6-inch plug valves on the existing 6-inch bypasses to replace the old plug valves. Based on information presented on the site FIRM, a portion of the project is located within FEMA Flood Zone A. Flood Zone A is the regulatory floodplain associated with the Base Flood (1 percent annual chance flood event), commonly referred to as the 100-year floodplain and indicates that the limits of the floodplain are approximate; as such, Base Flood Elevations (BFEs) have not been previously established by FEMA. Work within the floodplain associated with this launcher and receiver shall include the installation of silt fence around the proposed disturbed area. All work associated with the proposed Sedalia Launcher and Receiver modifications within the limits of the floodplain will be in accordance with the following. No new permanent aboveground structures are to be constructed within the floodplain. Backfill being installed over the buried pipe will be compacted back to the original grade. No fill shall be placed within the floodplain limits above original elevations.

Included with this permit application is a floodplain map showing the location of the project.

POTESTA & ASSOCIATES, INC.


Charleston, West Virginia ° Morgantown, West Virginia ° Winchester, Virginia

Floodplain Coordinator
April 16, 2014
Page 2

If you have any questions, please feel free to contact me at (304) 342-1400 or jmsmith@potesta.com, or Megan Landfried (EQT) at (304) 848-0061.

Sincerely,

POTESTA & ASSOCIATES, INC.



Jarrett M. Smith, P.E.
Senior Engineer

JMS:JWS/clr

Enclosures

c: Ms. Megan Landfried – EQT (via email)



Sealed
L+R

DODDRIDGE COUNTY FLOODPLAIN DEVELOPMENT PERMIT APPLICATION

SECTION 1: GENERAL PROVISIONS (APPLICANT TO READ AND SIGN)

1. No work may start until a permit is issued.
2. The permit may be revoked if any false statements are made herein.
3. If revoked, all work must cease until permit is re-issued.
4. Development shall not be used or occupied until a Certificate of Compliance is issued.
5. The permit will expire if no work is commenced within six months of issuance.
6. Applicant is hereby informed that other permits may be required to fulfill local, state, and federal requirements.
7. Applicant hereby gives consent to the Floodplain Administrator/Manager or his/her representative to make inspections to verify compliance.
8. **I, THE APPLICANT CERTIFY THAT ALL STATEMENTS HEREIN AND IN ATTACHMENTS TO THIS APPLICATION ARE, TO THE BEST OF MY KNOWLEDGE, TRUE AND ACCURATE.**

APPLICANT'S SIGNATURE Megan E. Jordan
 DATE 4/11/14

SECTION 2: PROPOSE DEVELOPMENT (TO BE COMPLETED BY APPLICANT).

IF THE APPLICANT IS NOT A NATURAL PERSON, THE NAME, ADDRESS, AND TELEPHONE NUMBER OF A NATURAL PERSON WHO SHALL BE APPOINTED BY THE APPLICANT TO RECEIVE NOTICE PURSUANT TO ANY PROVISION OF THE CURRENT DODDRIDGE COUNTY FLOODPLAIN ORDINANCE.

**APPLICANT'S NAME: Equitrans, LP
 ADDRESS: 115 Professional Place, Bridgeport, WV 26330
 TELEPHONE NUMBER: 304-848-0061**

BUILDER'S NAME: Equitrans, LP
ADDRESS: 115 Professional Place
TELEPHONE NUMBER: 304-848-0061

ENGINEER'S NAME: POTESTA and Associates
ADDRESS: 7012 MacCorkle Avenue, SE , Charleston, West Virginia 25304
TELEPHONE NUMBER: 304-342-1400

PROJECT LOCATION:

NAME OF SURFACE OWNER/OWNERS (IF NOT THE APPLICANT): Equitrans Inc.
ADDRESS OF SURFACE OWNER/OWNERS (IF NOT THE APPLICANT): 100 Allegheny Center Mall,
Pittsburgh, PA 15212
DISTRICT: McClellan
DATE/FROM WHOM PROPERTY PURCHASED: Unkown
LAND BOOK DESCRIPTION: .27 AC Robinson
DEED BOOK REFERENCE: DB 162 PG 718
TAX MAP REFERENCE: 25-51.1
EXISTING BUILDINGS/USES OF PROPERTY: Launcher/Receiver/Valve Site
NAME OF AT LEAST ONE ADULT RESIDING IN EACH RESIDENCE LOCATED UPON THE SUBJECT
PROPERTY: N/A
ADDRESS OF AT LEAST ONE ADULT RESIDING IN EACH RESIDENCE LOCATED UPON THE
SUBJECT PROPERTY: N/A

To avoid delay in processing the application, please provide enough information to easily identify the project location.

DESCRIPTION OF WORK (CHECK ALL APPLICABLE BOXES)

A. STRUCTURAL DEVELOPMENT

<u>ACTIVITY</u>	<u>STRUCTURAL TYPE</u>
<input type="checkbox"/> New Structure	<input type="checkbox"/> Residential (1 – 4 Family)
<input type="checkbox"/> Addition	<input type="checkbox"/> Residential (more than 4 Family)
<input checked="" type="checkbox"/> Alteration	X Non-residential (floodproofing)
<input type="checkbox"/> Relocation	<input type="checkbox"/> Combined Use (res. & com.)
<input type="checkbox"/> Demolition	<input type="checkbox"/> Replacement
<input type="checkbox"/> Manufactured/Mobil Home	

B. OTHER DEVELOPMENT ACTIVITIES:

- | | | | |
|--------------------------------------------------------------------------------------------------------|---------------------------------|-----------------------------------|-------------------------------------|
| <input type="checkbox"/> Fill | <input type="checkbox"/> Mining | <input type="checkbox"/> Drilling | <input type="checkbox"/> Pipelining |
| <input type="checkbox"/> Grading | | | |
| <input type="checkbox"/> Excavation (except for STRUCTURAL DEVELOPMENT checked above) | | | |
| <input type="checkbox"/> Watercourse Altercation (including dredging and channel modification) | | | |
| <input type="checkbox"/> Drainage Improvements (including culvert work) | | | |
| <input type="checkbox"/> Road, Street, or Bridge Construction | | | |
| <input type="checkbox"/> Subdivision (including new expansion) | | | |
| <input type="checkbox"/> Individual Water or Sewer System | | | |
| <input checked="" type="checkbox"/> Other (please specify)
Pipeline Launcher and Receiver Structure | | | |

C. STANDARD SITE PLAN OR SKETCH

1. **SUBMIT ALL STANDARD SITE PLANS, IF ANY HAVE BEEN PREPARED.**
2. **IF STANDARD SITE PLANS HAVE NOT BEEN PREPARED:**
SKETCH ON A SEPARATE 8 ½ X 11 INCH SHEET OF PAPER THE SHAPE AND LOCATION OF THE LOT. SHOW THE LOCATION OF THE INTENDED CONSTRUCTION OR LAND USE INDICATING BUILDING SETBACKS, SIZE & HEIGHT. IDENTIFY EXISTING BUILDINGS, STRUCTURES OR LAND USES ON THE PROPERTY.

3. SIGN AND DATE THE SKETCH.

ACTUAL TOTAL CONSTRUCTION COSTS OF THE COMPLETE DEVELOPMENT IRRESPECTIVE OF WHETHER ALL OR ANY PART OF THE SUBJECT PROPOSED CONSTRUCTION PROJECT IS WITHIN THE FLOODPLAIN : Labor - \$35,000, Materials - \$36,690, Overheads - \$8,962, X-Ray \$7,500 : Total - \$88,152.

D. ADJACENT AND/OR AFFECTED LANDOWNERS:

- 1. NAME AND ADDRESS OF ALL OWNERS OF SURFACE TRACTS ADJACENT TO THE AREA OF THE SURFACE TRACT (UP & DOWN STREAM) UPON WHICH THE PROPOSED ACTIVITY WILL OCCUR AND ALL OTHER SURFACE OWNERS UP & DOWN STREAM) WHO OWN PROPERTY THAT MAY BE AFFECTED BY FLOODING AS IS DEMONSTRATED BY A FLOODPLAIN STUDY OR SURVEY (IF ONE HAS BEEN COMPLETED).**

05-25-43.2

**DEAN R. PENNINGTON
1203 East Run
West Union, WV 26456**

05-25-43.1

**DEAN R. PENNINGTON
1203 East Run
West Union, WV 26456**

05-25-51.1

**EQUITRANS INC.
100 Allegheny Center Mall
Pittsburgh, PA 15212**

05-25-51

**DONAVAN NICHOLSON
Rt 2 Box 275
Salem, WV 26426**

05-25-44.1

**TIMOTHY LEON PRATT
Rt 2 Box 276**

Salem, WV 26426
05-25-44
SHARON J. HAYHURST
PO BOX 53
Center Point, WV 26339

1. NAME AND ADDRESS OF AT LEAST ONE ADULT RESIDING IN EACH RESIDENCE LOCATED UPON ANY ADJACENT PROPERTY AT THE TIME THE FLOODPLAIN PERMIT APPLICATION IS FILED AND THE NAME AND ADDRESS OF AT LEAST ONE ADULT RESIDING IN ANY HOME ON ANY PROPERTY THAT MAY BE AFFECTED BY FLOODING AS IS DEMONSTRATED BY A FLOODPLAIN STUDY OR SURVEY.

05-25-51
DONAVAN NICHOLSON
Rt 2 Box 275
Salem, WV 26426

05-25-44
SHARON J. HAYHURST
PO BOX 53
Center Point, WV 26339

E. CONFIRMATION FORM

THE APPLICANT ACKNOWLEDGES, AGREES, AND CONFIRMS THAT HE/IT WILL PAY WITHIN 30 DAYS OF RECEIPT OF INVOICE BY THE COUNTY FOR ALL EXPENSES RELATIVE TO THE PERMIT APPLICATION PROCESS GREATER THAN THE REQUIRED DEPOSIT FOR EXPENSES INCLUDING:

- (A) PERSONAL SERVICE OF PROCESS BY THE DODDRIDGE COUNTY SHERIFF AT THE RATES PERMITTED BY LAW FOR SUCH SERVICE.
- (B) SERVICE BY CERTIFIED MAIL RETURN RECEIPT REQUESTED.
- (C) PUBLICATION.
- (D) COURT REPORTING SERVICES AT ANY HEARINGS REQUESTED BY THE APPLICANT.
- (E) CONSULTANTS AND/OR HEARING EXPERTS UTILIZED BY DODDRIDGE COUNTY FLOODPLAIN ADMINISTRATOR/MANAGER OR FLOODPLAIN APPEALS BOARD FOR

REVIEW OF MATERIALS AND/OR TESTIMONY REGARDING THE EFFICACY OF GRANTING OR DENYING THE APPLICANT'S FLOODPLAIN PERMIT.

NAME (PRINT): Megan E. Landfried

SIGNATURE: Megan E. Landfried DATE: 4/11/14

After completing SECTION 2, APPLICANT should submit form to Floodplain Administrator/Manager or his/her representative for review.

SECTION 3: FLOODPLAIN DETERMINATION (to be completed by Floodplain Administrator/Manager or his/her representative)

THE PROPOSED DEVELOPMENT:

THE PROPOSED DEVELOPMENT IS LOCATED ON:

FIRM Panel: _____

Dated: _____

Is **NOT** located in a Specific Flood Hazard Area (Notify applicant that the application review is complete and **NO FLOODPLAIN DEVELOPMENT PERMIT IS REQUIRED**).

Is located in Special Flood Hazard Area.
FIRM zone designation _____
100-Year flood elevation is: _____ NGVD (MSL)

Unavailable

The proposed development is located in a floodway.
FBFM Panel No. _____ Dated _____

See section 4 for additional instructions.

SIGNED _____ **DATE** _____

SECTION 4: ADDITIONAL INFORMATION REQUIRED (To be completed by Floodplain Administrator/Manager or his/her representative)

The applicant must submit the documents checked below before the application can be processed.

- A plan showing the location of all existing structures, water bodies, adjacent roads, lot dimensions and proposed development.

- Development plans, drawn to scale, and specifications, including where applicable: details for anchoring structures, storage tanks, proposed elevation of lowest floor, (including basement or crawl space), types of water resistant materials used below the first floor, details of flood proffing of utilities located below the first floor and details of enclosures below the first floor. Also _____

- Subdivision or other development plans (If the subdivision or development exceeds 50 lots or 5 acres, whichever is the lesser, the applicant must provide 100-year flood elevations if they are not otherwise available).

- Plans showing the extent of watercourse relocation and/or landform alterations.

- Top of new fill elevation _____ Ft. NGVD (MSL).
For floodproofing structures applicant must attach certification from registered engineer or architect.

- Certification from a registered engineer that the proposed activity in a regulatory floodway will not result in any increase in the height of the 100-year flood. A copy of all data and calculations supporting this finding must also be submitted.

- Manufactured homes located in a floodplain area must have a West Virginia Contractor's License and a Manufactured Home Installation License as required by the Federal Emergency Management Agency (FEMA).

- Other:

SECTION 5: PERMIT DETERMINATION (To be completed by Floodplain Administrator/Manager or his/her representative)

I have determined that the proposed activity **(type is or is not)** in conformance with provisions of the Floodplain Ordinance adopted by the County Commission of Doddridge County on May 21, 2013. The permit is issued subject to the conditions attached to and made part of this permit.

SIGNED _____ DATE _____

If the Floodplain Administrator/Manager found that the above was not in conformance with the provisions of the Doddridge County Floodplain Ordinance and/or denied that application, the applicant may complete an appealing process below.

APPEALS: Appealed to the County Commission of Doddridge County? Yes No
Hearing Date: _____
County Commission Decision - Approved Yes No

CONDITIONS: _____

SECTION 6: AS-BUILT ELEVATIONS (To be submitted by APPLICANT before Certificate of Compliance is issued).

The following information must be provided for project structures. This section must be completed by a registered professional engineer or a licensed land surveyor (or attach a certification to this application).

COMPLETE 1 OR 2 BELOW:

- 1 Actual (As-Built) Elevation of the top of the lowest floor (including basement or crawl space is _____ FT. NGVD (MSL)

2 Actual (As Built) elevation of floodproofing is _____ FT. NGVD (MSL)

Note: Any work performed prior to submittal of the above information is at risk of the applicant.

SECTION 7: COMPLIANCE ACTION (To be completed by the Floodplain Administrator/Manager or his/her representative).

The Floodplain Administrator/Manager or his/her representative will complete this section as applicable based on inspection of the project to ensure compliance with the Doddridge County Floodplain Ordinance.

INSPECTIONS:

DATE: _____ BY: _____
DEFICIENCIES ? Y/N

COMMENTS _____

SECTION 8: CERTIFICATE OF COMPLIANCE (To be completed by Floodplain Administrator/Manager or his/her representative).

Certificate of Compliance issued: DATE: _____ BY: _____

**CERTIFICATE OF COMPLIANCE
FOR DEVELOPMENT IN SPECIAL FLOOD HAZARD AREA
(OWNER MUST RETAIN)**

PERMIT NUMBER: _____

PERMIT DATE: _____

PURPOSE –

CONSTRUCTION LOCATION: _____


OWNER'S ADDRESS: _____

**THE FOLLOWING MUST BE COMPLETED BY THE FLOODPLAIN
ADMINISTRATOR/MANAGER OR HIS/HER AGENT.**

**COMPLIANCE IS HEREBY CERTIFIED WITH THE REQUIREMENT OF THE
FLOODPLAIN ORDINANCE ADOPTED BY THE COUNTY COMMISSION OF
DODDRIDGE COUNTY ON MAY 21, 2013.**

SIGNED _____ DATE _____

H-515



This map is not the official regulatory FIRM or DFIRM. Its purpose is to assist with determining potential flood risk for the selected location.

Map Created on 4/9/2014

	Location of the mouse click		Cross Section Line
	Approximate Study (Zone A)		Base Flood Elevation Line
	Detailed Study (Zone AE, AH, AO)		DFIRM Panel (Map) Index
	Floodway		
	Flood Water Depth (HEC-RAS)		

User Notes:

Disclaimer:
The online map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size. To obtain more detailed information in areas where Base Flood Elevations have been determined, users are encouraged to consult the latest Flood Profile data contained in the official flood insurance study. These studies are available online at www.msc.fema.gov.

WV Flood Tool is supported by FEMA, WV NFIP Office, and WV GIS Technical Center (<http://www.MapWV.gov/flood>)

Flood Hazard Area: Selected site is WITHIN the FEMA 100-year floodplain.
Flood Zone: A
Advisory Flood Height: N/A
Water Depth: N/A
Elevation: About 856 feet
Location (long, lat): 80.572629 W, 39.355468 N
Location (UTM 17N): (536821, 4356312)
FEMA Issued Flood Map: 54017C0155C
Contacts: Doddridge County
CRS Information: No CRS information available
Flood Profile: No Profile
HEC-RAS Model: No Model
Parcel Number: