

Commercial/Industrial Floodplain Development Permit

Doddridge County, WV Floodplain Management

This permit has been issued to EQUITRANS, LP , and is for the approved commercial and/or industrial development project associated with this permit that impacts the FEMA-designated floodplain and/or floodway of Doddridge County, WV, pursuant to the rules and regulations established by all applicable Federal, State and local laws and ordinances, including the Doddridge County Floodplain Ordinance. This permit must be posted at the site of work as to be clearly visible, and must remain posted during entirety of development.

Permit: #14-204

Date Approved: 05/21/2014

Expires: 05/21/2015

Issued to: EQUITRANS, LP

POC:

**Company Address: 455 RACETRACK RD
WASHINGTON, PA 15301**

**Project Address: EAST RUN RD/ROBINSON RD
CENTER POINT**

Firm: 54017C0045C

Lat/Long: 39.355553/-80.573218

Purpose of development: TAP

Issued by: Edwin L. "Bo" Wriston, Doddridge County FPM (or designee)

Date: 05/21/2014

For additional information regarding this permit, please contact
Doddridge County Floodplain Manager at 304.873.2631, or via email at
doddridgecountyfpm@gmail.com
118 East Court Street; West Union, WV 26456

7013 2250 0001 6914 8636
9298 HT69 T000 0522 ETD7


U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com®

OFFICIAL USE

Postage	\$.48
Certified Fee	3.75
Return Receipt Fee (Endorsement Required)	2.25
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$ 6.48

#14-204



Sent To: Dean R. Pennington
Street, Apt. No.,
or PO Box No. 1203 East Run Rd
City, State, ZIP+4 West Union WV 26456

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to: #14-204

Dear R. Pennington
 1203 East Run Rd,
 West Union WV
 26456

2. Article Number
 (Transfer from service label)

7013 2250 0001 6914 8636

COMPLETE THIS SECTION ON DELIVERY

A. Signature

Sharon L. Cassel

Agent
 Addressee

B. Received by (Printed Name)

SHARON L. CASSEL

C. Date of Delivery

5/3/14

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type

Certified Mail® Priority Mail Express™
 Registered Return Receipt for Merchandise
 Insured Mail Collect on Delivery

4. Restricted Delivery? (Extra Fee)

Yes

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4® in this box •

FILED

2014 MAY -5 AM 10:48

BEING A
COUNTY CLERK
ADDRIDGE COUNTY, WV

Wriston
Adridge County FloodPlain MGT
108 East Court St., Suite 102
West Union, WV 26456

Doddridge County, West Virginia

RECEIPT NO: 2022

DATE: 2014/04/28

FROM: DAWOOD ENGINEERING INC

AMOUNT: \$

1,100.00

ONE THOUSAND ONE HUNDRED DOLLARS AND 00 CENTS

FOR: #14-204 EQUITIANS SEDALIA TAP

00000001005 FP-BUILDING PERMITS

020-318

TOTAL: \$1,100.00

MICHAEL HEADLEY

SHERIFF & TREASURER

MEC

CLERK

Customer Copy

Legal Advertisement:
Doddridge County
Floodplain Permit Application

Please take notice that on the 29th day of April, 2014

EQUITRANS, LP #14-204

filed an

application for a Floodplain Permit to develop land located at or
about: **SURFACE OWNERS: DEAN R PENNINGTON, MCCLELLAN
DISTRICT, EAST RUN RD AND ROBINSON RD.**

The Application is on file with the Clerk of the County Court and
may be inspected or copied during regular business hours.

Any interested persons who desire to comment shall present
the same in writing by **May 20th, 2014.**

Delivered to the:

Clerk of the County Court

118 E. Court Street, West Union, WV 26456.

Beth A Rogers, Doddridge County Clerk

Edwin L. "Bo" Wriston. Doddridge County Flood Plain Manager

* P. 01 *
* TRANSACTION REPORT *
* APR-28-2014 MON 06:16 PM *
* FOR: DODDRIDGE CO. CLERK 304 873 1840 *

SEND

DATE	START	RECEIVER	TX TIME	PAGES	TYPE	NOTE	M#	DP
APR-28	06:15 PM	3048731600	25"	1	FAX TX	OK	990	

TOTAL : 25S PAGES: 1

Legal Advertisement:
Doddridge County
Floodplain Permit Application

Please take notice that on the 29th day of April, 2014

EQUITRANS, LP #14-204

filed an

application for a Floodplain Permit to develop land located at or
about: **SURFACE OWNERS: DEAN R PENNINGTON, MCCLELLAN
DISTRICT, EAST RUN RD AND ROBINSON RD.**

The Application is on file with the Clerk of the County Court and
may be inspected or copied during regular business hours.
Any interested persons who desire to comment shall present
the same in writing by **May 20th, 2014.**

Delivered to the:

Clerk of the County Court

118 E. Court Street, West Union, WV 26456.

Beth A Rogers, Doddridge County Clerk

Edwin L. "Bo" Wriston, Doddridge County Flood Plain Manager



Edwin L. "Bo" Wriston, Floodplain Manager
Doddridge County Commission
118 East Court Street
West Union, WV 26456

July 8, 2014

RE: Equitrans, L.P.
H-527 Antero/Sedalia Tap
Permit No. 14-204

Mr. Wriston,

Pursuant to the requirements of the Doddridge County Floodplain Ordinance, Equitrans, L.P. is submitting this letter to report the status of permits necessary for the H-527 Antero/Sedalia Tap Project located on Route 23 in Sedalia, Doddridge County, WV. The H-527 Antero/Sedalia Tap Project consisted of adding a tap to the existing H-527 pipeline. Due to the nature of this Project, earth disturbance was not more than one acre. A permit from the West Virginia Department of Environmental Protection was not required. Also, no stream or wetland impacts were anticipated and permits were not necessary from the United States Army Corps of Engineers, the West Virginia Department of Environmental Protection, or the West Virginia Department of Natural Resources.

Please feel free to contact me at 304-848-0061 or at mlandfried@eqt.com should you have any questions or comments.

Sincerely,

A handwritten signature in black ink that reads "Megan E. Landfried" followed by the date "7/8/14".

Megan E. Landfried



Edwin L. "Bo" Wriston, Floodplain Manager
Doddridge County Commission
118 East Court Street
West Union, WV 26456

July 8, 2014

RE: Equitrans, L.P.
H-527 Antero/Sedalia Tap
Permit No. 14-204

Mr. Wriston,

Pursuant to the requirements of the Doddridge County Floodplain Ordinance, Equitrans, L.P. is submitting this letter to report the status of permits necessary for the H-527 Antero/Sedalia Tap Project located on Route 23 in Sedalia, Doddridge County, WV. The H-527 Antero/Sedalia Tap Project consisted of adding a tap to the existing H-527 pipeline. Due to the nature of this Project, earth disturbance was not more than one acre. A permit from the West Virginia Department of Environmental Protection was not required. Also, no stream or wetland impacts were anticipated and permits were not necessary from the United States Army Corps of Engineers, the West Virginia Department of Environmental Protection, or the West Virginia Department of Natural Resources.

Please feel free to contact me at 304-848-0061 or at mlandfried@eqt.com should you have any questions or comments.

Sincerely,

A handwritten signature in black ink that reads "Megan E. Landfried" followed by the date "7/8/14".

Megan E. Landfried



11 Grandview Circle, Suite 116,
Canonsburg, PA 15317
P) 724.746.0730 F) 724.746.0732

Doddridge County Commission
118 East Court Street
West Union, WV 26456

Re: Equitrans, LP
Sedalia Tap

Floodplain County Commissioner,

On behalf of Equitrans, LP (EQT), Dawood is submitting this letter pursuant to the requirements of the Doddridge County Floodplain Ordinance to request concurrence to complete a project in Doddridge County, West Virginia. The project is located at 39.355553, -80.573218 as shown on the attached USGS Salem Quadrangle in Doddridge County, West Virginia (Figures 1 and 2).

The project involves the installation of a 12-inch tap at the existing EQT 16-inch H-527 pipeline. This includes the installation of an aboveground actuator and flange for a proposed third party tap. All activities will be contained within the existing H-527 right-of-way. The dimensions of the work area needed to install the tap are approximately 50 feet wide by 100 feet long. No residential or commercial structures will be constructed as part of this project. Following installation, the disturbed area will be returned to pre-existing contours and conditions. Access will be via an existing gravel road.

Robinson Run is located within the project vicinity; however, it will not be impacted. Additionally, no trees will be removed for construction. The project is located in FEMA Floodplain Zone A. Please see attached floodplain application and check (no. 1005) to cover application fees.


On behalf of EQT, Dawood is requesting your concurrence to begin construction of the Sedalia Tap. Please feel free to contact Marcus Cope with Dawood at 724-749-4694 or mcope@dawood.cc, or Brian Clauto with EQT at 412-553-5934 or BClauto@eqt.com should you have any questions or comments.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Marcus J. Cope".

Marcus J. Cope, PE
Project Engineer

cc: Brian Clauto





DAWOOD

ENGINEERS > PLANNERS > SURVEYORS

11 Grandview Circle, Suite 116,
Canonsburg, PA 15317
P) 724.746.0730 F) 724.746.0732

Doddridge County Commission
118 East Court Street
West Union, WV 26456

Re: Equitrans, LP
Sedalia Tap

Floodplain County Commissioner,

A letter and floodplain application was submitted on behalf of Equitrans, LP (EQT). Mistakenly, the check was not included in with the application packet. Please see attached check (no. 1005) to cover application fees for the Sedalia Tap.

Respectfully submitted,

Theresa Zurawka
Environmental and Permitting Technichian

2014 APR 21 PM 2:17
BETH A. ROGERS
COUNTY CLERK
DODDRIDGE COUNTY, WV

FILED

DODDRIDGE COUNTY
FLOODPLAIN DEVELOPMENT PERMIT APPLICATION

SECTION 1: GENERAL PROVISIONS (APPLICANT TO READ AND SIGN)

1. No work may start until a permit is issued.
2. The permit may be revoked if any false statements are made herein.
3. If revoked, all work must cease until permit is re-issued.
4. Development shall not be used or occupied until a Certificate of Compliance is issued.
5. The permit will expire if no work is commenced within six months of issuance.
6. Applicant is hereby informed that other permits may be required to fulfill local, state, and federal requirements.
7. Applicant hereby gives consent to the Floodplain Administrator/Manager or his/her representative to make inspections to verify compliance.
8. **I THE APPLICANT CERTIFY THAT ALL STATEMENTS HEREIN AND IN ATTACHMENTS TO THIS APPLICATION ARE, TO THE BEST OF MY KNOWLEDGE, TRUE AND ACCURATE.**

APPLICANT'S SIGNATURE 

DATE April 16, 2014

SECTION 2: PROPOSED DEVELOPMENT (TO BE COMPLETED BY APPLICANT).

IF THE APPLICANT IS NOT A NATURAL PERSON, THE NAME, ADDRESS, AND TELEPHONE NUMBER OF A NATURAL PERSON WHO SHALL BE APPOINTED BY THE APPLICANT TO RECEIVE NOTICE PURSUANT TO ANY PROVISION OF THE CURRENT DODDRIDGE COUNTY FLOODPLAIN ORDINANCE.

APPLICANT'S NAME: Equitrans, LP

ADDRESS: 455 Racetrack Road, Washington, PA 15301

TELEPHONE NUMBER: (412) 553-5934

CONTRACTOR NAME: TBD

ADDRESS: _____

TELEPHONE # _____

WV CONTRACTOR LICENCE # _____

ENGINEER'S NAME: Dawood Engineering

ADDRESS: 11 Grandview Circle, Canonsburg, PA 15317-9557

TELEPHONE NUMBER: 724-746-0730

PROJECT LOCATION:

NAME OF SURFACE OWNER/OWNERS (IF NOT THE APPLICANT) Dean R. Pennington

ADDRESS OF SURFACE OWNER/OWNERS (IF NOT THE APPLICANT) 1203 East Run Rd
West Union, WV 26456

DISTRICT: McClellan District

LAND BOOK DESCRIPTION: _____

DEED BOOK REFERENCE: 277/649

TAX MAP REFERENCE: _____

EXISTING BUILDINGS/USES OF PROPERTY: Residential

NAME OF AT LEAST ONE ADULT RESIDING IN EACH RESIDENCE LOCATED UPON THE SUBJECT PROPERTY _____

ADDRESS OF AT LEAST ONE ADULT RESIDING IN EACH RESIDENCE LOCATED UPON THE SUBJECT PROPERTY _____

To avoid delay in processing the application, please provide enough information to easily identify the project location.

DESCRIPTION OF WORK (CHECK ALL APPLICABLE BOXES)

A. STRUCTURAL DEVELOPMENT

<u>ACTIVITY</u>		<u>STRUCTURAL TYPE</u>	
<input type="checkbox"/>	New Structure	<input type="checkbox"/>	Residential (1 – 4 Family)
<input checked="" type="checkbox"/>	Addition	<input type="checkbox"/>	Residential (more than 4 Family)
<input type="checkbox"/>	Alteration	<input type="checkbox"/>	Non-residential (floodproofing)
<input type="checkbox"/>	Relocation	<input type="checkbox"/>	Combined Use (res. & com.)
<input type="checkbox"/>	Demolition	<input type="checkbox"/>	Replacement
<input type="checkbox"/>	Manufactured/Mobil Home		

B. OTHER DEVELOPMENT ACTIVITIES:

- Fill Mining Drilling Pipelining
- Grading
- Excavation (except for STRUCTURAL DEVELOPMENT checked above)
- Watercourse Alteration (including dredging and channel modification)
- Drainage Improvements (including culvert work)
- Road, Street, or Bridge Construction
- Subdivision (including new expansion)
- Individual Water or Sewer System
- Other (please specify)
-

C. STANDARD SITE PLAN OR SKETCH

- 1. SUBMIT ALL STANDARD SITE PLANS, IF ANY HAVE BEEN PREPARED (ENGINEERING PLANS MUST BE SIGNED AND SEALED).**
- 2. IF STANDARD SITE PLANS HAVE NOT BEEN PREPARED:**
SKETCH ON A SEPARATE 8 ½ X 11 INCH SHEET OF PAPER THE SHAPE AND LOCATION OF THE LOT. SHOW THE LOCATION OF THE INTENDED CONSTRUCTION OR LAND USE INDICATING BUILDING SETBACKS, SIZE & HEIGHT. IDENTIFY EXISTING BUILDINGS, STRUCTURES OR LAND USES ON THE PROPERTY.
- 3. SIGN AND DATE THE SKETCH.**

**ACTUAL TOTAL CONSTRUCTION COSTS OF THE COMPLETE DEVELOPMENT/
PROPOSED CONSTRUCTION PROJECT WITHIN THE FLOODPLAIN**

\$ 120,136.00

D. ADJACENT AND/OR AFFECTED LANDOWNERS:

- 1. NAME AND ADDRESS OF ALL OWNERS OF SURFACE TRACTS ADJACENT TO THE AREA OF THE SURFACE TRACT (UP & DOWN STREAM) UPON WHICH THE PROPOSED ACTIVITY WILL OCCUR AND ALL OTHER SURFACE OWNERS UP & DOWN STREAM) WHO OWN PROPERTY THAT MAY BE AFFECTED BY FLOODING AS IS DEMONSTRATED BY A FLOODPLAIN STUDY OR SURVEY (IF ONE HAS BEEN COMPLETED.**

NAME: Dean R. Pennington
ADDRESS: 1203 East Run Rd
West Union, WV 26456

NAME: _____
ADDRESS: _____

NAME: _____
ADDRESS: _____

NAME: _____
ADDRESS: _____

- 1. NAME AND ADDRESS OF AT LEAST ONE ADULT RESIDING IN EACH RESIDENCE LOCATED UPON ANY ADJACENT PROPERTY AT THE TIME THE FLOODPLAIN PERMIT APPLICATION IS FILED AND THE NAME AND ADDRESS OF AT LEAST ONE ADULT RESIDING IN ANY HOME ON ANY PROPERTY THAT MAY BE AFFECTED BY FLOODING AS IS DEMONSTRATED BY A FLOODPLAIN STUDY OR SURVEY.**

NAME: _____
ADDRESS: _____

NAME: _____
ADDRESS: _____

E. CONFIRMATION FORM

THE APPLICANT ACKNOWLEDGES, AGREES, AND CONFIRMS THAT HE/IT WILL PAY WITHIN 30 DAYS OF RECEIPT OF INVOICE BY THE COUNTY FOR ALL EXPENSES RELATIVE TO THE PERMIT APPLICATION PROCESS GREATER THAN THE REQUIRED DEPOSIT FOR EXPENSES INCLUDING:

- (A) PERSONAL SERVICE OF PROCESS BY THE DODDRIDGE COUNTY SHERIFF AT THE RATES PERMITTED BY LAW FOR SUCH SERVICE.
- (B) SERVICE BY CERTIFIED MAIL RETURN RECEIPT REQUESTED.
- (C) PUBLICATION.
- (D) COURT REPORTING SERVICES AT ANY HEARINGS REQUESTED BY THE APPLICANT.

- (E) CONSULTANTS AND/OR HEARING EXPERTS UTILIZED BY DODDRIDGE COUNTY FLOODPLAIN ADMINISTRATOR/MANAGER OR FLOODPLAIN APPEALS BOARD FOR REVIEW OF MATERIALS AND/OR TESTIMONY REGARDING THE EFFICACY OF GRANTING OR DENYING THE APPLICANT'S FLOODPLAIN PERMIT.

NAME (PRINT): _____

SIGNATURE: _____ DATE: _____

After completing SECTION 2, APPLICANT should submit form and fees to Clerk of Doddridge County Court or his/her representative for review.

SECTION 3: FLOODPLAIN DETERMINATION (to be completed by Floodplain Administrator/Manager or his/her representative)

THE PROPOSED DEVELOPMENT:

THE PROPOSED DEVELOPMENT IS LOCATED ON:

FIRM Panel: 54017C0155C

Dated: _____

Is **NOT** located in a Specific Flood Hazard Area (Notify applicant that the application review is complete and **NO FLOODPLAIN DEVELOPMENT PERMIT IS REQUIRED**).

Is located in Special Flood Hazard Area.
FIRM zone designation _____
100-Year flood elevation is _____ NGVD .
Stream name _____
Profile # _____

Unavailable

The proposed development is located in a floodway.

See section 4 for additional instructions.

SIGNED _____ DATE _____

**SECTION 4: ADDITIONAL INFORMATION REQUIRED FOR DEVELOPMENT IN
SPECIAL FLOOD HAZARD AREA (To be completed by Floodplain
Administrator/Manager or his/her representative)**

The applicant must submit the documents checked below before the application can be processed.

- A plan showing the location of all existing structures, water bodies, adjacent roads and proposed development.

- Development plans, drawn to scale, and specifications, including where applicable: details for anchoring structures, storage tanks, proposed elevation of lowest floor, (including basement or crawl space), types of water resistant materials used below the first floor, details of flood proofing of utilities located below the first floor and details of enclosures below the first floor. Also _____

- Subdivision or other development plans (If the subdivision or development exceeds 10 lots or 2 acres, whichever is the lesser, the applicant must provide 100-year flood elevations if they are not otherwise available).

- Plans showing the extent of watercourse relocation and/or landform alterations.

- Top of new fill elevation _____ Ft. NGVD.
For floodproofing structures applicant must attach certification from registered engineer or architect.

- Certification from a registered engineer that the proposed activity in a regulatory floodway will not result in any increase in the height of the 100-year flood. A copy of all data and calculations supporting this finding must also be submitted.

- Manufactured homes located in a Flood Hazard Area must have a West Virginia Contractor's License and a Manufactured Home Installation License as required by the Federal Emergency Management Agency (FEMA).

- Other: _____

SECTION 5: PERMIT DETERMINATION (To be completed by Floodplain Administrator/Manager or his/her representative)

I have determined that the proposed activity **(type is or is not)** in conformance with provisions of the Floodplain Ordinance adopted by the County Commission of Doddridge County on May 21, 2013. The permit is issued subject to the conditions attached to and made part of this permit.

SIGNED _____ DATE _____

If the Floodplain Administrator/Manager found that the above was not in conformance with the provisions of the Doddridge County Floodplain Ordinance and/or denied that application, the applicant may appeal.

APPEALS: Appealed to the County Commission of Doddridge County? Yes No
Hearing Date: _____
County Commission Decision - Approved Yes No

CONDITIONS: _____

SECTION 6: AS-BUILT ELEVATIONS (To be submitted by APPLICANT before Certificate of Compliance is issued).

The following information must be provided for project structures. This section must be completed by a registered professional engineer or a licensed land surveyor (or attach a certification to this application).

COMPLETE 1 OR 2 BELOW:

- 1 Actual (As-Built) Elevation of the top of the lowest floor (including basement or crawl space is _____ FT. NGVD.
- 2 Actual (As Built) elevation of floodproofing is _____ FT. NGVD.

Note: Any work performed prior to submittal of the above information is at risk of the applicant.

SECTION 7: COMPLIANCE ACTION (To be completed by the Floodplain Administrator/Manager or his/her representative).

The Floodplain Administrator/Manager or his/her representative will complete this section as applicable based on inspection of the project to ensure compliance with the Doddridge County Floodplain Ordinance.

INSPECTIONS:

DATE: _____ BY: _____

DEFICIENCIES ? Y/N

COMMENTS _____

SECTION 8: CERTIFICATE OF COMPLIANCE (To be completed by Floodplain Administrator/Manager or his/her representative).

Certificate of Compliance issued: DATE: _____ BY: _____

**CERTIFICATE OF COMPLIANCE
FOR DEVELOPMENT IN SPECIAL FLOOD HAZARD AREA
(OWNER MUST RETAIN)**

PERMIT NUMBER: _____

PERMIT DATE: _____

PURPOSE –

CONSTRUCTION LOCATION: _____

OWNER'S ADDRESS: _____



**THE FOLLOWING MUST BE COMPLETED BY THE FLOODPLAIN
ADMINISTRATOR/MANAGER OR HIS/HER AGENT.**

**COMPLIANCE IS HEREBY CERTIFIED WITH THE REQUIREMENT OF THE
FLOODPLAIN ORDINANCE ADOPTED BY THE COUNTY COMMISSION OF
DODDRIDGE COUNTY ON MAY 21, 2013.**

SIGNED _____ **DATE** _____

WV Flood Map


Permit # 14-204



This map is not the official regulatory FIRM or DFIRM. Its purpose is to assist with determining potential flood risk for the selected location.

Map Created on 6/12/2014

 Location of the mouse click

 **Flood Hazard Zone**
(1% annual chance floodplain)


Flood Hazard Area: Selected site is **WITHIN** the FEMA 100-year floodplain
Elevation: About 854 feet
Location (long, lat): 80.573218 W, 39.355554 N
Location (UTM 17N): (536770, 4356321)
FEMA Issued Flood Map: 54017C0155C
Contacts: Doddridge County
CRS Information: N/A
Parcel Number:

User Notes:

Disclaimer:

The online map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size. To obtain more detailed information in areas where Base Flood Elevations have been determined, users are encouraged to consult the latest Flood Profile data contained in the official flood insurance study. These studies are available online at www.msc.fema.gov.

WV Flood Tool is supported by FEMA, WV NFIP Office, and WV GIS Technical Center
<http://www.MapWV.gov/flood>



O:\2014\jobs\714001-04\ENVIEN-CGIS\maps\FIRM_PROP_OWNER\714001-04_FIG1_FEIMA.mxd

DOCUMENT PREPARED BY:

DAWOOD 102 Cambridge Place,
Bridgeport, WV 26330
t: 855.432.9663

DOCUMENT PREPARED FOR:

EQT
Where energy meets innovation.

TITLE: FIGURE 1: FEMA FLOODPLAIN MAP

PROJECT NAME: H-527 ANTERO SEDALIA TAP

LOCATION: DODDRIDGE COUNTY, WEST VIRGINIA

DRAWN BY: TLG

REVIEWED BY: MJC*

APPROVED BY: JWR* *Hand signature on file

PROJECT NUMBER: 714001.04

PAGE: 1 OF 1

DATE: 4/10/2014

SCALE: 1" = 500'

LEGEND:


- Tap In Location
- Road
- FEMA Floodplain (Zone A)

SOURCE: World Imagery Map Service Provided by ESRI




O:\2014\jobs\714001-04\ENR\GIS\maps\FIRM_PROP_OWNER\714001-04_FIG2_Property_Owner.mxd




DOCUMENT PREPARED BY:
 102 Cambridge Place,
 Bridgeport, WV 26330
 t: 855.432.9663

DOCUMENT PREPARED FOR:

 Where energy meets innovation.

TITLE:	FIGURE 2: PROPERTY OWNER MAP	
PROJECT NAME:	H-527 ANTERO SEDALIA TAP	
LOCATION:	DODDRIDGE COUNTY, WEST VIRGINIA	
DRAWN BY:	TLG	
REVIEWED BY:	MJC*	DATE: 4/10/2014
APPROVED BY:	JWR* *Hand signature on file	SCALE: 1" = 500'
PROJECT NUMBER:	714001.04	
PAGE:	1 OF 1	



LEGEND:

-  Tap In Location
-  Road
-  Parcel

SOURCE: World Imagery Map Service Provided by ESRI

STATE OF WEST VIRGINIA,
COUNTY OF DODDRIDGE, TO WIT

I, Virginia Nicholson, Editor of THE
HERALD RECORD, a weekly newspaper
published regularly, in Doddridge County,
West Virginia, Do Hereby Certify Upon
Oath That the Accompanying Legal Notice
Entitled:

Floodplain Permit
14-204
Equitrans

was published in said paper for *2*

successive weeks beginning with the issue
of *May 6th* 2014 and
ending with the issue of

May 13th 2014 and
that said notice contains *189*

WORD SPACE at *115* cents a word
amounts to the sum of \$ *21.74*

FOR FIRST PUBLICATION, SECOND
PUBLICATION IS 75% OF THE FIRST
PUBLICATION

\$ *16.31*
and each publication thereafter
\$ *38.05* TOTAL

EDITOR

Virginia Nicholson

SWORN TO AND SUBSCRIBED

BEFORE ME THIS THE *15th* DAY
OF *May* 2014

NOTARY PUBLIC

Laura J Adams

LEGAL ADVERTISEMENT
Doddridge County
Floodplain Permit Application
Please take notice that on the 29th day of April, 2014,
EQUITRANS, LP #14-204 filed an Application for a
Floodplain Permit to develop land located at or about:
SURFACE OWNERS: DEAN R PENNINGTON,
MCCELLEAN DISTRICT EAST RUN RD AND
ROBINSON RD.
The Applications on file with the Clerk of the County
Court and may be inspected for copies during regular
business hours. Any interested persons who desire to
comment shall present the same in writing by May 20th,
2014.
Delivered to the:
Clerk of the County Court
118 E. Court Street, West Union, WV 26456
Beth A. Rogers, Doddridge County Clerk
Edwin L. "Bo" Wriston, Doddridge County Flood Plain
Manager
S-6-2xb

