


7017 0660 0000 2275 7000

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee	\$ 3.35
Extra Services & Fees (check box, add fee as appropriate)	
<input type="checkbox"/> Return Receipt (hardcopy)	\$ 2.75
<input type="checkbox"/> Return Receipt (electronic)	\$
<input type="checkbox"/> Certified Mail Restricted Delivery	\$
<input type="checkbox"/> Adult Signature Required	\$
<input type="checkbox"/> Adult Signature Restricted Delivery	\$
Postage	.49
Total Postage and Fees	\$ 6.59



Sent To Eleanor E. Meyer
 Street and Apt. No., or PO Box No. 19 Heath Place
 City, State, ZIP+4® Garden City, NJ 11530 17-487

7017 0660 0000 2275 6997

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

Floodplain

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee	\$ 3.35
Extra Services & Fees (check box, add fee as appropriate)	
<input type="checkbox"/> Return Receipt (hardcopy)	\$ 2.75
<input type="checkbox"/> Return Receipt (electronic)	\$
<input type="checkbox"/> Certified Mail Restricted Delivery	\$
<input type="checkbox"/> Adult Signature Required	\$
<input type="checkbox"/> Adult Signature Restricted Delivery	\$
Postage	.49
Total Postage and Fees	\$ 6.59




Sent To Mary L. Nesler
 Street and Apt. No., or PO Box No. 8571 Arnold's Creek Rd.
 City, State, ZIP+4® West Union, WV 26456 17-487

CERTIFIED MAIL®

Floodplain Manager
Doddridge County Office of Emergency Management
105 Court Street, Suite 3
West Union, WV 26456



7017 0660 0000 2275 7000



HASLER

\$006.59⁰⁰

10/18/2017 ZIP 26456
012E14643162

US POSTAGE

1st NOTICE OCT 23 2017
2nd NOTICE 11-9
RETURNED 11-13

UNC

Eleanor E. Meyer
19 Heath Place
Garden City, NJ 11530

WIXIE 100 OF 1 0012/03/17

RETURN TO SENDER
UNCLAIMED
UNABLE TO FORWARD

UNC WC: 26456281285 *1771-02469-19-43
126456281285

PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT
OF THE RETURN ADDRESS. HOLD AT BOTTOM LEFT.

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

**Eleanor E. Meyer
19 Heath Place
Garden City, NJ 11530**



9590 9402 2859 7069 5383 38

2. Article Number (Transfer from service label)

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

Agent

Addressee

B. Received by (Printed Name)


C. Date of Delivery

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type

- Adult Signature
- Adult Signature Restricted Delivery
- Certified Mail®
- Certified Mail Restricted Delivery
- Collect on Delivery
- Collect on Delivery Restricted Delivery
- Insured Mail
- Insured Mail Restricted Delivery (over \$500)
- Priority Mail Express®
- Registered Mail™
- Registered Mail Restricted Delivery
- Return Receipt for Merchandise
- Signature Confirmation™
- Signature Confirmation Restricted Delivery

Doddridge County Office of
Emergency Management/Floodplain Management
105 Court Street, Suite 3
304-873-1343
doddridgecountyfpm@gmail.com



Dear Sir or Ma'am,

October 17, 2017

You are receiving this letter because you have been identified as a land surface and/or mineral rights owner for property or adjacent property related to the proposed development/project identified by the following page.

No action is required of you. This letter is simply to inform you of the proposed development.

If you would like to comment on this proposed project, or would like additional information, you may contact the Doddridge County Floodplain Manager at the above address.

Respectfully yours,

A handwritten signature in cursive script, appearing to read 'George Eidel'.


George Eidel, CFM, OEM Director/Floodplain Manager



Doddridge County Floodplain Permits

(Week of October 23, 2017)

Please take notice that on the 16th day of **October, 2017**, **Potesta and Associates on behalf of EQT Production** filed an application for a Floodplain Permit **(#17-487)** to develop land located at or about **Arnolds Creek, West Union, WV Coordinates 39.162109 N, -80.482921 W**. The Application is on file with the Clerk of the County Court and may be inspected or copied during regular business hours. Any interested persons who desire to comment shall present the same in writing by **November 27, 2017** (20 calendar days after the announcement at the regularly scheduled Doddridge County Commission Meeting) delivered to the Clerk of the County Court at 108 Court Street Ste. 1, West Union, WV 26456. **This project is for a temporary water line.**



Floodplain Development Permit

Doddridge County, WV Floodplain Management

This permit gives approval for the development/ project listed that impacts the FEMA-designated floodplain and/or floodway of Doddridge County, WV, pursuant to the rules and regulations established by all applicable Federal, State and local laws and ordinances, including the Doddridge County Floodplain Ordinance. This permit must be posted at the site of work as to be clearly visible, and must remain posted during entirety of development.

Permit: #17-487

Date Approved: November 27, 2017

Expires: November 27, 2018

Issued to: EQT Production Company

POC: Cory Chalmers

Company Address: 120 Professional Place Bridgeport, WV 26330

Project Address: Arnolds Creek West Union

Firm: 54017C0120C

Lat/Long: 39.162109N, -80.482921W

Purpose of Development: Temporary Water Line

Issued by: George C. Eidel, CFM, OEM Director/Doddridge County FPM (or designee)

Date: November 27, 2017

For additional information regarding this permit, please contact
Doddridge County Floodplain Manager at 304.873.2631, or via email at
doddridgecountyfpm@gmail.com
118 East Court Street; West Union, WV 26456

COPY

COPY

COPY

POTESTA & ASSOCIATES, INC.
7012 MACCORKLE AVE SE
CHARLESTON, WEST VIRGINIA 25304

13973

EShieldSM Check Fraud
Protection for Business
69-36-519

DATE Oct 11, 2017

PAY TO THE ORDER OF Doddridge County Commission

\$ 500.00

Five hundred ^{no}/₁₀₀

DOLLARS



JPMorgan Chase Bank, N.A.
www.Chase.com

FOR WELL & Underline Permit

[Signature]



Details on back



Security Features

⑈013973⑈ ⑆051900366⑆

625733274⑈

COPY

COPY

Doddridge County, West Virginia

RECEIPT NO: 9864

DATE: 2017/10/17

FROM: POTESTA & ASSOCIATES

AMOUNT: \$ 500.00

FIVE HUNDRED DOLLARS AND 00 CENTS

FOR: #17-487 WEU 8 WATERLINE PERMIT

00000013973 FP-BUILDING PERMITS

020-318

TOTAL: \$500.00

MICHAEL HEADLEY

SHERIFF & TREASURER

MEC

CLERK

Customer Copy

FLOODPLAIN PERMIT #17-487

EQT /WEU 8 Temporary Waterline

TASK	COMPLETE (DATE)	NOTES
CHECK RECEIVED	10/16/17	
US ARMY CORP. ENGINEERS (USACE)		
US FISH & WILDLIFE SERVICES (USFWS)		
WV DEPT. NATURAL RESOURCES (WVDNR)		
WV DEPT. ENVIROMENTAL PROTECTION (WVDEP)		
STATE HISTORIC & PRESERVATION OFFICE (SHPO)		
OFFICE of LAND & STREAM (OLS)		
DATE OF COMMISSION READING	11/7/2017	
DATE AVAILABLE TO BE GRANTED	11/27/2017	
PERMIT GRANTED		
COMPLETE		

7017 0660 0000 2275 6997

7017 0660 0000 2275 7000



Doddridge County Floodplain Permits

(Week of October 23, 2017)

Please take notice that on the 16th day of **October, 2017**, **Potesta and Associates on behalf of EQT Production** filed an application for a Floodplain Permit (**#17-487**) to develop land located at or about **Arnolds Creek, West Union, WV Coordinates 39.162109 N, -80.482921 W**. The Application is on file with the Clerk of the County Court and may be inspected or copied during regular business hours. Any interested persons who desire to comment shall present the same in writing by **November 27, 2017** (20 calendar days after the announcement at the regularly scheduled Doddridge County Commission Meeting) delivered to the Clerk of the County Court at 108 Court Street Ste. 1, West Union, WV 26456. **This project is for a temporary water line.**



October 12, 2017

OCT16 17 1:12PM

Mr. George Eidel
Doddridge County Floodplain Coordinator
Doddridge County Commission
118 East Court Street
West Union, West Virginia 26456

RE: Floodplain Permit Application
EQT Production Company
EQT WEU 8 Water Line
Doddridge County, West Virginia
POTESTA Project No. 0101-11-0147-803

Dear Mr. Eidel:

Potesta & Associates, Inc. (POTESTA) is pleased to submit this cover letter with the associated Floodplain Development Permit Application for the proposed WEU 8 Water Line Project. The proposed project will consist of installing approximately 3,854 linear feet of temporary aboveground water line. Also there is an existing gravel truck pad that will be used to locate the temporary roll-off tanks. Based on information presented on the site FIRM, a portion of the project is located within FEMA Flood Zone A from approximate water line stations 11+50 to 16+50, shown on the attached Drawing Nos. 3 and 4. No earth disturbance activities will be associated with the installation of this water line. Flood Zone A is the regulatory floodplain associated with the Base Flood (1 percent annual chance flood event), commonly referred to as the 100-year floodplain and indicates that the limits of the floodplain are approximate; as such, Base Flood Elevations (BFEs) have not been previously established by FEMA. Work within the floodplain associated with this project shall include the installation of a temporary aboveground water line wand roll-off pump with secondary containment. The water line will be anchored in the floodplain and the roll-off pump can be removed in the event of flooding. All work associated with the proposed WEU 8 Water Line within the limits of the floodplain will be in accordance with the following. No permanent aboveground structures are to be constructed within the floodplain. There will be no excess or fill material associated with this project because there will be no excavation proposed for the project.

Included with this permit application are directions to the site, floodplain map, and site plan sheets for this project.

POTESTA & ASSOCIATES, INC.

Charleston, West Virginia • Morgantown, West Virginia • Winchester, Virginia • Cambridge, Ohio

Mr. George Eidel
October 12, 2017
Page 2

If you have any questions, please feel free to contact me at (304) 342-1400 or jmsmith@potesta.com, or Cory Chalmers (EQT) at (304) 848-0061 or cchalmers@eqt.com.

Sincerely,

POTESTA & ASSOCIATES, INC.




Jarrett M. Smith, P.E.
Senior Engineer

JMS/clr

Enclosures

OCT16 17 1:12PM

c: Cory Chalmers – EQT (via email)



Permit# 17-487

Project Name: WEU 8 Water Line

Permittees Name: EQT Production

OCT16 17 1:12PM

Doddridge County, WV

Floodplain Development Permit Application

This document is to be used for projects that impact/potentially impact the FEMA—designated floodplain and/or floodway of Doddridge County, WV pursuant to the rules and regulations established by all applicable Federal, State and local laws and ordinances, including the Doddridge County Floodplain Ordinance.

SECTION 1: GENERAL PROVISIONS (APPLICANT TO READ AND SIGN)

1. No work may start until a permit is issued.
2. The permit may be revoked if any false statements are made herein.
3. If revoked, all work must cease until permit is re-issued.
4. Development shall not be used or occupied until a Certificate of Compliance is issued.
5. The permit will expire if no work is commenced within six months of issuance.
6. Applicant is hereby informed that other permits may be required to fulfill local, state, and federal requirements.
7. Applicant hereby gives consent to the Floodplain Administrator/Manager or his/her representative to make inspections to verify compliance.
8. I THE APPLICANT CERTIFY THAT ALL STATEMENTS HEREIN AND IN ATTACHMENTS TO THIS APPLICATION ARE, TO THE BEST OF MY KNOWLEDGE, TRUE AND ACCURATE.

APPLICANT'S SIGNATURE

DATE

[Signature]
10/13/17

Doddridge County Commercial/Industrial
Floodplain Development Permit Application

Applicant Information:

Please provide all pertinent data.

Applicant Information		
Responsible Company Name: EQT Production Company		
Corporate Mailing Address: 120 Professional Place		
City: Bridgeport	State: WV	Zip: 26330
Corporate Point of Contact (POC): Cory Chalmers		
Corporate POC Title: Environmental Coordinator		
Corporate POC Primary Phone: (304) 848-0061		
Corporate POC Primary Email: cchalmers@eqt.com		
Corporate FEIN: 25-0754685	Corporate DUNS: N/A	
Corporate Website: N/A		
Local Mailing Address: N/A		
City: N/A	State: N/A	Zip: N/A
Local Project Manager (PM): Same as Point of Contact		
Local PM Primary Phone: Same as Point of Contact		
Local PM Secondary Phone: Same as Point of Contact		
Local PM Primary Email: Same as Point of Contact		
Person Filing Application: Jordan Beard		
Applicant Title: Engineer		
Applicant Primary Phone: (304) 342-1400		
Applicant Secondary Phone: N/A		
Applicant Primary Email: jwbeard@potesta.com		

Doddridge County Commercial/Industrial
Floodplain Development Permit Application

Proposed Development:

Please check all elements of the proposed project that apply.

DESCRIPTION OF WORK (CHECK ALL APPLICABLE BOXES)

A. STRUCTURAL DEVELOPMENT

<u>ACTIVITY</u>	<u>STRUCTURAL TYPE</u>
<input type="checkbox"/> New Structure	<input type="checkbox"/> Residential (1 – 4 Family)
<input type="checkbox"/> Addition	<input type="checkbox"/> Residential (more than 4 Family)
<input type="checkbox"/> Alteration	<input type="checkbox"/> Non-residential (floodproofing)
<input type="checkbox"/> Relocation	<input type="checkbox"/> Combined Use (res. & com.)
<input type="checkbox"/> Demolition	<input type="checkbox"/> Replacement
<input type="checkbox"/> Manufactured/Mobil Home	

B. OTHER DEVELOPMENT ACTIVITIES:

- Fill Mining Drilling Pipelining
 - Grading
 - Excavation (except for STRUCTURAL DEVELOPMENT checked above)
 - Watercourse Alteration (including dredging and channel modification)
 - Drainage Improvements (including culvert work)
 - Road, Street, or Bridge Construction
 - Subdivision (including new expansion)
 - Individual Water or Sewer System
 - Other (please specify)
-
-
-

Doddridge County Commercial/Industrial
Floodplain Development Permit Application

Development Site/Property Information:

Please provide physical description of the site/property, along with pertinent ownership (surface and mineral rights) data as applicable. Attach appropriate maps from the WV Flood Tool showing location of proposed development. Use additional copies of this page if development spans multiple property boundaries. Designate each property by number (i.e. Property 1 of 1, Property 2 of 7, etc.)

Property Designation: ___ of ___

Site/Property Information:		
Legal Description: Please See Attached		
Physical Address/911 Address:		
Decimal Latitude/Longitude: Begin: 39° 16' 21.09" N, -80° 48' 29.21" W		
DMS Latitude/Longitude:		
District:	Map:	Parcel:
Land Book Description:		
Deed Book Reference:		
Tax Map Reference:		
Existing Buildings/Use of Property:		

Floodplain Location Data: (to be completed by Floodplain Manager or designee)			
Community:	Number:	Panel:	Suffix:
Location (Lat/Long):		Approximate Elevation:	
Estimated BFE:			
Is the development in the floodway?		Is the development in the floodplain?	
Yes No		Yes No Zone: _____	
Notes:			

Doddridge County Commercial/Industrial
Floodplain Development Permit Application

Property Owner Data:

Please provide data on current site/property landowner(s), both surface and mineral rights (as applicable). Use additional copies of this page as needed. Designate each page in relation to each property listed above.

Property Designation: ____ of ____ See attached for property owners/adjacent landowners.

8-14-6

Property Owner Data:		
Name of Primary Owner (PO): Eleanor E. Meyer		
PO Address: 19 Heath Place		
City: Garden City	State: NJ	Zip: 11530
PO Primary Phone: 856-596-1417		
PO Secondary Phone:		
PO Primary Email:		

Surface Rights Owner Data:		
Name of Primary Owner (PO):		
PO Address:		
City:	State:	Zip:
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

Mineral Rights Owner Data: (As Applicable)		
Name of Primary Owner (PO):		
PO Address:		
City:	State:	Zip:
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

Doddridge County Commercial/Industrial
Floodplain Development Permit Application

Property Owner Data:

Please provide data on current site/property landowner(s), both surface and mineral rights (as applicable). Use additional copies of this page as needed. Designate each page in relation to each property listed above.

Property Designation: ____ of ____ See attached for property owners/adjacent landowners.

8-14-8

Property Owner Data:		
Name of Primary Owner (PO): Ruley Church c/o Robert L. Holland, Attorney		
PO Address: High Street		
City: West Union	State: WV	Zip: 26456
PO Primary Phone: 304-873-1266		
PO Secondary Phone:		
PO Primary Email:		

Surface Rights Owner Data:		
Name of Primary Owner (PO):		
PO Address:		
City:	State:	Zip:
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

Mineral Rights Owner Data: (As Applicable)		
Name of Primary Owner (PO):		
PO Address:		
City:	State:	Zip:
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

Doddridge County Commercial/Industrial
Floodplain Development Permit Application

Property Owner Data:

Please provide data on current site/property landowner(s), both surface and mineral rights (as applicable). Use additional copies of this page as needed. Designate each page in relation to each property listed above.

Property Designation: ____ of ____ See attached for property owners/adjacent landowners.

8-14-8.1

Property Owner Data:		
Name of Primary Owner (PO): Trustee of MP Church David Travis ET AL Tre		
PO Address:		
City:	State:	Zip:
PO Primary Phone: 304-873-3901		
PO Secondary Phone:		
PO Primary Email:		

Surface Rights Owner Data:		
Name of Primary Owner (PO):		
PO Address:		
City:	State:	Zip:
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

Mineral Rights Owner Data: (As Applicable):		
Name of Primary Owner (PO):		
PO Address:		
City:	State:	Zip:
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

Doddridge County Commercial/Industrial
Floodplain Development Permit Application

Property Owner Data:

Please provide data on current site/property landowner(s), both surface and mineral rights (as applicable). Use additional copies of this page as needed. Designate each page in relation to each property listed above.

Property Designation: ___ of ___ See attached for property owners/adjacent landowners.

8-14-20

Property Owner Data:		
Name of Primary Owner (PO): Mary L. Nesler		
PO Address: 857 Arnold's Creek Road		
City: West Union	State: WV	Zip: 26456
PO Primary Phone: 304-873-1152		
PO Secondary Phone:		
PO Primary Email:		

Surface Rights Owner Data:		
Name of Primary Owner (PO):		
PO Address:		
City:	State:	Zip:
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

Mineral Rights Owner Data: (As Applicable):		
Name of Primary Owner (PO):		
PO Address:		
City:	State:	Zip:
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

Doddridge County Commercial/Industrial
Floodplain Development Permit Application

Contractor Data:

Please provide all pertinent data for contractors and sub---contractors that may be participating in this project. Use additional copies of this page as needed. Designate each page in relation to each property listed above.

Property Designation: ____ of ____

Contractor/Sub-Contractor (C/SC) Information:		
C/SC Company Name: N/A		
C/SC WV License Number:		
C/SC FEIN:	C/SC DUNS:	
Local C/SC Point of Contact (POC):		
Local C/SC POC Title:		
C/SC Mailing Address:		
City:	State:	Zip-Code:
Local C/SC Office Phone:		
Local C/SC POC Phone:		
Local C/SC POC E-Mail:		

Engineer Firm Information:		
Engineer Firm Name:		
Engineer WV License Number:		
Engineer Firm FEIN:	Engineer Firm DUNS:	
Engineer Firm Primary Point of Contact (POC):		
Engineer Firm Primary POC Title:		
Engineer Firm Mailing Address:		
City:	State:	Zip-Code:
Engineer Firm Office Phone:		
Engineer Firm Primary POC Phone:		
Engineer Firm Primary POC E-Mail:		

Adjacent and/or Affected Landowners Data

Please provide data for all adjacent and/or affected surface owners (both up and down stream) whose property may be impacted by proposed development as demonstrated by a floodplain study or survey. Use additional copies of this page as needed.

Adjacent Property Owner Data: Upstream		
Name of Primary Owner (PO):		
Physical Address:		
City:	State:	Zip:
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

Adjacent Property Owner Data: Upstream		
Name of Primary Owner (PO):		
Physical Address:		
City:	State:	Zip:
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

Adjacent Property Owner Data: Downstream		
Name of Primary Owner (PO):		
Physical Address:		
City:	State:	Zip:
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

Adjacent Property Owner Data: Downstream		
Name of Primary Owner (PO):		
Physical Address:		
City:	State:	Zip:
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

Site Plan

A Site Plan is an accurate and detailed map of the proposed development for this project. It shows the size, shape, location and special features of the project property, and the size and location of any development planned to the property, especially as that development will impact the floodplain and/or floodway. Site plans show what currently exists on the project property, and any changes or improvements you are proposing to make. **A certified and licensed engineering firm should complete site plans.**

A SITE PLAN MUST CONTAIN THE FOLLOWING INFORMATION:


1. Legal description of the parcel, north arrow and scale
2. All property lines and their dimensions
3. Names of adjacent roads, location of driveways
4. Location of sloughs, tributaries, streams, rivers, wetlands, ponds, and lakes, with setbacks indicated, and including FEMA floodplain data based on most updated FIRM.
5. Location, size, shape of all buildings, existing and proposed, with elevation of lowest floor indicated.
6. Location and dimensions of existing or proposed on-site sewage systems.
7. Location of all propane tanks, fuel tanks or other liquid storage tanks whether above ground or below ground level.
8. Location and dimensions of any proposed pipeline placement(s) into floodplain/floodway.
9. Location and dimensions of any roadway development into floodplain/floodway. *(Includes initial development access roads)*
10. Location and dimensions of any bridge and/or culvert development into floodplain/floodway.
11. Location and dimensions of any storage yard or facility into the floodplain/floodway.
12. Location of any existing utilities and/or proposed utility placement and/or displacement.
13. Location, dimensions and depth of any existing or proposed fill on site.
14. A survey showing the **existing ground elevations** of at least location on the building site. **ELEVATION NOTE:** All vertical datum will reference either NGVD 29 or NAVD 88. Assumed datum will not be acceptable unless the property is located in an area where vertical datum has not been published. For those areas where vertical datum has not been established, a site plan with contours, elevations using assumed datum, high water marks and existing water levels of sloughs, rivers, lakes or streams and proposed lowest floor elevation.

Applicant

Please read print name, sign and date below:

- I certify that I am authorized to submit this application for the primary project developer.
- I certify that the information included in this application is to the best of my knowledge true and complete.
- I certify that all required Federal, State, and local permits required by law and/or ordinance for the above described development of this project have been properly attained, are current and valid, and must be presented with this application before a Doddridge County Floodplain Permit may be issued.
- I understand that if in the course of the development project additional permits become required that were not needed during the initial proposal, the primary developer must notify the Doddridge County Floodplain Manager within 48 hours of such need, and that a "Stop Work" order may be issued for all project work directly impacting the floodplain or floodway, until such time the required additional permits are acquired.
- I understand that once the floodplain permit is submitted, the application will be entered into official public record at the next regularly scheduled Doddridge County Commission meeting after the date of submittal.
- I understand that from the date of submittal of the fully completed permit application, the Doddridge County Floodplain Manager has ninety (90) days to make a determination to either grant or deny said permit application. During this approval period, the Doddridge County Floodplain Manager may, at his or her discretion, conduct a review and/or additional study of provided documentation by means of an independent engineering firm. All costs associated with said review and/or study must be reimbursed to the County before issuance of approved permit.
- I understand that during the approval period, the Doddridge County Floodplain Manager or designee may at his or her discretion conduct site visits and document conditions of proposed development pursuant to the permit application.
- I understand that once the Floodplain Permit is granted, the permit will be entered into official public record at the next scheduled Doddridge County Commission meeting after the date of issuance. Appeals to the permit may be made no later than twenty (20) days after said issuance. If a valid appeal is submitted, as determined by the Doddridge County Floodplain Manager, a "Stop Work" order will be issued for all project development directly involving the floodplain or floodway. A public hearing by the Doddridge County Appeals Board will be scheduled no less than ten (10) days after the next regularly scheduled Doddridge County Commission meeting.
- I understand that all decisions of the Doddridge County Appeals Board shall be final.
- I understand issuance of a Floodplain Permit authorizes me to proceed with construction as proposed. A Certificate of Compliance is required upon substantial completion of the project.
- In signing this application, the primary developer hereby grants the Doddridge County Floodplain Manager or designee the right to enter onto the above-described location to inspect the development work proposed, in progress, and/or completed.
- I understand that if I do not follow exactly the site-plan submitted and approved by this permit that a "Stop Work" order may be issued by the Wirt County Floodplain Manager and that I must stop all construction immediately until discrepancies of actual work vs. proposed work is resolved.

Applicant Signature



Date:

10/13/17

Applicant Printed Name:

Cory Chalmer

LANDOWNER INFORMATION

8-14-6
Eleanor E. Meyer
19 Heath Place
Garden City, NJ 11530
(856) 596-1417

8-14-8
Ruley Church
C/O Robert L. Holland, Attorney
High Street
West Union, WV 26456
(304) 873-1266

8-14-8.1
Trustee of MP Church
David Travis ET AL Tre
(304) 873-3901

8-14-20
Mary L. Nesler
857 Arnold's Creek Road
West Union, WV 26456
(304) 873-1152



A 300-304 Columbia Street, West Union, WV 26456

B Arnold Creek

Suggested routes

Old U.S. 50 W

3.3 miles, 9 min

US-50 W

3.8 miles, 8 min

A 300-304 Columbia Street

1. Head **northeast** on **Columbia St** toward **Court St**

302 ft

2. Turn **left** onto **W Main St**

0.3 m

3. Slight **left** onto **Old U.S. 50 W**

2.0 m

4. Turn **right** onto **US-50 W**

0.4 m

5. Turn **left** at the 1st cross street onto **Arnolds Creek Rd/Central Station Rd/Right Fork Run Rd**

0.5 m

B Arnold Creek



WEU 8 Waterline Project



This map is not the official regulatory FIRM or DFIRM. Its purpose is to assist with determining potential flood risk for the selected location.



 Location of flood information

User Notes:

-  Cross Section (XS) Lines
-  Base Flood Elevation (BFE) Lines

 Floodway

Flood Hazard Zone

-  Approximate Study (Zone A)
-  Detailed Study (AE, AH, AO)

Disclaimer:

The online map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size. To obtain more detailed information in areas where Base Flood Elevations have been determined, users are encouraged to consult the latest Flood Profile data contained in the official flood insurance study. These studies are available online at www.msc.fema.gov.
 WV Flood Tool (<http://www.MapWV.gov/flood>) is supported by FEMA, WV NFIP Office, and WV GIS Technical Center.

Map created on September 16, 2015

Flood Hazard Area:

Flood Hazard Area: Location is WITHIN the FEMA 100-year floodplain.

Flood Hazard Zone: A

Stream: Arnold Creek

FEMA Issued Flood Map: 54017C0120C

Watershed (HUC8): Little Musringum-Middle Island (503

Advisory Flood Height: About 813 ft

Water Depth: N/A

Elevation: About 813 ft

Location (long, lat): (80.808001 W, 39.272381 N)

Location (UTM 17N): (516562, 4347020)

Contacts: Doddridge

CRS Information: N/A

Flood Profile:

HEC-RAS Model: Arnold Creek

Parcel Number:

No.	Date	Revision

DESIGN
 CAD File No.
 JM
 Drawn
 JWS
 Checked
 JMS
 Approved
 1" = 100'
 Scale:
 FEB 2014
 Date:
 11-0147-803
 Project No.

POTESTA & ASSOCIATES, INC.
 ENGINEERS AND ENVIRONMENTAL CONSULTANTS
 7018 Macomber Ave. SE, Charleston, WV 25304
 TEL: (804) 343-1400 FAX: (804) 343-9081
 E-Mail Address: potesta@potesta.com



Client
 EQT PRODUCTION COMPANY
 115 PROFESSIONAL PLACE
 BRIDGEPORT, WEST VIRGINIA


Title
 SITE PLAN
 EQT WEUB WATERLINE
 EROSION & SEDIMENT CONTROL PLAN
 DODDRIDGE COUNTY, WEST VIRGINIA

Drawing No.
 3



- NOTES:**
1. BASE MAPPING TAKEN FROM WVGIS SAMB, FROM AERIAL PHOTOGRAPHY DEVELOPED IN 2003. THE SCALE OF THE BASE MAPPING IS APPROXIMATE. ACTUAL LOCATIONS OF EXISTING FEATURES MAY VARY.
 2. WEEKLY VISUAL INSPECTION OF THE SEDIMENT CONTROL MEASURES SHALL BE CONDUCTED TO VERIFY THEY ARE FUNCTIONING PROPERLY. COMPOST FILTER SOCK, IF REMOVED TO ALLOW CONSTRUCTION ACTIVITIES, SHALL BE REPLACED AT THE END OF EACH WORK DAY. SEDIMENT STRUCTURES SHALL BE CLEANED ONCE THE STORAGE CAPACITY HAS BEEN REDUCED BY 50%.
 3. THE SITE SHALL BE INSPECTED ON A REGULAR BASIS TO ENSURE INTEGRITY OF GRADED SURFACES, VEGETATION, EROSION AND SEDIMENT CONTROL MEASURES AND OTHER PROTECTIVE DEVICES. THIS INSPECTION SHOULD BE PERFORMED AT A MINIMUM OF ONCE EVERY SEVEN CALENDAR DAYS, AND SHALL OCCUR WITHIN 24 HOURS AFTER ANY STORM EVENT GREATER THAN 0.5 INCHES OF RAINFALL PER 24-HOUR PERIOD UNTIL THE SITE HAS BEEN STABILIZED. ANY REQUIRED REPAIRS OR MAINTENANCE WILL BE MADE IMMEDIATELY.
 4. DISTURBED AREAS SHALL BE SEEDED AND MULCHED UPON COMPLETION OF GRADING.
 - STABILIZATION MEASURES SHALL BE INITIATED AS SOON AS PRACTICABLE IN PORTIONS OF THE SITE WHERE CONSTRUCTION ACTIVITIES HAVE TEMPORARILY OR PERMANENTLY CEASED, BUT IN NO CASE MORE THAN SEVEN DAYS AFTER THE CONSTRUCTION ACTIVITY IN THAT PORTION OF THE SITE HAS PERMANENTLY CEASED.
 - WHERE THE INITIATION OF STABILIZATION MEASURES BY THE SEVENTH DAY AFTER CONSTRUCTION ACTIVITY TEMPORARILY OR PERMANENTLY CEASES IS PRECLUDED BY SNOW COVER, STABILIZATION MEASURES SHALL BE INITIATED AS SOON AS CONDITIONS ALLOW.
 - WHERE CONSTRUCTION ACTIVITY WILL RESUME ON A PORTION OF THE SITE WITHIN 21 DAYS FROM WHEN ACTIVITIES CEASED, (E.G., THE TOTAL TIME PERIOD THAT CONSTRUCTION ACTIVITY IS TEMPORARILY HALTED IS LESS THAN 21 DAYS) THEN STABILIZATION MEASURES DO NOT HAVE TO BE INITIATED ON THAT PORTION OF THE SITE BY THE SEVENTH DAY AFTER CONSTRUCTION ACTIVITIES HAVE TEMPORARILY CEASED.
 - AREAS WHERE THE SEED HAS FAILED TO GERMINATE ADEQUATELY (UNIFORM PERENNIAL VEGETATIVE COVER WITH A DENSITY OF 70%) WITHIN 30 DAYS AFTER SEEDING AND MULCHING MUST BE RESEEDED IMMEDIATELY, OR AS SOON AS WEATHER CONDITIONS ALLOW.
 5. EROSION & SEDIMENT CONTROLS SHALL BE INSTALLED IN LOCATIONS DOWN SLOPE FROM THE DISTURBED AREAS AS A FIRST MEASURE OF CONSTRUCTION. COMPOST FILTER SOCK SHALL BE INSPECTED AFTER EACH RAINFALL. ANY REQUIRED REPAIRS SHALL BE MADE IMMEDIATELY. DAMAGED, DECOMPOSED OR OTHERWISE INEFFECTIVE S&T FENCE SHALL BE REPLACED. SEDIMENT DEPOSITS SHOULD BE REMOVED AS REQUIRED WHEN DEPOSITS REACH APPROXIMATELY ONE-HALF OF THE BARRIER HEIGHT. ANY SEDIMENT DEPOSITS REMAINING IN PLACE AFTER THE S&T FENCE IS NO LONGER NEEDED SHALL BE DRESSED TO CONFORM TO THE EXISTING GRADE AND STABILIZED.
 6. DEVICES LISTED HEREIN ARE CONSIDERED MINIMUM EROSION AND SEDIMENT CONTROLS. ADDITIONAL CONTROL MEASURES MAY BE NECESSARY DUE TO CONTRACTOR PHASING OR OTHER UNFORESEEN CONDITIONS. IT IS THE CONTRACTOR'S RESPONSIBILITY TO PROVIDE ADDITIONAL MEASURES IN ADDITION TO THOSE SHOWN, AS NEEDED, IN ORDER TO CONTROL EROSION AND CONTAIN SEDIMENT ON SITE.
 7. THE CONTRACTOR IS RESPONSIBLE FOR KEEPING EXISTING PUBLIC ROADS IN A CLEAN, DUST AND MUD FREE CONDITION AT THE SITE.
 8. ALL COMPOST FILTER SOCK SHALL BE INSTALLED ALONG THE CONTOURS, PERPENDICULAR TO THE FLOW OF WATER. SEE DETAIL ON DRAWING NO. 5.
 9. WORK AREAS WILL BE USED TO LAYOUT AND ASSEMBLE GAS LINE FIXTURES. MINIMAL EARTH DISTURBANCE IS EXPECTED, HOWEVER, EROSION AND SEDIMENT CONTROL WILL BE INSTALLED AS IF THE ENTIRE AREA WILL BE DISTURBED. DISTURBED AREAS WITHIN THE WORK AREAS WILL BE VEGETATED IN ACCORDANCE WITH THE EROSION AND SEDIMENT CONTROL PLAN AND S.W.P.P.P.
 10. BASED ON INFORMATION PRESENTED ON THE SITE FIRM, THE PROJECT IS LOCATED WITHIN FEMA FLOOD ZONE A, WHICH IS THE REGULATORY FLOODPLAIN ASSOCIATED WITH THE BASE FLOOD (1 PERCENT ANNUAL CHANCE FLOOD EVENT), COMMONLY REFERRED TO AS THE 100-YEAR FLOODPLAIN. FLOOD ZONE A INDICATES THAT THE LIMITS OF THE FLOODPLAIN ARE APPROXIMATE, AS SUCH, BASE FLOOD ELEVATIONS (BFES) HAVE NOT BEEN PREVIOUSLY ESTABLISHED BY FEMA. ALL WORK ASSOCIATED WITH THE PROPOSED PROJECT WITHIN THE LIMITS OF THE FLOODPLAIN WILL BE IN ACCORDANCE WITH THE FOLLOWING. NO PERMANENT ABOVE GROUND STRUCTURES ARE TO BE CONSTRUCTED WITHIN THE FLOODPLAIN. ANY STABILIZED CONSTRUCTION ENTRANCES TO BE INSTALLED WITHIN THE FLOODPLAIN SHALL BE INSTALLED BY REMOVING EXISTING MATERIAL TO A DEPTH SUITABLE FOR INSTALLING THE ENTRANCES SO THAT THE TOP OF THE GRAVEL SURFACE IS AT ORIGINAL GRADE ELEVATIONS. EXCESS MATERIAL ASSOCIATED WITH THIS ACTIVITY SHALL BE PLACED OUTSIDE OF THE FLOODPLAIN LIMITS. NO FILL SHALL BE PLACED WITHIN THE FLOODPLAIN LIMITS ABOVE ORIGINAL ELEVATIONS. THE PROPOSED WATERLINE WILL BE TEMPORARY AND INSTALLED ON THE SURFACE. IT WILL ALSO BE ANCHORED TO THE GROUND USING 2"x2" WOOD STAKES. SEE DETAIL ON DRAWING NO. 5.

SYMBOL	LEGEND	DESCRIPTION
	STREAMS	STREAMS
	EXISTING PIPELINE	EXISTING PIPELINE
	APPROXIMATE LOCATION OF EXISTING CULVERT	APPROXIMATE LOCATION OF EXISTING CULVERT
	PERMANENT RIGHT-OF-WAY	PERMANENT RIGHT-OF-WAY
	PROPOSED WATERLINE	PROPOSED WATERLINE
	FLOODPLAIN LIMIT	FLOODPLAIN LIMIT
	PROPOSED COMPOST FILTER SOCK	PROPOSED COMPOST FILTER SOCK
	PROPOSED TEMPORARY STONE CONSTRUCTION ENTRANCE	PROPOSED TEMPORARY STONE CONSTRUCTION ENTRANCE



MAPPING REFERENCE:
 BASE TOPOGRAPHIC MAPPING TAKEN FROM WVGIS SAMB AERIAL MAPPING, DATED 2003.

DATE: 01-29-14
 DRAWN BY: JWS
 CHECKED BY: JMS
 APPROVED BY: JMS
 PROJECT NO.: 11-0147-803

MATCH LINE - SEE SHEET 4
 ISSUE DATE 2/5/2014

No.	Date	Revision

DESIGN
 CAD File No.
 JM
 Drawn
 JWS
 Checked
 JMS
 Approved
 1" = 100'
 Scale:
 FEB 2014
 Date:
 11-0147-803
 Project No.

POTESTA & ASSOCIATES, INC.
 ENGINEERS AND ENVIRONMENTAL CONSULTANTS
 7012 Macomber Ave. SE, Charleston, NY 13634
 TEL: (504) 342-1400 FAX: (504) 342-3081
 E-Mail Address: potesta@potesta.com

POTESTA

ISSUE DATE 2/5/2014

Client
 EQT PRODUCTION COMPANY
 115 PROFESSIONAL PLACE
 BRIDGEPORT, WEST VIRGINIA

Title
 SITE PLAN
 EQT WEUB WATERLINE
 EROSION & SEDIMENT CONTROL PLAN
 DODDRIDGE COUNTY, WEST VIRGINIA


4
 Drawing No.



NOTES:

1. BASE MAPPING TAKEN FROM WVGIS S&MB, FROM AERIAL PHOTOGRAPHY DEVELOPED IN 2003. THE SCALE OF THE BASE MAPPING IS APPROXIMATE. ACTUAL LOCATIONS OF EXISTING FEATURES MAY VARY.
2. WEEKLY VISUAL INSPECTION OF THE SEDIMENT CONTROL MEASURES SHALL BE CONDUCTED TO VERIFY THEY ARE FUNCTIONING PROPERLY. COMPOST FILTER SOCK, IF REMOVED TO ALLOW CONSTRUCTION ACTIVITIES, SHALL BE REPLACED AT THE END OF EACH WORK DAY. SEDIMENT STRUCTURES SHALL BE CLEANED ONCE THE STORAGE CAPACITY HAS BEEN REDUCED BY 50%.
3. THE SITE SHALL BE INSPECTED ON A REGULAR BASIS TO ENSURE INTEGRITY OF GRADED SURFACES, VEGETATION, EROSION AND SEDIMENT CONTROL MEASURES AND OTHER PROTECTIVE DEVICES. THIS INSPECTION SHOULD BE PERFORMED AT A MINIMUM OF ONCE EVERY SEVEN CALENDAR DAYS, AND SHALL OCCUR WITHIN 24 HOURS AFTER ANY STORM EVENT GREATER THAN 0.5 INCHES OF RAINFALL PER 24-HOUR PERIOD UNTIL THE SITE HAS BEEN STABILIZED. ANY REQUIRED REPAIRS OR MAINTENANCE WILL BE MADE IMMEDIATELY.
4. DISTURBED AREAS SHALL BE SEEDED AND MULCHED UPON COMPLETION OF GRADING.
 - STABILIZATION MEASURES SHALL BE INITIATED AS SOON AS PRACTICABLE IN PORTIONS OF THE SITE WHERE CONSTRUCTION ACTIVITIES HAVE TEMPORARILY OR PERMANENTLY CEASED, BUT IN NO CASE MORE THAN SEVEN DAYS AFTER THE CONSTRUCTION ACTIVITY IN THAT PORTION OF THE SITE HAS PERMANENTLY CEASED.
 - WHERE THE INITIATION OF STABILIZATION MEASURES BY THE SEVENTH DAY AFTER CONSTRUCTION ACTIVITY TEMPORARILY OR PERMANENTLY CEASES IS PRECLUDED BY SNOW COVER, STABILIZATION MEASURES SHALL BE INITIATED AS SOON AS CONDITIONS ALLOW.
 - WHERE CONSTRUCTION ACTIVITY WILL RESUME ON A PORTION OF THE SITE WITHIN 21 DAYS FROM WHEN ACTIVITIES CEASED, (E.G., THE TOTAL TIME PERIOD THAT CONSTRUCTION ACTIVITY IS TEMPORARILY HALTED IS LESS THAN 21 DAYS) THEN STABILIZATION MEASURES DO NOT HAVE TO BE INITIATED ON THAT PORTION OF THE SITE BY THE SEVENTH DAY AFTER CONSTRUCTION ACTIVITIES HAVE TEMPORARILY CEASED.
 - AREAS WHERE THE SEED HAS FAILED TO GERMINATE ADEQUATELY (UNIFORM PERENNIAL VEGETATIVE COVER WITH A DENSITY OF 70%) WITHIN 30 DAYS AFTER SEEDING AND MULCHING MUST BE RESEEDING IMMEDIATELY, OR AS SOON AS WEATHER CONDITIONS ALLOW.
5. EROSION & SEDIMENT CONTROLS SHALL BE INSTALLED IN LOCATIONS DOWN SLOPE FROM THE DISTURBED AREAS AS A FIRST MEASURE OF CONSTRUCTION. COMPOST FILTER SOCK SHALL BE INSPECTED AFTER EACH RAINFALL. ANY REQUIRED REPAIRS SHALL BE MADE IMMEDIATELY. DAMAGED, DECOMPOSED OR OTHERWISE INEFFECTIVE SILT FENCE SHALL BE REPLACED. SEDIMENT DEPOSITS SHOULD BE REMOVED AS REQUIRED WHEN DEPOSITS REACH APPROXIMATELY ONE-HALF OF THE BARRIER HEIGHT. ANY SEDIMENT DEPOSITS REMAINING IN PLACE AFTER THE SILT FENCE IS NO LONGER NEEDED SHALL BE DRESSED TO CONFORM TO THE EXISTING GRADE AND STABILIZED.
6. DEVICES LISTED HEREIN ARE CONSIDERED MINIMUM EROSION AND SEDIMENT CONTROLS. ADDITIONAL CONTROL MEASURES MAY BE NECESSARY DUE TO CONTRACTOR PHASING OR OTHER UNFORESEEN CONDITIONS. IT IS THE CONTRACTOR'S RESPONSIBILITY TO PROVIDE ADDITIONAL MEASURES IN ADDITION TO THOSE SHOWN, AS NEEDED, IN ORDER TO CONTROL EROSION AND CONTAIN SEDIMENT ON SITE.
7. THE CONTRACTOR IS RESPONSIBLE FOR KEEPING EXISTING PUBLIC ROADS IN A CLEAN, DUST AND MUD FREE CONDITION AT THE SITE.
8. ALL COMPOST FILTER SOCK SHALL BE INSTALLED ALONG THE CONTOURS, PERPENDICULAR TO THE FLOW OF WATER. SEE DETAIL ON DRAWING NO. 5.
9. WORK AREAS WILL BE USED TO LAYOUT AND ASSEMBLE GAS LINE FIXTURES. MINIMAL EARTH DISTURBANCE IS EXPECTED, HOWEVER, EROSION AND SEDIMENT CONTROL WILL BE INSTALLED AS IF THE ENTIRE AREA WILL BE DISTURBED. DISTURBED AREAS WITHIN THE WORK AREAS WILL BE VEGETATED IN ACCORDANCE WITH THE EROSION AND SEDIMENT CONTROL PLAN AND S.W.P.P.P.
10. BASED ON INFORMATION PRESENTED ON THE SITE PLAN, THE PROJECT IS LOCATED WITHIN FEMA FLOOD ZONE A, WHICH IS THE REGULATORY FLOODPLAIN ASSOCIATED WITH THE BASE FLOOD (1 PERCENT ANNUAL CHANCE FLOOD EVENT), COMMONLY REFERRED TO AS THE 100-YEAR FLOODPLAIN. FLOOD ZONE A INDICATES THAT THE LIMITS OF THE FLOODPLAIN ARE APPROXIMATE, AS SUCH, BASE FLOOD ELEVATIONS (BFEs) HAVE NOT BEEN PREVIOUSLY ESTABLISHED BY FEMA. ALL WORK ASSOCIATED WITH THE PROPOSED PROJECT WITHIN THE LIMITS OF THE FLOODPLAIN WILL BE IN ACCORDANCE WITH THE FOLLOWING: NO PERMANENT ABOVE GROUND STRUCTURES ARE TO BE CONSTRUCTED WITHIN THE FLOODPLAIN. ANY STABILIZED CONSTRUCTION ENTRANCES TO BE INSTALLED WITHIN THE FLOODPLAIN SHALL BE INSTALLED BY REMOVING EXISTING MATERIAL TO A DEPTH SUITABLE FOR INSTALLING THE ENTRANCES SO THAT THE TOP OF THE GRAVEL SURFACE IS AT ORIGINAL GRADE ELEVATIONS. EXCESS MATERIAL ASSOCIATED WITH THIS ACTIVITY SHALL BE PLACED OUTSIDE OF THE FLOODPLAIN LIMITS. NO FILL SHALL BE PLACED WITHIN THE FLOODPLAIN LIMITS ABOVE ORIGINAL ELEVATIONS. THE PROPOSED WATERLINE WILL BE TEMPORARY AND INSTALLED ON THE SURFACE, IT WILL ALSO BE ANCHORED TO THE GROUND USING 2"x2" WOOD STAKES. SEE DETAIL ON DRAWING NO. 5.

LEGEND	
SYMBOL	DESCRIPTION
	STREAMS
	EXISTING PIPELINE
	APPROXIMATE LOCATION OF EXISTING CULVERT
	PERMANENT RIGHT-OF-WAY
	PROPOSED WATERLINE
	FLOODPLAIN LIMIT
	PROPOSED COMPOST FILTER SOCK
	PROPOSED TEMPORARY STONE CONSTRUCTION ENTRANCE



MAPPING REFERENCE:
 BASE TOPOGRAPHIC MAPPING TAKEN FROM WVGIS S&MB AERIAL MAPPING, DATED 2003.

DATE: 01-15-2014 09:58:00 AM
 DRAWN BY: JWS
 CHECKED BY: JMS
 PROJECT: EQT WEUB WATERLINE
 SHEET: 11-0147-803-0030-040

APPROXIMATE SIZED COMPOST FILTER SOCK SHALL BE INSTALLED BELOW TOE OF FILL ALONG CONTOUR LINES

NO WORK SHALL BE PERFORMED OUTSIDE OF LIMITS OF CONSTRUCTION INCLUDING INSTALLATION OF EROSION AND SEDIMENT CONTROL DEVICES

MATCH LINE - SEE SHEET 3

STA. 30+53.97
 END PROPOSED WEUB WATERLINE

U.S. ROUTE 50