


**CERTIFIED MAIL**

Doddridge County Office of Emergency Management  
George Eidel, Floodplain Manager  
105 Court Street, Suite 3  
West Union, WV 26456



7017 1450 0001 5869 5674



HASLER

\$006.70<sup>0</sup>

05/30/2018 ZIP 26456  
012E14643162

US POSTAGE

Ralph & Sandra Posey Family Trust  
1340 York Way  
Sparks, NV 89431


*Handwritten:* LW 6-4-18

NIXIE S95 DE 1 0006/21/18

RETURN TO SENDER  
UNCLAIMED  
UNABLE TO FORWARD

UNC  
0049643670120

BC: 26456201205 \*2271-03258-31-46



PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT  
OF THE RETURN ADDRESS, FOLD AT DOTTED LINE

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

**Ralph & Sandra Posey Family Trust  
1340 York Way  
Sparks, NV 89431**



9590 9402 3685 7335 7524 24

2. Article Number (Transfer from service label)

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature

X

Agent

Addressee

B. Received by (Printed Name)

C. Date of Delivery

D. Is delivery address different from item 1?  Yes  
If YES, enter delivery address below:  No

3. Service Type

- |  |   |
|--|---|
| <input type="checkbox"/> Adult Signature                               | <input type="checkbox"/> Priority Mail Express®                     |
| <input type="checkbox"/> Adult Signature Restricted Delivery           | <input type="checkbox"/> Registered Mail™                           |
| <input type="checkbox"/> Certified Mail®                               | <input type="checkbox"/> Registered Mail Restricted Delivery        |
| <input type="checkbox"/> Certified Mail Restricted Delivery            | <input type="checkbox"/> Return Receipt for Merchandise             |
| <input type="checkbox"/> Collect on Delivery                           | <input type="checkbox"/> Signature Confirmation™                    |
| <input type="checkbox"/> Collect on Delivery Restricted Delivery       | <input type="checkbox"/> Signature Confirmation Restricted Delivery |
| <input type="checkbox"/> Insured Mail                                  |   |
| <input type="checkbox"/> Insured Mail Restricted Delivery (over \$500) |   |

Doddridge County Office of  
Emergency Management/Floodplain Management  
105 Court Street, Suite 3  
304-873-1343  
doddridgecountyfpm@gmail.com



Dear Sir or Ma'am,

May 30, 2018

You are receiving this letter because you have been identified as a land surface and/or mineral rights owner for property or adjacent property related to the proposed development/project identified by the following page.


No action is required of you. This letter is simply to inform you of the proposed development.

If you would like to comment on this proposed project, or would like additional information, you may contact the Doddridge County Floodplain Manager at the above address.

Respectfully yours,

A handwritten signature in black ink, appearing to read 'George Eidel', written in a cursive style.

George Eidel, CFM, OEM Director/Floodplain Manager



## **Doddridge County Floodplain Permits**

**(Week of May 28, 2018)**


Please take notice that on the 29<sup>th</sup> day of May, 2018, Antero Midstream filed an application for a Floodplain Permit (**#18-514**) to develop land located at or about **Big Run Rd; Coordinates 39.340267 N, -80.578702 W**. The Application is on file with the Doddridge County Floodplain Manager's Office and may be inspected or copied during regular business hours. Any interested persons who desire to comment shall present the same in writing by **June 25, 2018** (20 calendar days after the announcement at the regularly scheduled Doddridge County Commission Meeting) delivered to the Clerk of the County Court at 108 Court Street Ste. 1, West Union, WV 26456. **This project is emergency repairs to an exposed pipeline**

Doddridge County Office of Emergency Management  
George Eidel, Floodplain Manager  
105 Court Street, Suite 3  
West Union, WV 26456

**CERTIFIED MAIL®**



7017 1450 0001 5869 5667



MAILER

\$000.70<sup>00</sup>

05/30/18 ZIP 26456  
012E14 43132



6-11  
6-12

Margaret K. Stephenson  
c/o First American Real Estate Tax  
1 First American Way  
Westlake, TX 76262

NIXIE

750 FE 1

0005/07/18


RETURN TO SENDER  
NOT DELIVERABLE AS ADDRESSED  
UNABLE TO FORWARD

UTF

BC: 26456201205

\*2271-03259-31-46

264562012  
7626245746 R01



PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT  
OF THE RETURN ADDRESS FOR POSTAGE PAID MAIL

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

**Margaret K. Stephenson**  
**c/o First American Real Estate Tax**  
**1 First American Way**  
**Westlake, TX 76262**



9590 9402 3685 7335 7524 31

2. Article Number (Transfer from service label)

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature

**X**

- Agent
- Addressee

B. Received by (Printed Name)

C. Date of Delivery

D. Is delivery address different from item 1?  Yes  
 If YES, enter delivery address below:  No

3. Service Type

- Adult Signature
- Adult Signature Restricted Delivery
- Certified Mail®
- Certified Mail Restricted Delivery
- Collect on Delivery
- Collect on Delivery Restricted Delivery
- Insured Mail
- Insured Mail Restricted Delivery (over \$500)
- Priority Mail Express®
- Registered Mail™
- Registered Mail Restricted Delivery
- Return Receipt for Merchandise
- Signature Confirmation™
- Signature Confirmation Restricted Delivery

Doddridge County Office of  
Emergency Management/Floodplain Management  
105 Court Street, Suite 3  
304-873-1343  
doddridgecountyfpm@gmail.com



Dear Sir or Ma'am,

May 30, 2018

You are receiving this letter because you have been identified as a land surface and/or mineral rights owner for property or adjacent property related to the proposed development/project identified by the following page.

No action is required of you. This letter is simply to inform you of the proposed development.

If you would like to comment on this proposed project, or would like additional information, you may contact the Doddridge County Floodplain Manager at the above address.

Respectfully yours,

A handwritten signature in black ink, appearing to read 'George Eidel', written in a cursive style.

George Eidel, CFM, OEM Director/Floodplain Manager



## Doddridge County Floodplain Permits

(Week of May 28, 2018)

Please take notice that on the 29<sup>th</sup> day of May, 2018, Antero Midstream filed an application for a Floodplain Permit (#18-514) to develop land located at or about Big Run Rd; Coordinates 39.340267 N, -80.578702 W. The Application is on file with the Doddridge County Floodplain Manager's Office and may be inspected or copied during regular business hours. Any interested persons who desire to comment shall present the same in writing by June 25, 2018 (20 calendar days after the announcement at the regularly scheduled Doddridge County Commission Meeting) delivered to the Clerk of the County Court at 108 Court Street Ste. 1, West Union, WV 26456. This project is emergency repairs to an exposed pipeline

7017 1450 0001 5869 5643

U.S. Postal Service™ <b>CERTIFIED MAIL® RECEIPT</b> Domestic Mail Only	
For delivery information, visit our website at <a href="http://www.usps.com">www.usps.com</a> ®.	
<b>OFFICIAL USE</b>	
Certified Mail Fee \$ 3.45	
Extra Services & Fees (check box, add fees as appropriate)	
<input checked="" type="checkbox"/> Return Receipt (hardcopy) \$ 2.45	
<input type="checkbox"/> Return Receipt (electronic) \$	
<input type="checkbox"/> Certified Mail Restricted Delivery \$	
<input type="checkbox"/> Adult Signature Required \$	
Postage \$ .50	
Total Postage and Fees \$ 6.70	
Sent To Ronald L. & Rosetta M. Pratt Street and Apt. No., or PO Box No. 2661 Wurt. 23 City, State, ZIP+4® Salem WV 26426 18-514	
PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions	

0595 6895 1000 0547 7017 1450 0001 5869 5650

U.S. Postal Service™ <b>CERTIFIED MAIL® RECEIPT</b> Domestic Mail Only	
For delivery information, visit our website at <a href="http://www.usps.com">www.usps.com</a> ®.	
<b>OFFICIAL USE</b>	
Certified Mail Fee \$ 3.45	
Extra Services & Fees (check box, add fees as appropriate)	
<input checked="" type="checkbox"/> Return Receipt (hardcopy) \$ 2.45	
<input type="checkbox"/> Return Receipt (electronic) \$	
<input type="checkbox"/> Certified Mail Restricted Delivery \$	
<input type="checkbox"/> Adult Signature Required \$	
Postage \$ .50	
Total Postage and Fees \$ 6.70	
Sent To Michael R. & Rusanna Ashcraft Street and Apt. No., or PO Box No. 1 Home Campus City, State, ZIP+4® Des Moines, IA 50328 18-514	
PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions	



**U.S. Postal Service™**  
**CERTIFIED MAIL® RECEIPT**  
 Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.


**OFFICIAL USE**

Certified Mail Fee  
 \$ 3.45

Extra Services & Fees (check box, add fee as appropriate)  
 Return Receipt (hardcopy) \$ 2.75  
 Return Receipt (electronic) \$  
 Certified Mail Restricted Delivery \$  
 Adult Signature Required \$  
 Adult Signature Restricted Delivery \$

Postage  
 \$ .50

Total Postage and Fees  
 \$ 6.70



Sent To Ralph & Sandra Posey Family Trust

Street and Apt. No., or PO Box No.  
1340 York Way

City, State, ZIP+4®  
Sparks, NV 89431 18-914

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

7017 1450 0001 5869 5674

**U.S. Postal Service™**  
**CERTIFIED MAIL® RECEIPT**  
 Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.


**OFFICIAL USE**

Certified Mail Fee  
 \$ 3.45

Extra Services & Fees (check box, add fee as appropriate)  
 Return Receipt (hardcopy) \$ 2.75  
 Return Receipt (electronic) \$  
 Certified Mail Restricted Delivery \$  
 Adult Signature Required \$  
 Adult Signature Restricted Delivery \$

Postage  
 \$ .50

Total Postage and Fees  
 \$ 6.70



Sent To Margaret K. Stephenson

Street and Apt. No., or PO Box No.  
1 First American way

City, State, ZIP+4®  
Weslake, TX 76262 18-514

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

7017 1450 0001 5869 5667

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

**Ronald L. & Rosetta M. Pratt**  
 2661 WV Rt. 23  
 Salem, WV 26426



9590 9402 3685 7335 7524 55

2. Article Number (Transfer from service label)

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature

Ronald Pratt  Agent  
 Addressee

B. Received by (Printed Name)

R Pratt

C. Date of Delivery

6/9

D. Is delivery address different from item 1?  Yes

If YES, enter delivery address below:  No

3. Service Type

- |  |   |
|--|---|
| <input type="checkbox"/> Adult Signature                               | <input type="checkbox"/> Priority Mail Express®                     |
| <input type="checkbox"/> Adult Signature Restricted Delivery           | <input type="checkbox"/> Registered Mail™                           |
| <input type="checkbox"/> Certified Mail®                               | <input type="checkbox"/> Registered Mail Restricted Delivery        |
| <input type="checkbox"/> Certified Mail Restricted Delivery            | <input type="checkbox"/> Return Receipt for Merchandise             |
| <input type="checkbox"/> Collect on Delivery                           | <input type="checkbox"/> Signature Confirmation™                    |
| <input type="checkbox"/> Collect on Delivery Restricted Delivery       | <input type="checkbox"/> Signature Confirmation Restricted Delivery |
| <input type="checkbox"/> Insured Mail                                  |   |
| <input type="checkbox"/> Insured Mail Restricted Delivery (over \$500) |   |

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

**Michael R. & Rusanna Ashcraft**  
**c/o Wells Fargo Mac F2302-036**  
**1 Home Campus**  
**Des Moines, IA 50328**



9590 9402 3685 7335 7524 48

2. Article Number (Transfer from service label)

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature


X

Joann Miller

 Agent  
 Addressee

B. Received by (Printed Name)

C. Date of Delivery

 D. Is delivery address different from item 1?  Yes  
 If YES, enter delivery address below:  No


3. Service Type

- |  |   |
|--|---|
| <input type="checkbox"/> Adult Signature                               | <input type="checkbox"/> Priority Mail Express®                     |
| <input type="checkbox"/> Adult Signature Restricted Delivery           | <input type="checkbox"/> Registered Mail™                           |
| <input type="checkbox"/> Certified Mail®                               | <input type="checkbox"/> Registered Mail Restricted Delivery        |
| <input type="checkbox"/> Certified Mail Restricted Delivery            | <input type="checkbox"/> Return Receipt for Merchandise             |
| <input type="checkbox"/> Collect on Delivery                           | <input type="checkbox"/> Signature Confirmation™                    |
| <input type="checkbox"/> Collect on Delivery Restricted Delivery       | <input type="checkbox"/> Signature Confirmation Restricted Delivery |
| <input type="checkbox"/> Insured Mail                                  |   |
| <input type="checkbox"/> Insured Mail Restricted Delivery (over \$500) |   |

**USPS TRACKING #**



First-Class Mail  
Postage & Fees Paid  
USPS  
Permit No. G-10

9590 9402 3685 7335 7524 48

**United States  
Postal Service**

• Sender: Please print your name, address, and ZIP+4® in this box•

**Doddridge County Office of Emergency Management  
George Eidel, Floodplain Manager  
105 Court Street, Suite 3  
West Union, WV 26456**

18-514



# Floodplain Development Permit

## Doddridge County, WV Floodplain Management

This permit gives approval for the development/ project listed that impacts the FEMA-designated floodplain and/or floodway of Doddridge County, WV, pursuant to the rules and regulations established by all applicable Federal, State and local laws and ordinances, including the Doddridge County Floodplain Ordinance. This permit must be posted at the site of work as to be clearly visible and must remain posted during entirety of development.

**Permit: #18-514**

**Date Approved: June 25, 2018**

**Expires: June 25, 2019**

**Issued to: Antero Midstream, LLC**

**POC: Rachel McKinney**

**Company Address: 535 White Oaks Blvd. Bridgeport, WV 26330**

**Project Address: Big Run Road West Union**

**Firm: 54017C0155C**

**Lat/Long: 39.340267N, -80.578702W**

**Purpose of Development: Land Development, Renewal**

**Issued by: George C. Eidel, CFM, OEM Director/Doddridge County FPM (or designee)**

**Date: June 25, 2018**

---

For additional information regarding this permit, please contact  
Doddridge County Floodplain Manager at 304.873.2631, or via email at  
doddridgecountyfpm@gmail.com  
118 East Court Street; West Union, WV 26456

---



ANTERO MIDSTREAM LLC  
1615 WYNKOOP STREET  
DENVER, COLORADO 80202

COPY

Vendor Name	Vendor No.	Date	Check Number	Check Total
COUNTY COMMISSION OF DODDRIDGE COUN	43126	Jun-20-2018	110558	\$500.00

INV #	INV DATE	DESCRIPTION	AMOUNT	DISCOUNTS	NET AMOUNT
SR06142018.003	06/14/18	FLOODPLAIN PERMIT-EXPOSED PL REPAIR	500.00	0.00	500.00

COPY

FP# 18-514

COPY

COPY

TOTAL INVOICES PAID =====> 500.00 0.00 500.00

DETACH AND RETAIN FOR TAX PURPOSES

THIS CHECK HAS A COLORED FACE ON WHITE STOCK AND AN ARTIFICIAL WATER MARK ON THE BACK.

COPY  
Antero  
Midstream Partners LP

ANTERO MIDSTREAM LLC  
1615 WYNKOOP STREET  
DENVER, COLORADO 80202

Wells Fargo  
Denver, CO

Check No. 110558

11-24  
412

800 - AP ACCT WELLS FARGO

Void After 90 Days

CHECK NUMBER	DATE	PAY EXACTLY
110558	Jun-20-2018	\$500.00

PAY EXACTLY \$500dols00cts  
Five Hundred Dollars and Zero Cents

COPY

TO THE ORDER OF COUNTY COMMISSION OF DODDRIDGE COUN  
WEST VIRGINIA-118 EAST COURT STREET, ROOM 102  
WEST UNION, WV 26456

COPY

*[Handwritten Signature]*

COPY

⑈ 110558 ⑈ ⑆ 04 2038 24 ⑆ 965748 1710 ⑈

---

## FLOODPLAIN PERMIT #17-514

Antero Midstream Big Run Road

---

TASK	COMPLETE (DATE)	NOTES
CHECK RECEIVED		
US ARMY CORP. ENGINEERS (USACE)		
US FISH & WILDLIFE SERVICES (USFWS)		
WV DEPT. NATURAL RESOURCES (WVDNR)		
WV DEPT. ENVIROMENTAL PROTECTION (WVDEP)		
STATE HISTORIC & PRESERVATION OFFICE (SHPO)		
OFFICE of LAND & STREAM (OLS)		
DATE OF COMMISSION READING	6/5/18	
DATE AVAILABLE TO BE GRANTED	6/25/18	
PERMIT GRANTED		
COMPLETE		

---

7017 1450 0001 5869 5674

---

7017 1450 0001 5869 5667

---

7017 1450 0001 5869 5650

---

7017 1450 0001 5869 5643



## **Doddridge County Floodplain Permits**

**(Week of May 28, 2018)**

Please take notice that on the **29<sup>th</sup>** day of **May, 2018**, **Antero Midstream** filed an application for a Floodplain Permit **(#18-514)** to develop land located at or about **Big Run Rd; Coordinates 39.340267 N, -80.578702 W**. The Application is on file with the Doddridge County Floodplain Manager's Office and may be inspected or copied during regular business hours. Any interested persons who desire to comment shall present the same in writing by **June 25, 2018** (20 calendar days after the announcement at the regularly scheduled Doddridge County Commission Meeting) delivered to the Clerk of the County Court at 108 Court Street Ste. 1, West Union, WV 26456. **This project is emergency repairs to an exposed pipeline**

  
**Antero**  
Midstream Partners LP  
Antero Midstream, LLC  
535 White Oaks Blvd  
Bridgeport, WV 26330  
Office 304.842.4100  
Fax 304.842.4102

May 18, 2018

MAY29 18 1:22PM

Doddridge County Commission  
Attn: George Eidel, Doddridge County Floodplain Manager  
105 Court Street, Suite 3  
West Union, WV 26456

Mr. Eidel:

Antero Midstream LLC would like to submit a Doddridge County Floodplain permit application for our **Bluestone 29+00 Exposed Pipe Repair** project. This project is located in Doddridge County, where the exposed pipe repair is at coordinate 39.340267N, 80.578702W. Per the FIRM Map #54017C0155C this location is in the floodplain.


Attached you will find the following:

- Doddridge County Floodplain Permit Application
- No-Rise Certificate
- WV Flood Tool Map
- FIRM Map
- Project Maps

If you have any questions please feel free to contact me at (304) 842-4008.

Thank you in advance for your consideration.

Sincerely,



Rachel McKinney  
Environmental Specialist II  
Antero Resources Corporation

Enclosures





Permit#	18-514
Project Name:	Bluestone 29 +00 Exposed Pipe Repair
Permittees Name:	Antero Midstream

MAY29 18 1:22PM

## ***Doddridge County, WV***

### **Floodplain Development Permit Application**

This document is to be used for projects that impact/potentially impact the FEMA---designated floodplain and/or floodway of Doddridge County, WV pursuant to the rules and regulations established by all applicable Federal, State and local laws and ordinances, including the Doddridge County Floodplain Ordinance.

#### **SECTION 1: GENERAL PROVISIONS (APPLICANT TO READ AND SIGN)**

1. No work may start until a permit is issued.
2. The permit may be revoked if any false statements are made herein.
3. If revoked, all work must cease until permit is re-issued.
4. The permit will expire if no work is commenced within six months of issuance.
5. Applicant is hereby informed that other permits may be required to fulfill local, state, and federal requirements.
6. Applicant hereby gives consent to the Floodplain Administrator/Manager or his/her representative to make inspections to verify compliance.
7. I THE APPLICANT CERTIFY THAT ALL STATEMENTS HEREIN AND IN ATTACHMENTS TO THIS APPLICATION ARE, TO THE BEST OF MY KNOWLEDGE, TRUE AND ACCURATE.

APPLICANT'S SIGNATURE

*Brian Mann*

DATE

5-24-18

**Doddridge County Commercial/Industrial  
Floodplain Development Permit Application**

**Applicant Information:**

*Please provide all pertinent data.*

<b>Applicant Information</b>		
<b>Responsible Company Name: Antero Midstream LLC</b>		
<b>Corporate Mailing Address: 1615 Wynkoop Street</b>		
<b>City: Denver</b>	<b>State: CO</b>	<b>Zip: 80202</b>
<b>Corporate Point of Contact (POC):</b>		
<b>Corporate POC Title:</b>		
<b>Corporate POC Primary Phone:</b>		
<b>Corporate POC Primary Email:</b>		
<b>Corporate FEIN:</b>	<b>Corporate DUNS:</b>	
<b>Corporate Website: <a href="http://www.anteroresources.com">www.anteroresources.com</a></b>		
<b>Local Mailing Address: 535 White Oaks Blvd.</b>		
<b>City: Bridgeport</b>	<b>State: WV</b>	<b>Zip: 26330</b>
<b>Local Project Manager (PM):</b>		
<b>Local PM Primary Phone:</b>		
<b>Local PM Secondary Phone:</b>		
<b>Local PM Primary Email:</b>		
<b>Person Filing Application: Rachel McKinney</b>		
<b>Applicant Title: Environmental Specialist II</b>		
<b>Applicant Primary Phone: (304) 842-4008</b>		
<b>Applicant Secondary Phone: (304) 641-2396</b>		
<b>Applicant Primary Email: <a href="mailto:rmckinney@anteroresources.com">rmckinney@anteroresources.com</a></b>		



Doddridge County Commercial/Industrial  
Floodplain Development Permit Application

**Proposed Development:**

*Please check all elements of the proposed project that apply.*

**DESCRIPTION OF WORK (CHECK ALL APPLICABLE BOXES)**

**A. STRUCTURAL DEVELOPMENT**

<u>ACTIVITY</u>	<u>STRUCTURAL TYPE</u>
<input type="checkbox"/> New Structure	<input type="checkbox"/> Residential (1 – 4 Family)
<input type="checkbox"/> Addition	<input type="checkbox"/> Residential (more than 4 Family)
<input type="checkbox"/> Alteration	<input type="checkbox"/> Non-residential (floodproofing)
<input type="checkbox"/> Relocation	<input type="checkbox"/> Combined Use (res. & com.)
<input type="checkbox"/> Demolition	<input type="checkbox"/> Replacement
<input type="checkbox"/> Manufactured/Mobil Home	

**B. OTHER DEVELOPMENT ACTIVITIES:**

- |   |                                 |                                   |                                     |
|---|---------------------------------|-----------------------------------|-------------------------------------|
| <input type="checkbox"/> Fill   | <input type="checkbox"/> Mining | <input type="checkbox"/> Drilling | <input type="checkbox"/> Pipelining |
| <input type="checkbox"/> Grading  |                                 |                                   |                                     |
| <input type="checkbox"/> Excavation (except for STRUCTURAL DEVELOPMENT checked above)         |                                 |                                   |                                     |
| <input type="checkbox"/> Watercourse Alteration (including dredging and channel modification) |                                 |                                   |                                     |
| <input type="checkbox"/> Drainage Improvements (including culvert work)                       |                                 |                                   |                                     |
| <input type="checkbox"/> Road, Street, or Bridge Construction                                 |                                 |                                   |                                     |
| <input type="checkbox"/> Subdivision (including new expansion)                                |                                 |                                   |                                     |
| <input type="checkbox"/> Individual Water or Sewer System                                     |                                 |                                   |                                     |
| <input checked="" type="checkbox"/> Other (please specify)                                    |                                 |                                   |                                     |

Streambank Restoration

---

---

---

**Doddridge County Commercial/Industrial  
Floodplain Development Permit Application**

**Development Site/Property Information:**

*Please provide physical description of the site/property, along with pertinent ownership (surface and mineral rights) data as applicable. Attach appropriate maps from the WV Flood Tool showing location of proposed development. Use additional copies of this page if development spans multiple property boundaries. Designate each property by number (i.e. Property 1 of 1, Property 2 of 7, etc.)*

**Property Designation:** 1 of 1

<b>Site/Property Information:</b>		
<b>Legal Description:</b> 7.29 AC Robinson		
<b>Physical Address/911 Address:</b> 55/18		
<b>Decimal Latitude/Longitude:</b> 39.340978, -80.579053		
<b>DMS Latitude/Longitude:</b> 39°20'27.52"N, 80°34'44.59"W		
<b>District:</b> 05	<b>Map:</b> 29	<b>Parcel:</b> 23.4
<b>Land Book Description:</b>		
<b>Deed Book Reference:</b> Deed Book 282, Page 337		
<b>Tax Map Reference:</b> 09-05-0029-0023-0004-0000		
<b>Existing Buildings/Use of Property:</b> House, Farm		

<b>Floodplain Location Data: (to be completed by Floodplain Manager or designee)</b>			
<b>Community:</b>	<b>Number:</b>	<b>Panel:</b>	<b>Suffix:</b>
<b>Location (Lat/Long):</b>		<b>Approximate Elevation:</b>	
		<b>Estimated BFE:</b>	
<b>Is the development in the floodway?</b>		<b>Is the development in the floodplain?</b>	
<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Yes <input type="checkbox"/> No <b>Zone:</b> _____	
<b>Notes:</b>			

Doddridge County Commercial/Industrial  
Floodplain Development Permit Application

**Property Owner Data:**

*Please provide data on current site/property landowner(s), both surface and mineral rights (as applicable). Use additional copies of this page as needed. Designate each page in relation to each property listed above.*

Property Designation: <u>  1  </u> of <u>  1  </u>
--

<b>Property Owner Data:</b>		
Name of Primary Owner (PO): Stephenson, Margaret K (Life) c/o First American Real Est Tax		
PO Address: 1 First American Way		
City: Westlake	State: TX	Zip: 76262
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

<b>Surface Rights Owner Data:</b>		
Name of Primary Owner (PO):		
PO Address:		
City:	State:	Zip:
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

<b>Mineral Rights Owner Data: (As Applicable)</b>		
Name of Primary Owner (PO):		
PO Address:		
City:	State:	Zip:
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

**Doddridge County Commercial/Industrial  
Floodplain Development Permit Application**

**Contractor Data:**

*Please provide all pertinent data for contractors and sub-contractors that may be participating in this project. Use additional copies of this page as needed. Designate each page in relation to each property listed above.*

<b>Property Designation:</b> ____ of ____
---

<b>Contractor/Sub-Contractor (C/SC) Information:</b>		
<b>C/SC Company Name:</b>		
<b>C/SC WV License Number:</b>		
<b>C/SC FEIN:</b>	<b>C/SC DUNS:</b>	
<b>Local C/SC Point of Contact (POC):</b>		
<b>Local C/SC POC Title:</b>		
<b>C/SC Mailing Address:</b>		
<b>City:</b>	<b>State:</b>	<b>Zip-Code:</b>
<b>Local C/SC Office Phone:</b>		
<b>Local C/SC POC Phone:</b>		
<b>Local C/SC POC E-Mail:</b>		

<b>Engineer Firm Information:</b>		
<b>Engineer Firm Name:</b>		
<b>Engineer WV License Number:</b>		
<b>Engineer Firm FEIN:</b>	<b>Engineer Firm DUNS:</b>	
<b>Engineer Firm Primary Point of Contact (POC):</b>		
<b>Engineer Firm Primary POC Title:</b>		
<b>Engineer Firm Mailing Address:</b>		
<b>City:</b>	<b>State:</b>	<b>Zip-Code:</b>
<b>Engineer Firm Office Phone:</b>		
<b>Engineer Firm Primary POC Phone:</b>		
<b>Engineer Firm Primary POC E-Mail:</b>		

### Adjacent and/or Affected Landowners Data

Please provide data for all adjacent and/or affected surface owners (both up and down stream) whose property may be impacted by proposed development as demonstrated by a floodplain study or survey. Use additional copies of this page as needed.

<b>Adjacent Property Owner Data: Upstream</b>		
Name of Primary Owner (PO): Posey Ralph & Sandra Family Trust		
Physical Address: 1340 York Way		
City: Sparks	State: NV	Zip: 89431
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

<b>Adjacent Property Owner Data: Upstream</b>		
Name of Primary Owner (PO):		
Physical Address:		
City:	State:	Zip:
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

<b>Adjacent Property Owner Data: Downstream</b>		
Name of Primary Owner (PO): Michael R. & Rusanna Ashcraft, c/o Wells Fargo Mac F2302-036		
Physical Address: 1 Home Campus		
City: Des Moines	State: IA	Zip: 50328
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

<b>Adjacent Property Owner Data: Downstream</b>		
Name of Primary Owner (PO): Ronald L. & Rosetta M. Pratt		
Physical Address: 2661 WV RT 23		
City: Salem	State: WV	Zip: 26426
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		



### Adjacent and/or Affected Landowners Data

Please provide data for all adjacent and/or affected surface owners (both up and down stream) whose property may be impacted by proposed development as demonstrated by a floodplain study or survey. Use additional copies of this page as needed.

<b>Adjacent Property Owner Data: Upstream</b>		
Name of Primary Owner (PO): Robert E. & Angela F. Stephenson c/o First American Real Est Tax		
Physical Address: 1 First American Way		
City: Westlake	State: TX	Zip: 76262
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

<b>Adjacent Property Owner Data: Upstream</b>		
Name of Primary Owner (PO):		
Physical Address:		
City:	State:	Zip:
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

<b>Adjacent Property Owner Data: Downstream</b>		
Name of Primary Owner (PO): Michael R. & Rusanna Ashcraft, c/o Wells Fargo Mac F2302-036		
Physical Address: 1 Home Campus		
City: Des Moines	State: IA	Zip: 50328
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

<b>Adjacent Property Owner Data: Downstream</b>		
Name of Primary Owner (PO): Ronald L. & Rosetta M. Pratt		
Physical Address: 2661 WV RT 23		
City: Salem	State: WV	Zip: 26426
PO Primary Phone:		
PO Secondary Phone:		
PO Primary Email:		

## Site Plan

**A Site Plan is an accurate and detailed map of the proposed development for this project.** It shows the size, shape, location and special features of the project property, and the size and location of any development planned to the property, especially as that development will impact the floodplain and/or floodway. Site plans show what currently exists on the project property, and any changes or improvements you are proposing to make. **A certified and licensed engineering firm should complete site plans.**

### **A SITE PLAN MUST CONTAIN THE FOLLOWING INFORMATION:**

1. Legal description of the parcel, north arrow and scale
2. All property lines and their dimensions
3. Names of adjacent roads, location of driveways
4. Location of sloughs, tributaries, streams, rivers, wetlands, ponds, and lakes, with setbacks indicated, and including FEMA floodplain data based on most updated FIRM.
5. Location, size, shape of all buildings, existing and proposed, with elevation of lowest floor indicated.
6. Location and dimensions of existing or proposed on-site sewage systems.
7. Location of all propane tanks, fuel tanks or other liquid storage tanks whether above ground or below ground level.
8. Location and dimensions of any proposed pipeline placement(s) into floodplain/floodway.
9. Location and dimensions of any roadway development into floodplain/floodway. *(Includes initial development access roads)*
10. Location and dimensions of any bridge and/or culvert development into floodplain/floodway.
11. Location and dimensions of any storage yard or facility into the floodplain/floodway.
12. Location of any existing utilities and/or proposed utility placement and/or displacement.
13. Location, dimensions and depth of any existing or proposed fill on site.
14. A survey showing the **existing ground elevations** of at least location on the building site. **ELEVATION NOTE:** All vertical datum will reference either NGVD 29 or NAVD 88. Assumed datum will not be acceptable unless the property is located in an area where vertical datum has not been published. For those areas where vertical datum has not been established, a site plan with contours, elevations using assumed datum, high water marks and existing water levels of sloughs, rivers, lakes or streams and proposed lowest floor elevation.


## Applicant

Please read print name, sign and date below:

- I certify that I am authorized to submit this application for the primary project developer.
- I certify that the information included in this application is to the best of my knowledge true and complete.
- I certify that all required Federal, State, and local permits required by law and/or ordinance for the above described development of this project have will be properly attained, are current and valid, and must be presented prior to a Doddridge County Floodplain Permit being issued.
- I understand that if in the course of the development project additional permits become required that were not needed during the initial proposal, the primary developer must notify the Doddridge County Floodplain Manager within 48 hours of such need, and that a "Stop Work" order may be issued for all project work directly impacting the floodplain or floodway, until such time the required additional permits are acquired.
- I understand that once the floodplain permit is submitted, the application will be entered into official public record at the next regularly scheduled Doddridge County Commission meeting after the date of submittal.
- I understand that from the date of submittal of the fully completed permit application, the Doddridge County Floodplain Manager has ninety (90) days to make a determination to either grant or deny said permit application. During this approval period, the Doddridge County Floodplain Manager may, at his or her discretion, conduct a review and/or additional study of provided documentation by means of an independent engineering firm. All costs associated with said review and/or study must be reimbursed to the County before issuance of approved permit.
- I understand that during the approval period, the Doddridge County Floodplain Manager of designee may at his or her discretion conduct site visits and document conditions of proposed development pursuant to the permit application.
- I understand that once the Floodplain Permit is granted, the permit will be entered into official public record. Appeals to the permit may be made no later than twenty (20) days after said issuance. If a valid appeal is submitted, as determined by the Doddridge County Floodplain Manager, a "Stop Work" order will be issued for all project development directly involving the floodplain or floodway. A public hearing by the Doddridge County Appeals Board will be scheduled no less than ten (10) days after the next regularly scheduled Doddridge County Commission meeting.
- I understand that all decisions of the Doddridge County Appeals Board shall be final.
- **I understand issuance of a Floodplain Permit authorizes me to proceed with construction as proposed.**
- In signing this application, the primary developer hereby grants the Doddridge County Floodplain Manager or designee the right to enter onto the above--described location to inspect the development work proposed, in progress, and/or completed.
- I understand that if I do not follow exactly the site--plan submitted and approved by this permit that a "Stop Work" order may be issued by the Doddridge County Floodplain Manager and that I must stop all construction immediately until discrepancies of actual work vs. proposed work is resolved.

Applicant Signature: Brian Guarneros Date: 5-24-18

Applicant Printed Name: BRIAN GUARNEROS



Civil & Environmental Consultants, Inc.

May 14, 2018

Doddridge County Commission  
Attn: George Eidel, Doddridge County Floodplain Manager  
118 East Court Street, Room 102  
West Union, WV 26456

Subject: Antero Midstream, LLC.  
Bluestone 29+00 Exposed Pipe Repair (AFE# A04385)  
No-Rise Certificate  
Doddridge County, West Virginia  
CEC Project 182-468

Civil & Environmental Consultants, Inc. (CEC) is pleased to evaluate the potential floodplain impacts for the above referenced project on behalf of Antero Midstream, LLC., 535 White Oaks Blvd, Bridgeport, WV 26330. Antero Midstream LLC. proposes to repair two areas along Big Run where the streambank has been eroded. The areas will be stabilized with riprap 18" to 24" thick. Flowable fill will be placed over the pipes and rock to prevent further soil erosion behind the riprap and to re-establish the streambank to approximate original conditions prior to the erosion. This work is necessary to replace the fill around the existing pipeline that is exposed and to prevent further degradation of the streambanks. The project is located within the Robinson Fork Zone A Flood Hazard Area, according to the Flood Insurance Rate Map (FIRM) for Doddridge County, Map Panel 54017C0155C, with a map revised date of October 4, 2011. The proposed riprap fill will be placed along approximately 325 feet of the southern streambank of Big Run. The riprap will be placed in a way that approximates the original condition of the streambank. No restrictions of the stream channel are proposed. As a result, the proposed riprap fill will not increase the base flood elevation of Robinson Fork above the levels that existed prior to the erosion of the streambank.


This no-rise certificate is provided in support of the floodplain development permit application. Your time and effort in reviewing this floodplain development permit application is appreciated. Please feel free to contact me at 304-933-3119 or via e-mail at [glinder@cecinc.com](mailto:glinder@cecinc.com) or contact Mrs. Rachel McKinney at 304-842-4008 or via e-mail at [rmckinney@anteroresources.com](mailto:rmckinney@anteroresources.com) if you have questions or need additional information.

Respectfully submitted,

CIVIL & ENVIRONMENTAL CONSULTANTS, INC.


Steven A. Cain, P.E.  
Vice President

Greg S. Linder, P.E.  
Principal



5-24-2018

# WV Flood Map



This map is not the official regulatory FIRM or DFIRM. Its purpose is to assist with determining potential flood risk for the selected location.

Map created on 5/10/2018

Flood Info Location

## FEMA Effective Floodplain

- Floodway
- Flood Hazard Zone
- Advisory Zone
- A or Updated Zone AE

## Disclaimer:

The online map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size. Refer to the official Flood Insurance Study (FIS) for detailed flood elevation data in flood profiles and data tables. WV Flood Tool (<https://www.MapWV.gov/flood>) is supported by FEMA, WV NFIP Office, and WV GIS Technical Center.

## User Notes:

Antero Midstream LLC  
 RE: Bluestone 29+00  
 Exposed Pipe Repair  
 AFE# A04385

## Flood Hazard Area:

Location is **WITHIN** the FEMA 100-year floodplain.  
 Advisory Flood Heights available.

Flood Hazard Zone: A (Advisory A)

Stream: Big Run

Watershed (HUC8): Little Musringum-Middle Island (50302

FEMA Flood Map: 54017C0155C EFF: 10/4/2011

Elevation: About 892 ft (Source: SAMS 2003)

Community Name: Doddridge County

Community ID: 540024


Location (long, lat): (-80.578773, 39.340410)

Parcel ID: 09-05-0029-0023-0004

Address: N/A



MAP SCALE 1" = 1000'



**NFIP**  
**NATIONAL FLOOD INSURANCE PROGRAM**

PANEL 0155C

**FIRM**  
**FLOOD INSURANCE RATE MAP**  
**DODDRIDGE COUNTY,**  
**WEST VIRGINIA**  
**AND INCORPORATED AREAS**

**PANEL 155 OF 325**  
 (SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS:

COMMUNITY	NUMBER	PANEL	SUFFIX
DODDRIDGE COUNTY	540124	0155	C

Notice to User: The **Map Number** shown below should be used when placing map orders; the **Community Number** shown above should be used on insurance applications for the subject community.




**MAP NUMBER**  
**54017C0155C**  
**MAP REVISED**  
**OCTOBER 4, 2011**



Federal Emergency Management Agency

This is an official copy of a portion of the above referenced flood map. It was extracted using F-MIT On-Line. This map does not reflect changes or amendments which may have been made subsequent to the date on the title block. For the latest product information about National Flood Insurance Program flood maps check the FEMA Flood Map Store at [www.msc.fema.gov](http://www.msc.fema.gov)

**TY**  
**REAS**



Bluestone 29+00 Stream Bank Repair AOI  
 39.340267°, -80.578702°




<b>Antero Midstream LLC</b>	
Figure 1 Project Location Map Bluestone 29+00 Stream Bank Repair	
Date: 04/26/2018	Version: #2



# Bluestone 29100 Stream Bank Repair Procedure.

811 WV# 1808731042 39.340267 - 80.578702



Typical Repair



Rip Rap  
18" to 24"  
Thick







**Antero Midstream LLC**

Figure 2  
Impact Map  
Bluestone 29+00 Stream Bank  
Repair

Date: 04/26/2018

Sheet 1 of 1

# The Doddridge Independent

## The Doddridge Independent PUBLISHER'S CERTIFICATE

I, Michael D. Zorn, Publisher of The Doddridge Independent, A newspaper of general circulation published in the town of West Union, Doddridge County, West Virginia, do hereby certify that:


Please take notice that on the 29th day of May, 2018, Antero Midstream filed an application for a Floodplain Permit (#18-514) to develop land located at or about Big Run Rd; Coordinates 39.340267 N, -80.578702 W. The Application is on file with the Doddridge County Floodplain Manager's Office and may be inspected or copied during regular business hours. Any interested persons who desire to comment shall present the same in writing by June 25, 2018 (20 calendar days after the announcement at the regularly scheduled Doddridge County

was published in The Doddridge Independent 2 times commencing on Friday, June 1, 2018 and Ending on Friday, June 8, 2018 at the request of:


**George Eidel, Floodplain Manager  
Doddridge County Commission**

Given under my hand this Tuesday, June 12, 2018


The publisher's fee for said publication is:  
**\$ 24.84 1st Run/\$ 18.63 Subsequent Runs**  
**This Legal Ad Total: \$ 43.47**

  
Michael D. Zorn  
Publisher of The Doddridge Independent

Subscribed to and sworn to before me on  
this date: 06/12/2018

  
Notary Public in and for Doddridge County

My Commission expires on  
The 16 day of May 2019



**Floodplain Public Notice • Legal Notice**  
Please take notice that on the 29th day of May, 2018, Antero Midstream filed an application for a Floodplain Permit (#18-514) to develop land located at or about Big Run Rd. Coordinates 39.340267 N, -80.578702 W. The Application is on file with the Doddridge County Floodplain Manager's Office and may be inspected or copied during regular business hours. Any interested persons who desire to comment shall present the same in writing by June 25, 2018 (20 calendar days after the announcement at the regularly scheduled Doddridge County Commission Meeting) delivered to the Clerk of the County Court at 108 Court Street Ste. 1, West Union, WV 26456. This project is emergency repairs to an exposed pipeline.  
C2 06/1 - 06/8